New York State Museum Bulletin

Entered as second-class matter November 27, 1915, at the Post Office at Albany, New York, under the act of August 24, 1912

Published monthly by The University of the State of New York

No. 188 ALBANY, N. Y. AUGUST 1, 1916

The University of the State of New York

New York State Museum

JOHN M. CLARKE, Director

REPORT OF THE STATE BOTANIST 1915

ALBANY

THE UNIVERSITY OF THE STATE OF NEW YORK

1916

M75r-Ap16-1500

THE UNIVERSITY OF THE STATE OF NEW YORK

Regents of the University
With years when terms expire

1926 PLINY T. SEXTON LL.B. LL.D. *Chancellor* – – Palmyra
1927 ALBERT VANDER VEER M.D. M.A. Ph.D. LL.D. *Vice Chancellor* – – – – – – – – – – Albany
1922 CHESTER S. LORD M.A. LL.D. – – – – – Brooklyn
1918 WILLIAM NOTTINGHAM M.A. Ph.D. LL.D. – – Syracuse
1921 FRANCIS M. CARPENTER – – – – – – – Mount Kisco
1923 ABRAM I. ELKUS LL.B. D.C.L. – – – – – New York
1924 ADELBERT MOOT LL.D. – – – – – – – Buffalo
1925 CHARLES B. ALEXANDER M.A. LL.B. LL.D. Litt.D. – – – – – – – – – – – – Tuxedo
1919 JOHN MOORE – – – – – – – – – – – Elmira
1928 WALTER GUEST KELLOGG B.A. – – – – – Ogdensburg
1917 WILLIAM BERRI – – – – – – – – – – – Brooklyn
1920 JAMES BYRNE B.A. LL.B – – – – – – – New York

President of the University and Commissioner of Education
JOHN H. FINLEY, M.A. LL.D. L.H.D.

Deputy Commissioner and Assistant Commissioner for Elementary Education
THOMAS E. FINEGAN M.A. Pd.D. LL.D.

Assistant Commissioner for Higher Education
AUGUSTUS S. DOWNING M.A. L.H.D. LL.D.

Assistant Commissioner for Secondary Education
CHARLES F. WHEELOCK B.S. LL.D.

Director of State Library
JAMES I. WYER, JR, M.L.S.

Director of Science and State Museum
JOHN M. CLARKE Ph.D. D.Sc. LL.D.

Chiefs and Directors of Divisions

Administration, GEORGE M. WILEY M.A.
Agricultural and Industrial Education, ARTHUR D. DEAN D.Sc., *Director*
Archives and History, JAMES SULLIVAN M.A. Ph.D., *Director*
Attendance, JAMES D. SULLIVAN
Educational Extension, WILLIAM R. WATSON B.S.
Examinations and Inspections, HARLAN H. HORNER M.A., *Director*
Law, FRANK B. GILBERT B.A., *Counsel for the University*
Library School, FRANK K. WALTER M.A. M.L.S.
School Buildings and Grounds, FRANK H. WOOD M.A.
School Libraries, SHERMAN WILLIAMS Pd.D.
Statistics, HIRAM C. CASE
Visual Instruction, ALFRED W. ABRAMS Ph.B.

The University of the State of New York

Science Department, March 15, 1916

Dr John H. Finley

President of the University

SIR:

I have the honor to transmit herewith for publication as a bulletin of the State Museum the annual report of the State Botanist with the necessary illustrative matter pertaining thereto.

Very respectfully yours

JOHN M. CLARKE

Director

THE UNIVERSITY OF THE STATE OF NEW YORK
OFFICE OF THE PRESIDENT

Approved for publication this 22d day of March 1916



President of the University

New York State Museum Bulletin

Entered as second-class matter November 27, 1915, at the Post-Office at Albany, N. Y., under the Act of August 24, 1912

Published monthly by The University of the State of New York

No. 188 ALBANY, N. Y. August 1, 1916

The University of the State of New York

New York State Museum

John M. Clarke, *Director*

REPORT OF THE STATE BOTANIST 1915

John M. Clarke
Director, Science Department

Sir:

I beg to communicate herewith my report on the work of the State Botanist for the fiscal year 1915.

Very respectfully
Homer D. House
State Botanist

Scientific investigations. The investigations of the State Botanist during the season of 1915 have been directed chiefly toward the collection, identification and preparation of specimens of plants and fungi for the state herbarium. A limited amount of time has been spent in the study of the vegetation and ecology of the Oneida lake region.

The diversified character of the vegetation of New York has attracted the attention of botanists since the earliest colonial days and since the publication at Upsala between the years 1743 and 1751 of "Plantae Coldenghamiae" by Cadwallader Colden, the earliest publication relating specifically to the flora of this State, down to the present time, over 350 separate articles and books have been published bearing upon the flora of the State by 185 different authors. The growth of scientific societies in most of the larger cities and the progress of botanical work in colleges and universities throughout the State has contributed largely to the study of local floras with a corresponding increase in the publications upon the vegetation of the State. A complete bibliography which may serve

as a source of information regarding the publications upon the flora of the State and as a guide in future investigations seems particularly opportune at this time. Considerable time has been given to the preparation of such a bibliography, which is printed in this report.

Plant diseases. The principal plant diseases caused by fungi which have been submitted to this office have been parasitic leaf diseases of ornamental and shade trees species. The most noteworthy is a disease of the foliage of wild and cultivated clematis caused by Ascochyta clematidina; a disease of oak leaves caused by Gloeosporium canadense and also a peculiar association of an insect gall and Phyllosticta phomiformis; diseases of the leaves of the woodbine or Virginia creeper caused by Cercospora ampelopsidis and Phyllosticta ampelopsidis, and a disease of horse chestnut leaves caused by Phyllosticta paviae. These are illustrated and discussed in another place under "New or Interesting Species of Fungi."

Memoir on the Wild Flowers of New York. Active work upon this project was begun in August and photographs were made in central New York, vicinity of Albany, Catskill, New York, and on Long Island, of over 150 flowering plants which bloom during the latter part of the summer and autumn, using both dry and lumiere plates. Preliminary proofs of several of the illustrations have been received showing the natural color and grace of the wild plants in a manner that could not be secured by any other process. A few of these are published in this report.

Exchanges. Valuable exchanges of herbarium material have been effected whereby the state herbarium has been enriched by the addition of 254 specimens from Prof. J. J. Davis of the University of Wisconsin, 47 specimens from the New York Botanical Garden, 62 specimens from Prof. John Dearness of London, Ont., and 68 specimens from Prof. L. H. Pennington of Syracuse University, in addition to several minor exchanges.

Condition of the collections. With the addition to the staff of Mr Joseph Rubinger, the assistant botanist, it has been possible to place the state herbarium in an excellent condition as regards arrangement and availability of material for study. The collections, exchanges and contributions of the current year have been mounted and placed in the herbarium together with a large quantity of unmounted material which had accumulated in years past.

Additions to the herbarium. The number of specimens which have been added to the herbarium during the past year from current collections is 584, from contributions and exchanges 396, a total of 980 specimens, representing 938 species, in addition to more than 400 additional specimens which have been mounted from the unnamed material accumulated in the past. Of these, 222 species were not previously represented in the herbarium and 30 species and varieties are described as new to science. The number of those who have contributed specimens to the herbarium is 20. This includes those who have sent specimens merely for identification and which were desirable additions to the herbarium.

Identifications. The State Botanist's office has been called upon to identify or report upon 650 specimens of flowering plants, ferns, mosses, lichens and fungi, by 110 different persons.

PLANTS ADDED TO THE HERBARIUM

New to the herbarium

(Flowering plants)

Ammsonia ammsonia (*L.*) *Britton*
Aristida oligantha *Michx.*
Aster inanthinus *Burgess*
" multiformis *Burgess*
" tenebrosus *Burgess*
Carex hormathodes *Fernald*
Cathartolinum sulcatum (*Ridell*) *Small*
Chaenorrhinum minus (*L.*) *Lange*
Chamaesyce glyptosperma (*Engelm.*) *Small*
Crepis biennis *Linn.*
Elymus glaucus *Buckley*
Galeopsis ladanum *L. var.* latifolia *Wallr.*
Hypericum densiflorum *Pursh*
Panicum ashei *Pearson*
" commonsianum *Ashe*
" lindheimeri *Nash*
Polygonum buxiforme *Small*
" prolificum (*Small*) *Robinson*
Pyrola asarifolia *Michx.*
Tagetes erecta *Linn.*

(Fungi)

Acanthostigma occidentale *E. & E.*
Aecidium laricis *Kleb.*
" liatridis *Ell. & And.*
Aleurodiscus farlowi *Burt*
Ascochyta lophanthi *Davis*
" pisi Lib., *f.* lupini *Sacc.*
" wisconsina *Davis*

Basidiophora entospora *Rose & Cornu.*
Botryosphaeria fuliginosa *M. & N.*

Caeoma stobilinum *Arthur*
Calosphaeria cornicola *E. & E.*
Cercospora althaeina *Sacc.* var. praecincta *Davis*
" caricina *Ell. & Dearn.*
" caricis *Dearness & House*
" ceanothi *Kell. & sw.*
" cercidicola *Ellis*
" comandrae *Ell. & Dearn.*
" diffusa *E. & E.*
" dioscoreae *E. & M.*
" fingens *Davis*
" gayophyti *E. & E.*
" geranii *Kell. & Sw.*
" megalopotanica *Speg.*
" negundinis *E. & E.*
" omphacodes *Ell. & Holw.*
Cercospora passaloroides *Wint.*
" pentstemonis *E. & K.*
" perfoliata *E. & E.*
" sagittariae *Ell. & Kell.*
" sequoiae var. juniperi *E. & E.*
" stomaticae *Ell. & Davis*
Cintractia subinclusa (*Koern.*) *Magn.*
Coleosporium viburni *Arthur*
Coletotrichum graminicolum (*Ces.*) *Wils.*
Cornularia persicae (*Schw.*) *Sacc.*
Corticium atrovirens *Berk.*
" epigaeum *E. & E.*
" laetum *Karst.*
" roseopallens *Burt*
Coryneum umbonatum *Nees*
Craterellus ochrosporus *Burt*
Cucurbitaria ceanothi *D. & H.*
Cylindrosporium apocyni *E. & E.*
" betulae *Davis*
" clematidis *E. & E.*
" eryngii *Ell. & Kell.*
" glyceriae *E. & E.*
" negundinis *E. & E.*
" shepherdiae *Sacc.*
" vermiforme *Davis*
Cyphella conglobata *Burt*

Darluca bubakiana *Kabat*
Dendrophoma albomaculans (*Schw.*) *Starb.*
Diaporthe ailanthi *Sacc. var.* viburni *Dearness & House*
" comptonae (*Schw.*) *E. & E.*
" minuta *Dearness & House*
" tuberculosa (*Ell.*) *Sacc.*
" *var.* pruni *Dearness & House*
Didymosphaeria empetri (*Fr.*) *Sacc.*
" housei *Dearness*
Diplodia ceanothi *Dearness & House*
" microspora *B. & C.*
Dothidella vacciniicola *Dearness & House*
Doaassansia ranunculina *Davis*

Eichleriella leveilliana (*B. & C.*) *Burt*
Entomosporium thumeni (*Cke.*) *Sacc.*
Entyloma floerkeae *Holway*
Eutypa ludibunda *Sacc.*
Eutypella stellulata (*Fr.*) *Sacc.*

Fabraea rousseauana *Sacc. & Bomm.*
Flammula penetrans *Fr.*
Fusicladium radiosum *var.* microscopium (*Sacc.*) *Allesch.*

Gloeosporium alnicola *Dearness & House*
" argemonis *E. & E.*
" aridum *Ell. & Holw.*
" catalpae *E. & E.*
" confluens *Ell. & Dearn.*
" cylindrosporium (*Bon.*) *Sacc.*
" falcatum *Dearness & House*
" hydrophylli *Dearness & House*
" saccharinum *E. & E.*
" thalictri *Davis*
Gnomonia beneta (*Sacc. & Speg.*) *Kleb.*
Gymnosporangium davisii *Kern*
" juvenescens *Kern*

Hypochnus olivascens (B. & C.) *Burt*
" subferrugineus *Burt*

Keithia thujina *Durand*
" tsugae *Farlow*

Lactaria mucida *Burlingham*
Leptonia euchlora (*Lasch*) *Quel.*
Leptosphaeria triglochinis *Schroet.*

Macrophoma viburni *Dearness & House*
Marsonia fraxini *Ell. & Davis*
Marsonia neilliae (*Harkness*) *Magn.*
" marini (*S. & E.*) *Magn.*
Massaria plumigera *var.* tetraspora *Dearness & House*
Metasphaeria varia *Dearness & House*

Nigredo rhyncosporae (*Ellis*) *Arthur*

Ovularia asperifolii *Sacc. var.* lapulae *Davis*
" destructiva (*Phil. & Plowr.*)

Peniophora affinis *Burt*
" crassa *Burt*
" longispora *Pat.*
" laevis (*Fr.*) *Burt*
" sanguinea *Fr.*
" sordida *Karst.*
Peronospora calotheca *DeBary*
" polygoni *Thüm.*
" rubi *Rabenh.*
" viciae (*Berk.*) DeBy. *var.* americana *Davis*
Pestalozzia flagellifera *E. & E.*
Phleospora celtidis *Ell. & Mart.*
" chenopodii *E. & K.*
Phoma florida *Dearness & House*
" imperalis *Sacc. & Roum.*
" linariae *Dearness & House*
" longipes *B. & C.*
" pectinata *Dearness & House*
" platinocola *D. & H.*
Phyllosticta ambrosiodes *Thüm.*
" destruens *Desm.*
" lentaginis *Sacc. & Syd.*
" punctata *Ell. & Dearn.*
" simillispora *Ell. & Davis*
" steironematis *Dearness & House*

Physalospora ambrosiae *E. & E.*
Protomyces andinus *Speg.*
Plasmopara humuli *Miyabe & Takahashi*
" ribicola *Schroet.*
Phytophthora thalictri *Wils. & Davis*
Puccinia conii (*Strauss*) *Fckl.*
" cyperi *Arthur*
" milii *Erikss.*
" ornata *Arthur & Holw.*
" panici *Dietel.*
" perminuta *Arthur*
" poarum *Niels*
" pygmea *Erikss.*
" rubifaciens *Johans.*
" sessilis *Schw.*
" seymouriana *Arthur*
" tetramerii *Seym.*
" tomipara *Trelease*
" windsoriae *Schw.*

Ramularia brunellae *E. & E.*
" cichorii *Dearness & House*
" lysimachiae *Thüm.*
" puntiformis (*Schl.*) *var. Hoehn.*
" reticulata *E. & E.*
" rosea (*Fckl.*) *Sacc.*
" smilacinae *Davis*
" uredinis (*Voss*) *Sacc.*
" virgaureae *Thüm.*

Sclerotium globuliferum *Davis*
Scolescosporium coryli *Dearness & House*
Septoria acerella *Sacc.*
" asclepiadicola *E. & E.*
" astericola *E. & E.*
" brevispora *Ell. & Davis*
" brunellae *Ell. & Holw.*
" cephalanthi *Ell. & Kell.*
" consimilis *E. & M.*
" davisii *Sacc.*
Septoria dimera *Sacc.*
" dolichospora *E. & E.*
" helenii *E. & E.*
" lophanthi *Wint.*
" mollisia *Dearness & House*
" nubilosa *E. & E.*
" pachyspora *Ell. & Holw.*
" parietariae *Davis*
" physostegiae *E. & E.*
" polaris *Karst.*
" polymniae *E. & E.*
" prenanthis *E. & E.*
" rudbeckiae *Ell. & Holw.*
" silphii *E. & E.*
" salicifoliae (*Trel.*) *Berl. & DeToni*
" stachydis *R. & D.*
" tenuis *Dearness & House*
" zanthiifoliae *Ell. & Kell.*
Sphaerella ciliata *E. & E.*
Sphaeropsis ailanthi *Ell. & Barth.*
" ceanothi *Dearness & House*
" coryli *E. & E.*
" parallela *Dearness & House*
" physocarpi *E. & E.*
" viburni-dentati *Dearness & House*
Stagonospora convolvuli *Dearness & House*
Synchytrium scirpi *Davis*

Taphrina potentillae (*Farlow*) Johans.
Thelephora scissilis *Burt*

Urocystis agropyri (*Preuss.*) *Schroet.*
Uromyces galphiniae *Diet. & Holw.*
" poinsettiae *Tranz.*
" rudbeckiae *A. & H.*

Vermicularia polygoni-virginici *Schw.*

Not New to the Herbarium

Aecidium ceanothi *Ell. & Kell.*
" chelonis *Ger.*
" compositarum *Mart.*
" euphorbiae *Pers.*
" falcatae *Arthur*
Aecidium hydnoideum *B. & C.*
" lupini *Peck*
" nesaeae *Ger.*
" proserpinaceae *B. & C.*
" roestelioides *E. & E.*

Aecidium senecionis *Desm.*
Agaricus diminutivus *Peck*
" placomyces *Peck*
" sylvicola *Vitt.*
Albugo candida (*Pers.*) *Kuntze*
" tragopogonis (*DC.*) *S. F. Gray*
Antrodia mollis (*Sommerf.*) *Karsten*
Ascochyta clematidina *Thüm.*
" colorata *Peck*
Asterina gaultheriae *Curt.*
" rubicola *E. & E.*
Asterostroma cervicolor (B. & C.) Massee

Bactridium flavum *Kze. & Schum.*
Bjerkandera adusta (*Willd.*) *Karst.*
Boletinus pictus *Peck*
Burrillia pustulata *Setch.*

Calyptospora columnaris (*A. & S.*) *Kuhn*
Cercospora apocyni *E. & K.*
" beticola *Sacc.*
" boehmeriae *Peck*
" callae *Peck*
" comari *Peck*
" condensata *Ell. & Kell.*
" diffusa *E. & E.*
" echinocystis *E. & M.*
" effusa (*B. & C.*) *E. & E.*
" gerardiae *Ell. & Dearn.*
" granuliformis *Ell. & Kell.*
" gymnocladi *Ell. & Holw.*
" longispora *Peck*
" physalidis *Ellis*
" pyri *Farlow*
" racemosa *Ell. & Mart.*
" rhamni *Fckl.*
" ribicola *E. & E.*
" symplocarpi *Peck*
" zebrina *Pass.*
Cercosporella apocyni *Ell. & Kell.*
Ceriomyces subglabripes (*Peck*) *Murrill*
Chanterel infundibuliformis (*Scop.*) *Fr.*
" muscoides (*Wulf.*) *Murrill*
" umbonatus *Fr.*
Chlorosplenium aeruginosum (*Oed.*) *DeNot.*
Cladosporium ramulosum *Desm.*
" typhae *Schw.*
Claudopus nidulans (*Pers.*) *Peck*
Clavaria mucida *Pers.*
" pinophila *Peck*
" pistillaris *Linn.*
Clitocybe clavipes (*Pers.*) *Fr.*
" sinopica *Fr.*
Clitopilus abortivus *B. & C.*
Coleosporium sonchi-arvenis (*Pers.*) *Lev.*
" solidaginis (*Schw.*) *Thüm.*
Collybia dryophila *Bull.*
" maculata *A. & S.*
" strictipes *Peck*
" tuberosa *Bull.*
Coniophora arida *Fr.*
" puteana *Schum.*
" olivescens (*B. & C.*) *Massee*
" suffocata *Peck*
Coniothyrium concentricum *Desm.*
Corticium effuscatum *C. & E.*
" alutaceum (*Schrad.*) *Bres.*
" berkeleyi *Cooke*
" colliculosum *B. & C.*
" mutatum *Peck*
" evolvens *Fr.*
" sambuci *Fr.*
" fumosum *Fr.*
" investiens (*Schw.*) *Bres.*
" vagum *B. & C.*
Cortinarius armillatus *Fr.*
Craterellus cornucopioides *Pers.*
" odoratus (*Schw.*) *Fr.*
Cronartium comandrae *Peck*
" quercus (*Brond.*) *Schroet.*
Cryptospora aculeans (*Schw.*) *E. & E.*
Cudonia lutea (*Peck*) *Sacc.*
Cyphella fasiculata (*Schw.*) *B. & C.*
Cytospora rhoina *Fr.*

Daedalea quercina (*L.*) *Pers.*
Daldinia concentrica (*Bolt.*) *Ces. & DeNot.*
Dendrophoma cephalanthi *Peck*

Diaporthe acerina (*Pk.*) *Sacc.*
" obscura *Peck*
Diatrype stigma (*Hoffm.*) *Fr.*
Dimerosporium melioloides (*B. & C.*)
Diplodia cercidis *E. & E.*
" linderae *E. & E.*
Discosia maculicola *Ger.*
Doassansia alismatis (*Nees*) *Cornn.*
" affinis *Ell. & Dearn.*
" deformans *Setch.*
" martianoffiana (*Thüm.*) *Schult.*

Elaphomyces variegatus *Tul.*
Elfvingia fomentaria (*L.*) *Murrill*
Entyloma compositarum *Farlow*
" lineatum (*Cooke*) *Davis*
" menispermi *Farlow*
" microsporum (*Ung.*) *Schroet.*
" nymphaeae (*DC.*) *Setch.*
" ranunculi (*Bon.*) *Schroet.*
" thalictri *Schroet.*
" physalidis (*Kl. & Cke.*) *Wint.*
Erysiphe martii *Link*
Eutypella glandulosa *Cooke*
Exoascus communis *Sadeb.*
" betulinus (*Rost.*) *Sadeb.*
" insitiae *Sadeb.*

Flammula carbonaria *Fr.*
Fomes populinus (*Schum.*) *Cooke*
" roseus (*Alb. & Schw.*) *Cooke*
" scutellatus (*Schw.*) *Cooke*
Fomitiporia prunicola *Murrill*
Fusarium heterosporum *Nees*
Fusicladium depressum *B. & Br.*

Geaster triplex *Jungh.*
Gelatinopoium abietinum *Peck*
Gloeophyllum hirsutum (*Schaeff.*) *Murrill*
" trabeum (*Pers.*) *Murrill*
Gloeosporium betularum *Ell. & Mart.*
" canadense *E. & E.*
" caryae *Ell. & Dearn.*
" coryli (*Desm.*) *Sacc.*
" divergens *Peck*
Gloeosporium nervicolum *G. Massal*
" robergii *Desm.*
" salicis *West.*
" sassafras (*Cooke*) *E. & K.*
" septorioides *Sacc.*
" trifolii *Peck*
Gnomonia beneta (*Sacc. & Speg.*) *Kleb.*
Gnomoniella eccentrica (*C. & P.*) *Sacc.*
Grandinia virescens *Peck*
Gymnosporangium clavaeaeforme (*Jacq.*) *DC.*
" globosum *Farlow*

Hapalopilus gilvus (*Schw.*) *Murrill*
" rutilans (*Pers.*) *Murrill*
Hendersonia staphyleae *E. & E.*
Holwaya gigantea (*Peck*) *Dur.*
Hydnum caput-ursi *Fr.*
" schiedermayeri (*Heufler*)
Hygrophorus fuligineus *Frost*
" pratensis (*Pers.*) *Fr.*
Hyphoderma commune (*Fr.*) *Duby*
Hypholoma fasciculare (*Huds.*) *Fr.*
Hypochnus granulosus (*Peck*) *Burt*
" fuscus (*Pers.*) *Fries*

Kuehneola ureninis (*Lk.*) *Arthur*

Lachnea hemisphaerica (*Wiggs.*) *Gill.*
Lactaria gerardii *Peck*
" ligniota *Fr.*
" subdulcis (*Pers.*) *Fr.*
" theiogala (*Bull.*) *Fr.*
" torminosa (*Schaeff.*) *Pers.*
" turpis (*Weinm.*) *Fr.*
Lenzites betulina (*L.*) *Fr.*
Leottia lubrica (*Scop.*) *Pers.*
Lepiota amianthina (*Scop.*) *Quell.*
" clypeolaria (*Bull.*) *Quell.*
Leptosphaeria doliolum *Pers.*
Leptothyrium periclymeni *Desm. var.* americana *E. & E.*
Leptostrimella hysterioides (*Fr.*) *Sacc.*
Libertiella betulina *Desm.*

Macrosporium saponariae *Peck*
" solani *E. & M.*
Marasmius confluens (*Pers.*) *Rickens*
Marsonia coronariae *Sacc. & Dearn.*
" juglandis (*Lib.*) *Sacc.*
" potentillae (*Desm.*) *Magn.*
" violae (*Pass.*) *Magn.*
Massaria vomitoria *B. & C.*
Melampsora medusae *Thüm.*
Melampsorella elatina (*Alb. & Schw.*) *Arthur*
Melampsoropsis ledi (*Lk.*) *Arthur*
" ledicola (*Pk.*) *Arthur*
Melanconium elongatum *Berk.*
Melanoleuca albissima (*Peck*) *Murrill*
" sejuncta (*Sow.*) *Murrill*
Merulius tremellosus *Schrad.*
" bellus *B. & C.*
Microsphaera vaccinii (*Schw.*) *C. & P.*
" alni (*Wallr.*) *Wint.*
Morchella semilibera *DC.*
Mycena epipterygia *Scop.*

Nigredo hedysari-paniculati (*Schw.*) *Arthur*
" polemonii (*Pk.*) *Arthur*
" proeminens (*DC.*) *Arthur*
" pyriformis (*Cke.*) *Arthur*
" spermacoces (*Schw.*) *Arthur*
Nummularia clypeus (*Schw.*) *Cooke*

Odontia trachytricha (*E. & E.*) *Burt*
Omphalia campanella *Batsch.*
" chrysophylla *Fr.*

Peniophora cinerea *Fr.*
" filamentosa (*B. & C.*) *Burt*
" incarnata *Fr.*
" pubera *Fr.*
" sanguinea *Fr.*
" velutina *DC.*
Peridermium comptoniae (*Arth.*) *Orton & Adams*
" balsamium *Peck*
Peronospora arthuri *Farlow*
" corydalis *DeBary*
" effusa (*Grev.*) *Rabh.*
" grisea *Ung.*
" hydrophlli *Waite*
" leptosperma *DeBary*
" lophanthi *Farlow*
" trifoliorum *DeBary*
Pestalozzia guepini *Desm.*
" monochaetoides *Sacc. & Ell.*
Phlebia radiata *Fr.*
Phleospora chenopodii *E. & K.*
" ulmi (*Fr.*) *Wallr.*
Pholiota caperata (*Pers.*) *Fr.*
" squarrosa *Muell.*
Phoma ailanthi *Sacc.*
" longipes *B. & C.*
" verbasicola (*Schw.*) *Sacc.*
Phragmidium occidentale *Arthur*
Phyllosticta ampelopsidis *E. & M.*
" apocyni *Trelease*
" chenopidii *Sacc.*
" cruenta (*Fr.*) *Kickx.*
" hamamelidis *Peck*
" innumerabilis *Peck*
" labruscae *Thüm.*
" liriodendri *Cooke*
" macrospora *E. & E.*
" minima *B. & C.*
" myricae *Cooke*
" paviae *Desm.*
" phomiformis *Sacc.*
" podophylli *Wint.*
" smilacis *E. & M.*
Phyllachora wittrockii (*Erikss.*) *Sacc.*
Physalospora ceanothina (*Peck*) *Sacc.*
" disrupta (*B. & C.*) *Sacc.*
Piggotia fraximi *B. & C.*
Piricularia parasitica *E. & E.*
Plasmopara geranii *Peck*
" halstedii (*Farlow*) *Berl. & DeToni*
" pygmaea (*Ung.*) *Schroet.*
" viticola (*B. & C.*) *Berl. & DeToni*

Pleurotus porrigens *Pers.*
" serotinus *Schrad.*
Polyporus dichrous *Fr.*
Poria calcea *Fr.*
" radula (*Pers.*) *Fr.*
" pulchella *Schw.*
" vaporaria *Fr.*
" vulgaris *Fr.*
Porodisculus pendulus (*Schw.*) *Murrill*
Puccinia angustata *Peck*
" asteria *Duby*
" balsamorhizae *Peck*
" bardanae *Corda*
" bullata (*Pers.*) *Wint.*
" canaliculata (*Schw.*) *Lagenh*
" circaeae *Pers.*
" cirsii *Lasch.*
" convolvuli (*Pers.*) *Cast.*
" cryptotaeniae *Peck*
" curtipes *Howe*
" eatoniae *Arthur*
" eleocharidis *Arthur*
" eriophori *Thüm.*
" extensicola *Plowr.*
" dayi *Clinton*
" dulichii *Sydow*
" eleocharidis *Arthur*
" emaculata *Schw.*
" gigantispora *Bubak.*
" grosulariae (*Pers.*) *Lagenh.*
" heucherae (*Schw.*) *Diet.*
" impatientis (*Schw.*) *Arthur*
" iridis (*DC.*) *Wallr.*
" malvacearum *Mont.*
" melanconoides *Ell. & Hark.*
" menthae *Pers.*
" mesomegala *B. & C.*
" obscura *Schroet.*
" osmorrhizae (*Pk.*) *C. & P.*
" physalidis *Peck*
" pimpinellae *Mart.*
" podophylli *Schw.*
" polygalae *Paschke*
" polygoni-amphibi *Pers.*
" proserpinaceae *Farlow*
" puculiformis (*Jacq.*) *Wettst.*
" pustulata *Arthur*
" saniculae *Grev.*
Puccinia silphii *Schw.*
" simillima *Arthur*
" suaveolens (*Pers.*) *Rostr.*
" taraxaci *Plowr.*
" tenue (*Schw.*) *Burrill*
" triticina *Erikss.*
" violae (*Schw.*) *DC.*
" xanthi *Schw.*
Pucciniastrum agrimoniae (*Schw.*) *Tranz.*
" articum (*Lagh.*) Tranz. *var.* americana *Farl.*
Pseudopeziza medicaginis (*Lib.*) *Sacc*
Pseudovalsa lanciformis (*Fr.*) *Ces. & DeNot.*
Pycnoporus cinnabarinus (*Jacq.*) *Karst.*

Ramularia arvensis *Sacc.*
" barbarae *Peck*
" hammamelidis *Peck*
" nemopanthis *C. & P.*
" obovata *Fckl.*
" occidentalis *E. & K.*
" plantaginis *E. & M.*
" prini *Peck*
" spiraeae *Peck*
" stoloniferae *E. & E.*
Rhinotrichum curtisii *Berk.*
Rhizina inflata (*Schaeff.*) *Quel.*
Rhytisma ilicis-canadensis *Schw.*
" andromedae (*Pers.*) *Fr.*
" punctata (*Pers.*) *Fr.*
Rostkovites granulatus (*L.*) *P. Karst.*
" subaureus (*Pk.*) *Murrill*
Russula compacta *Frost & Peck*
" depallens (*Pers.*) *Fr.*
" foetens (*Pers.*) *Fr.*
" lutea (*Huds.*) *Fr.*

Schizonella melanogramma (*DC.*) *Schroet.*
Sclerotium bifrons *E. & E.*
Scolecotrichum maculicolum *E. & K.*
Scleroderma verrucosa (*Bull.*) *Pers.*
" vulgare *Hornem.*

Septogloeum ampelopsidis *E. & E.*
" nuttalii *Harkness*
" ochroleucum (*B. & C.*) *Dearness*
Septoria anemones *Desm.*
" alnifolia *E. & E.*
" apii (*B. & C.*) *Chester*
" atropurpurea *Peck*
" bruneola (*Fr.*) *Niessl.*
" cerastii *Rob. & Desm.*
" consimilis *E. & M.*
" conspicua *E. & M.*
" cornicola *Desm.*
" dentaria *Peck*
" erigerontis *Peck*
" gei *R. & D.*
" lactucae *Pass.*
" lactucicola *E. & M.*
" ludwigiae *Cooke*
" menyanthis *Desm.*
" musiva *Peck*
" nabali *B. & C.*
" osmorrhizae *Peck*
" polygonorum *Desm.*
" speculariae *B. & C.*
" rubi *West.*
" rubi *West. var.* pallida *Ell. & Holw.*
" rumicis *Ellis*
" sambucina *Peck*
" salicis *West.*
" vebeneae *Rob. & Desm.*
" solidaginicola *Peck*
" violae *West.*
" viridi-tingens *Curt.*
" wilsoni *Clinton*
Spathularia velutipes *C. & F.*
Sphaeropsis biformis *Peck*
" menispermi *Peck*
" sepulta *E. & E.*
" sumachi (*Schw.*) *C. & E.*
Sphaerotheca humuli (*DC.*) *Burr.*
Spongospora subterranea (*Wallr.*) *Johnson*
Stereum rameale *Schw.*
Stigmatea robertiana *Fr.*
Synchytrium decipiens *Farlow*
" aureum *Schroet.*
Taphrina caerulescens (*Desm. & Mont.*) *Tul.*
" potentilliae (*Farlow*) *Johans.*
Thelephora caryophyllea *Schaeff.*
" cuticularis *Berk.*
" intybacea *Pers.*
" spiculosa *Fr.*
" terrestris *Ehrh.*
" vialis *Schw.*
Trametes abietis *Karsten*
" piceina *Peck*
Tyromyces guttulatus (*Peck*) *Murrill*

Uredinopsis atkinsonii *Magn.*
" mirabilis (*Pk.*) *Magn.*
" osmundae *Magn.*
" struthiopteris *Magn.*
Urocystis anemones (*Pers.*) *Wint.*
" waldsteiniae *Peck*
Urophylictis pulposa (*Wallr.*) *Schroet.*
Ustilago heufleri *Fckl.*
" longissima (*Sow.*) *Tul.*
" lorentziana *Thüm.*
" perennans *Rostr.*
" rabenhorstiana *Keuhn.*
" residua *Clinton*
" utriculosa (*Nees*) *Tul.*
" violacea (*Pers.*) *Ung.*
" zeae (*Beckm.*) *Fckl.*
Uromyces rudbeckiae *A. & H.*
" trifolii-repentis (*Cast.*)

Valsa ambiens (*Pers.*) *Fr.*
" leucostoma (*Pers.*) *Fr.*
" nivea (*Hoffm.*) *Fr.*
" opulifoliae *Peck*
" subclypeata *C. & P.*
Valsaria exasperans *Ger. var.* aceris *Rhem.*
Venenarius frostianus (*Peck*) *Murrill*
" phalloides (*Fr.*) *Murrill*
Venturia cassandae *Peck*
Vermicularia compacta *C. & E.*
" coptina *Peck*
" liliacearum *West.*

Xylaria polymorpha *Fr.*

(Ferns and flowering plants)

Agalinis maritima *Raf.*
" purpurea (*L.*) *Britton*
" tenuifolia (*Vahl*) *Raf.*
Agrimonia striata *Michx.*
Agrostis alba *Linn.*
Aletris farinosa *Linn.*
Alsine graminea (*L.*) *Britton*
Althaea officinalis *Linn.*
Ammophila arenaria (*L.*) *Link*
Anchistea virginica (*L.*) *Presl.*
Andropogon furcatus *Muhl.*
Anemone cylindrica *A. Gray*
Anemone quinquifolia *Linn.*
Antennaria canadensis *Greene*
" ambigens (*Greene*) *Fernald*
" fallax *Greene*
" grandis (*Fernald*) *House*
" neodioica *Greene*
" neglecta *Greene*
" occidentalis *Greene*
" parlinii *Fernald*
" petaloidea *Fernald*
" plantaginifolia (*L.*) *Richards*
Apocynum androsaemifolium *Linn.*
Aralia nudicaulis *Linn.*
Arenaria serpyllifolia *Linn.*
Aristida dichotoma *Michx.*
" tuberculosa *Nutt.*
Aronia atropurpurea *Britton*
Asplenium ruta-muraria *Linn.*
Aster acuminatus *Michx.*
" cordifolius *L.*
" concinnus *Willd.*
" divaricatus *L.*
" dumosus *L.*
" ericoides *Linn.*
" lateriflorus (*L.*) *Britton*
" puniceus *Linn.*
" salicifolius *Lam.*
" spectabilis *Ait.*
" subulatus *Michx.*
Atriplex hastatus *Linn.*
Azolla caroliniana *Willd.*

Baccharis halimifolia *Linn.*
Barbara barbara (*L.*) *Macm.*
" stricta *Andrz.*
Bartonia virginica (*L.*) *B. S. P.*
Berberis vulgaris *Linn.*
Boehmeria cylindrica (*L.*) *Sw.*
Brachyelytrum erectum (*Schreb.*) *Beauv.*

Cakile edentula (*Bigel.*) *Hook.*
Caltha palustris *Linn.*
Capnoides sempervirens (*L.*) *Pers.*
Cardamine pennsylvanica *Muhl.*
" pratensis *Linn.*
Carex albicans *Willd.*
" annectans *Bicknell*
" arctata *Boott*
" communis *Bailey*
" comosa *Boott*
" crinita *Lam.*
" deweyana *Schw.*
" diandra *Schr.*
" gracillima *Schw.*
" interior *Bailey*
" intumescens *Rudge*
" lacustris *Willd.*
" leptalea *Wahl.*
" normalis *Mackenzie*
" oblita *Steud.*
" oederi *Ehrh.*
" pauciflora *Lightf.*
" rosaeoides *E. C. Howe*
" scoparia *Schr.*
" stipata *Muhl.*
" trichocarpa *Muhl.*
" umbellata *Schk.*
" vestita *Willd.*
" vulpinoidea *Michx.*
Carum carui *Linn.*
Cassia marylandica *Linn.*
Cathartolinum medium (*Planch*) *Small*
Centaurea nigra *Linn.*
Chamaenerion angustifolium (*L.*) *Scop.*
Chamaesyce polygonifolia (*L.*) *Small*
" preslii (*Guss.*) *Arthur*
Cheirinia cheiranthoides (*L.*) *Link*
Chenopodium ambrosioides *Linn.*
" glaucum *Linn.*
" hybridum *Linn.*
Chrysopsis mariana (*Pursh*) *Nutt.*
Chimaphila umbellata (*L.*) *Nutt.*

Collinsonia canadensis *Linn.*
Convolvulus arvensis *Linn.*
Coptis trifolia (*L.*) *Salisb.*
Cornus amonum *Mill.*
" canadensis (*L.*)
Crocanthemum canadense (*L.*) *Britton*
" majus (*L.*) *Britton*
Cuscuta gronovii *Willd.*
Cynoglossum officinale *Linn.*
Cyperus filicinus *Vahl*
" speciosus *Vahl*
" strigosus *Linn.*
Cypripedium spectabile *Salisb.*

Danthonia compressa *Austin*
" spicata (*L.*) *Beauv.*
Dasiphora fruticosa (*L.*) *Rydb.*
Dasystoma flava (*L.*) *Wood.*
" pedicularia (*L.*) *Benth.*
" virginica (*L.*) *Britton*
Decodon verticillata *Linn.*
Dentaria diphylla *Michx.*
Deringia canadensis (*L.*) *Kuntze*
Diodia teres *Walt.*
Distichlis spicata (*L.*) *Greene*
Doellingeria umbellata (*Mill.*) *Nees*
Drosera intermedia *Hayne*
Dryopteris cristata (*L.*) *A. Gray*
" dilatata (*Hoffm.*) *A. Gray*
" dryopteris (*L.*) *Britton*
" intermedia (*Muhl.*) *A. Gray*
" spinulosa (*Muell.*) *Kuntze*
Dulichium arundinaceum (*L.*) *Britton*

Echinochloa walteri (*Pursh.*) *Nash*
Eleocharis palustris (*L.*) *R. & S.*
Eleusine indica (*L.*) *Gaertn.*
Elymus canadensis *Linn.*
Epigaea repens *Linn.*
Epilobium coloratum *Muhl.*
" hirsutum *Linn.*
" lineare *Muhl.*
Equisetum littorale *Kuehl.*
Eriophorum tenellum *Nutt.*
" viridi-carinatum (*Engelm.*) *Fernald*
Eupatorium verbenaefolium *Linn.*
Euthamia graminifolia (*L.*) *Nutt.*

Festuca elatior *Linn.*
Fimbristylis autumnalis (*L.*) *R. & S.*
Fragaria americana (*Porter*) *Britton*

Galeopsis tetrahit *Linn.*
Galium claytoni *Michx.*
" palustre *Linn.*
Geum strictum *Ait.*
Gnaphalium uliginosum *Linn.*
Gratiola aurea *Muhl.*

Helianthus angustifolius *Linn.*
" divaricatus *Linn.*
" strumosus *Linn.*
Hibiscus moscheutos *Linn.*
Hieracium canadense *Michx.*
" paniculatum *Linn.*
" venosum *Linn.*
Hipposelinum levistacum (*L.*) *Britt. & Rose*
Hordeum jubatum *Linn.*

Ibidium cernuum (*L.*) *House*
Ilex laevigata (*Pursh*) *A. Gray*
" montana (*T. & G.*) *A. Gray*
Impatiens biflora *Walt.*
Iva frutescens *Linn.*

Jeffersonia diphylla (*L.*) *Pers.*
Juniperus depressa *Pursh*

Kneiffia pumila (*L.*) *Spach.*
Koellia incana (*L.*) *Kuntze*

Lactuca spicata (*Lam.*) *Hitchc.*
Lappula virginiana (*L.*) *Greene*
Lathyrus maritimus (*L.*) *Bigel.*
" myrtifolius *Muhl.*
Lechea minor *Linn.*
Leptandra virginica (*L.*) *Nutt.*
Lespedeza capitata *Michx.*
" frutescens (*L.*) *Britt.*
" hirta (*L.*) *Hornem.*
" stuvei *Nutt.*
" virginica (*L.*) *Britton*
Lilium canadense *Linn.*
Limonium carolinianum (*Walt.*) *Britton*
Liparis loeselii (*L.*) *Richards.*
Lobelia kalmii *Linn.*

Lonicera hirsuta *Eaton*
" sempervirens *Linn.*
Lychnis flos-cuculi *Linn.*
Lycopus rubellus *Moench.*
Lygodium palmatum (*Bernh.*) *Sw.*
Lysimachia nummularia *Linn.*

Mariscus mariscoides (*Muhl.*) *Kuntze*
Meibonia bracteata (*Mx.*) *Kuntze*
" canadensis (*L.*) *Kuntze*
" dillenii (*Darl.*) *Kuntze*
" grandiflora (*Walt.*) *Kuntze*
" michauxii *Vail*
" obtusa (*Muhl.*) *Vail*
" paniculata (*L.*) *Kuntze*
" rigida (*Ell.*) *Kuntze*
Mentha canadensis *Linn.*
Mikania scandens (*L.*) *Willd.*
Mimulus ringens *Linn.*
Mitella diphylla *Linn.*
" nuda *Linn.*
Monarda clinopodia *Linn.*
Moneses uniflora (*L.*) *A. Gray*
Muhlenbergia racemosa (*Mx.*) *B. S. P.*

Nabulus trifoliatus *Cass*
Naias marina *Linn.*
Naumbergia thrysiflora (*L.*) *Duby.*
Norta altissima (*L.*) *Britton*

Ophioglossum vulgatum *Linn.*

Panicularia canadensis (*Mx.*) *Kuntze*
" obtusa (*Muhl.*) *Kuntze*
" torreyana (*Spreng.*) *Merrill*
Panicum addisonii *Nash*
" boreale *Nash*
" capillare *Linn.*
" clandestinum *Linn.*
" columbianum *Scribn.*
" dichotomum *Linn.*
" dichotomiflorum *Michx.*
" huachucae *Ashe*
" implicatum *Scribn.*
" latifolium *Linn.*
" linearifolium *Scribn.*
" philadelphicum *Bernh.*
Panicum sphaerocarpon *Ell.*
" spretum *Schult.*
" tsugatorum *Nash*
" verrucosum *Muhl.*
" villosissimum *Nash*
" xanthophysum *A. Gray*
Parnassia caroliniana *Walt.*
Pedicularis canadensis *Linn.*
Pentstemon pentstemon (*L.*) *Britt.*
Persicaria lapathifolia (*L.*) *S. F. Gray*
" muhlenbergii (*S. Wats.*) *Small*
" pennsylvanica (*L.*) *Small*
Phalaris arundinacea *Linn.*
Philotria canadensis (*Michx.*) *Britton*
Phragmites phragmites (*L.*) *Karst*
Pilea pumila (*L.*) *A. Gray*
Plantago rugelii *Decne.*
Pluchea camphorata (*L.*) *DC.*
Poa alsodes *A. Gray*
" nemoralis *Linn.*
" triflora *Gilib.*
Polemonium van-bruntiae *Britton*
Polygala nuttallii *T. & G.*
" pauciflora *Willd.*
" verticillata *Linn.*
" viridescens *Linn.*
Polygonum sagittatum *Linn.*
" tenue *Michx.*
Potamogeton amplifolius *Tuckerm.*
Potentilla simplex *Michx.*
Poterium sanguisorba *Linn.*
Ptilimnium capillaceum (*Mx.*) *Raf.*
Pyrola americana *Sweet*
" elliptica *Linn.*
" secunda *Linn.*
" uliginosa *Torrey*

Radicula palustris (*L.*) *Moench.*
Robinia viscosa *Vent.*
Rosa canina *Linn.*
" carolina *Linn.*
Rubus procumbens *Muhl.*
Rudbeckia triloba *Linn.*
Rynchospora fusca (*L.*) *Ait.*

Sabbatia stellaris *Pursh*
Salicornia europea *Linn.*
Sanguisorba canadensis *Linn.*
Sanicula canadensis *Linn.*
" gregaria *Bicknell*
" marylandica *Linn.*
Schizachyrium scoparium (*Mx.*) *Nash*
Scirpus americanus *Pers.*
" robustus *Pursh*
Scrophularia leporella *Bicknell*
Scutellaria lateriflora *Linn.*
Selaginella rupestris (*L.*) *Spring.*
Sericocarpus asteroides (*L.*) *B. S. P.*
Sibbaldiopsis tridentata (*Soland*) *Rydb.*
Silene latifolia (*Mill.*) *B. & R.*
Solidago flexicaulis *Linn.*
" hispida *Muhl.*
" juncea *Ait.*
" puberula *Nutt.*
" rugosa *Mill.*
" sempervirens *Linn.*
Sparganium acaule (*Beeby*) *Rydb.*
" androcladium (*Engelm.*) *Morong.*
Spartina cynosuroides (*L.*) *Roth*
" michauxiana *Hitchc.*
" patens (*Ait.*) *Muhl.*
Spergula arvensis *Linn.*
Spiraea latifolia (*Ait.*) *Borkh.*
Streptopus roseus *Michx.*
Strophostyles helvola (*L.*) *Britt.*
Syntherisma sanguinale (*L.*) *Dulac.*

Taenidia integerrima (*L.*) *Drude*
Teucrium littorale *Bicknell*
" occidentale *A. Gray*
Tiarella cordifolia *Linn.*
Triosteum aurantiacum *Bicknell*
Tovara virginiana (*L.*) *Raf.*

Utricularia macrorhiza *LeConte*
Uvularia sessilifolia *Linn.*

Vaccinium canadense *Kalm*
Veronica scutellata *Linn.*
Viburnum opulus *Linn.*
Viola canadensis *Linn.*
" conspersa *Reichenb.*
" eriocarpa *Schw.*
" fimbriatula *J. E. Sm.*
" incognita *Brainerd*
" latiuscula *Greene*
" rostrata *Pursh*
" rotundifolia *Michx.*
" selkirkii *Pursh*
" septentrionalis *Greene*
" sororia *Willd.*
" subvestita *Greene*

Xanthium echinatum *Murr.*

Zanthoxylum americanum *Mill.*

CONTRIBUTORS AND THEIR CONTRIBUTIONS

Frank H. Ames, Brooklyn
Amsonia amsonia (*L.*) *Britton*

Prof. J. C. Arthur, Lafayette, Ind.
Caeoma strobilinum *Arthur*

M. S. Baxter, Rochester

Antennaria ambigens (*Greene*) *Fernald*
" canadensis *Greene*
" fallax *Greene*
" grandis (*Fernald*) *House*
" neglecta *Greene*
" neodioica *Greene*
" occidentalis *Greene*
" petaloidea *Fernald*
" parlinii *Fernald*
" plantaginifolia (*L.*) *Richard*
Aristida oligantha *Michx.*
Chaenorrhinum minus (*L.*) *Lange*
Chamaesyce glyptosperma (*Engelm.*) *Small*
Galeopsis ladanum *var.* latifolia *Wallr.*
Naias marina *Linn.*
Pyrola uliginosa *Torrey*
Selaginella rupestris (*L.*) *Spring.*
Sericocarpus asteroides (*L.*) *B. S. P.*

H. R. Bristol, Plattsburg

Peridermium comptoniae (*Britton*) *Orton & Adams*

S. H. Burnham, Hudson Falls

Aleurodiscus farlowi *Burt*
Stereum leveillianum *B. & C.*

Miss M. C. Burns, Middleville

Geaster triplex *Junghuhn*
Lychnis flos-cuculi *Linn.*

E. A. Burt, St Louis, Mo.

Craterellus ochrosporus *Burt*
" odoratus (*Schw.*) *Fr.*
Thelephora caryophyllea *Schaeff.*
" cuticularis *Berk.*
" intybacea *Pers.*
Thelephora spiculosa *Fr.*
" scissilis *Burt*
" terrestris *Ehrh.*
" vialis *Schw.*

Mrs E. P. Gardner, Canandaigua

Crepis biennis *Linn.*
Jeffersonia diphylla (*L.*) *Pers.*

J. J. Davis, Madison, Wis.

Aecidium ceanothi *Ell. & Kell.*
" euphorbiae *Gmel.*
" falcatae *Arthur*
" hydnoideum *B. & C.*
" laricis *Kleb.*
" liatridis *Ell. & And.*
Aecidium lupini *Peck*
" nesaeae *Gerard*
" proserpinaceae *B. & C.*
" pustulatum *Curt.*
" rhamni *Gmel.*

Albugo candida (*Pers.*) *Kuntze*
" tragopogonis (*DC.*) *S. F. Gray*
Ascochyta lophanthi *Davis*
Asterina rubicola *E. & E.*

Burrillia pustulata *Setch.*

Cercospora althaeina *Sacc. var.* praecincta *Davis*
" apocyni *E. & K.*
" boehmeriae *Peck*
" callae *Peck*
" caricina *Ell. & Dearn.*
" ceanothi *Kell. & Sw.*
" cercidicola *Ellis*
" comandrae *Ell. & Dearn.*
" condensata *Ell. & Kell.*
" dioscoreae *E. & M.*
" echinocystis *E. & M.*
" effusa (*B. & C.*) *E. & E.*
" fingens *Davis*
" gayophyti *E. & E.*
" geranii *Kell. & Sw.*
" gerardiae *Ell. & Dearn.*
" granuliformis *Ell. & Holw.*
" gymnocladi *Ell. & Keli.*
" negundinis *E. & E.*
" megalopotanica *Speg.*
" omphacodes *Ell. & Holw.*
" passaloroides *Wint.*
" perfoliata *E. & E.*
" physalidis *Ellis*
" pyri *Farlow*
" racemosa *Ell. & Mart.*
" rhamni *Fckl.*
" rhoina *C. & E.*
" ribicola *E. & E.*
" sagittariae *Ell. & Kell.*
" sequoiae *var.* juniperi *E. & E.*
" sii *E. & E.*
" stomatica *Ell. & Davis*
" zebrina *Pass.*
Cercosporella apocyni *Ell. & Kell.*
Cintractia subinclusa (*Koern.*) *Magn.*
Coleosporium sonchi-arvensis (*Pers.*) *Lev.*
" viburni *Arthur*
Coletotrichum graminicolum (*Ces.*) *Wilson*
Cronartium comandrae *Peck*
" comptoniae *Arthur*
" quercus (*Brondewu*) *Schroet.*
Cylindrosporium apocyni *E. & E.*
" betulae *Davis*
" clematidis *E. & E.*
" eryngii *E. & K.*
" glyceriae *E. & E.*
" negundinis *E. & E.*
" ribis *Davis*
" shepherdiae *Sacc.*
" vermiforme *Davis*

Doassansia ranunculina *Davis*
" sagittariae (*West.*) *Fisch.*

Entyloma compositarum *Farlow*
" floerkeae *Holway*
" lineatum (*Cooke*) *Davis*
" menispermi *Farlow & Trelease*
" microsporum (*Ung.*) *Schroet.*
" nymphaeae (*Cunn.*) *Setch.*
" ranunculi (*Bon.*) *Schroet.*
" thalictri *Schroet.*
Erysiphe cichoracearum *DC.*
Exoascus betulinus (*Rostr.*) *Sadeb.*
" communis *Sadeb.*
" insitiae *Sadeb.*

Fabraea rousseauana *Sacc. & Bomm.*
Fusarium heterosporum *Nees*
Fusicladium radiosum *var.* microscopicum (*Sacc.*) *Allesch.*

Gloeosporium aridum *Ell. & Holw.*
" betularum *Ell. & Mart.*
" caryae *Ell. & Dearn.*
" confluens *Ell. & Dearn.*
" cylindrospermum (*Bon.*) *Sacc.*
" robergii *Desm.*
" saccharinum *E. & E.*
" septorioides *Sacc.*
" thalictri *Davis*
" trifolii *Peck*

Gymnosporangium clavariaeforme (*Jacq.*) *DC.*
" clavipes *C. & P.*
" davisii *Kern*
" globosum *Farlow*
" juvenescens *Kern*

Keithia thujina *Durand*
" tsugae *Farlow*
Kuehneola uredinis (*Lk.*) *Arthur*

Leptothyrium periclymeni *Desm. var.* americanum *E. & E.*

Marsonia coronariae *Sacc. & Dearn.*
" fraxini *Ell. & Davis*
" marini (*S. & E.*) *Magn.*
" neilliae (*Harkness*) *Magn.*
" potentillae (*Desm.*) *Magn.*
" violae (*Pass.*) *Magn.*
Melampsora medusae *Thüm.*
Melampsoropsis ledi (*Lk.*) *Arthur*
" ledicola (*Peck*) *Arthur*
Microsphaera alni (*Wallr.*) *Wint.*

Ovularia asperifolii *Sacc. var.* lappulae *Davis*
" destructiva (*Phil. & Plowr.*) *Massee*

Peridermium balsamium *Peck*
Peronospora grisea *Ung.*
" hydrophylli *Waite*
" leptosperma *DeBary*
" lophanthi *Farlow*
" polygoni *Thüm.*
" rubi *Rabenh.*
" trifoliorum *DeBary*
" viciae (*Berk.*) *DeBary, var.* americana *Davis*
Phleospora celtidis *Ell. & Mart.*
" ulmi (*Fr.*) *Wallr.*
Phragmidium occidentale *Arthur*
Phyllachora wittrockii (*Erikss.*) *Sacc.*
Phyllosticta destruens *Desm.*
" innumerabilis *Peck.*
" simillispora *Ell. & Davis*
Physalospora ambrosiae *E. & E.*
Phytophthora thalictri *Wils. & Davis*

Piricularia parasitica *E. & E.*
Plasmopara australis (*Spreg.*) *Swingle*
" halstedii (*Farl.*) *Berl. & DeToni*
" humuli *Miyabe & Takahashi*
" ribicola *Schroet.*
" viburni *Peck*
Protomyces andinus *Speg.*
Puccinia andropogonis *Schw.*
" balsamorhizae *Peck*
" bullata (*Pers.*) *Wint.*
" cirsii *Lasch*
" convolvuli (*Pers.*) *Cast.*
" coronata *Cda.*
" curtipes *Howe*
" cyperi *Arthur*
" dayi *Clinton*
" dulichii *Sydow*
" eatoniae *Arthur*
" eleocharidis *Arthur*
" emaculata *Schw.*
" giganthispora *Bubak*
" heucherae (*Schw.*) *Dietel*
" impatientis *Arthur*
" mesomegala *B. & C.*
" milii *Erikss.*
" ornata *Arthur & Holw.*
" panici *Dietel*
" perminuta *Arthur*
" physalidis *Peck*
" poculiformis (Jacq.) Wettstat.
" polygalae *Paschke*
" proserpinaceae *Farlow*
" pustulata *Arthur*
" pygmaea *Erikss.*
" rubifaciens *Johans.*
" sessilis *Schw.*
" seymouriana *Arthur*
" silphii *Schw.*
" simillima *Arthur*
" tomipara *Trelease*
Pucciniastrum agrimoniae (*Schw.*) *Tranz.*
" articum (*Lagh.*) *Tranz. var* americanum *Farl.*

Ramularia brunellae *E. & E.*
" lysimachiae *Thüm.*
" nemopanthis *C. & P.*
" occidentalis *E. & K.*
" plantaginis *E. & M.*
" prini *Peck*
" punctiformis (*Schl.*) *var. Hoehn.*
" reticulata *E. & E.*
" rosea (*Fckl.*) *Sacc.*
" smilacinae *Davis*
" spiraeae *Peck*
" stolonifera *E. & E.*
" uredinis (*Voss*) *Sacc.*
" virgaureae *Thüm.*
Rhytisma andromedae (*Pers.*) *Fr.*

Sclerotium bifrons *E. & E.*
" globuliferum *Davis*
Septogloeum ampelopsidis *E. & E.*
" nuttalii *Harkness*
Septoria acerella *Sacc.*
" alnifolia *E. & E.*
" asclepiadicola *E. & E.*
" astericola *E. & E.*
" atropurpurea *Peck*
" brevispora *E. & Davis*
" cephalanthi *E. & K.*
" cerastii *Rob. & Desm.*
" cornicola *Desm.*
" davisii *Sacc.*
" dimera *Sacc.*
" helenii *E. & E.*
" lophanthi *Wint.*
" ludwigiae *Cooke*
" lythrina *Peck*
" menyanthis *Desm.*
" musiva *Peck*
" nubilosa *E. & E.*
" pachyspora *Ell. & Holw.*
" physostegiae *E. & E.*
" prenanthis *E. & E.*
Septoria
" polymniae *E. & E.*
" rumicis *Ellis*
" salicifoliae (*Trel.*) *Berl. & DeToni*
" sambucina *Peck*
" silphii *E. & E.*
" salicis *West.*
" solidaginicola *Peck*
" speculariae *B. & C.*
" xanthiifolia *Ell. & Kell.*
Sphaerotheca humuli (*DC.*) *Burr.*
Synchytrium aureum *Schroet.*
" scirpi *Davis*

Taphrina potentillae (*Farlow*) *Johans.*
" coryli *Nishida*

Uredinopsis atkinsonii *Magn.*
" mirabilis (*Peck*) *Magn.*
" osmundae *Magn.*
" struthiopteris *Stormer*
Urocystis agropyri (*Preuss.*) *Schroet.*
" waldsteiniae *Peck*
Uromyces acuminatus *Arthur*
" hyperici-frondosi (*Schw.*) *Arthur*
" poinsettiae *Tranz.*
" pyriformis *Cooke*
" rudbeckiae *A. & H.*
" spermacoces (*Schw.*) *Thüm.*
" trifolii-repentis (*Cast.*) *Liro.*
Urophlyctis pluriannulatum (*B. & C.*) *Farlow*
Ustilago longissima (*Sow.*) *Tul.*
" " var. macrospora *Davis*
" perennans *Rostr.*
" violacea (*Pers.*) *Fckl.*

Prof. John Dearness, London, Ont.

Ascochyta colorata *Peck*
" pisi *Lib. var.* lupini *Sacc.*

Basidiophora entospora *Roze & Cornu.*

Cercospora diffusa *E. & E.*
" zebrina *Pass.*
Cladosporium ramuosum *Desm.*
Corticum vagum *B. & C.*

Darluca bubakiana *Kabat.*

Diplodia linderae *E. & E.*
Discosia maculicola *Gerard*
Doassansia affinis *Ell. & Dearn.*
" alismatis (*Nees*) *Cornn.*
" deformans *Setch.*
" martianoffiana (*Thüm.*) *Setch.*

Entomosporium thümeni (*Cke.*) *Sacc.*
Entyloma compositarum *Farlow*
" nymphaeae (*Cornn.*) *Setch.*
" physalidis (*Kl. & Cke.*) *Wint.*

Gloeosporium canadense *E. & E.*
" caryae *Ell. & Dearn.*
" catalpae *E. & E.*
" robergei *Desm.*
" salicis *West.*
" trifolii *Peck*

Macrosporium solani *E. & M.*

Peronospora effusa (*Grev.*) *Rabenh.*
" calotheca *DeBary*
" corydalis *DeBary*
" arthuri *Farlow*
" lophanthi *Farlow*
" trifoliorum *DeBary*
Plasmopara geranii *Peck*
" halstedii (*Farl.*) *Berl. & DeToni*
Phyllosticta cruenta (*Fr.*) *Kickx.*
" lentaginis *Sacc. & Syd.*
Phyllosticta punctata *Ell. & Dearn.*
Phycotheca viticola (*B. & C.*) *Wils.*
Puccinia poarum *Niels.*

Ramularia hamamelidis *Peck*
Rhytisma ilicis-canadensis *Schw.*

Schizonella melanogramma (*DC.*) *Schroet.*
Septogloeum ampelopsidis *E. & E.*
Septoria anemones *Desm.*
" apii *Chester*
" brunneola (*Fr.*) *Niessl.*
" cornicola *Desm.*
" atropurpurea *Peck*
" consimilis *E. & M.*
" dolichospora *E. & E.*
" menyanthis *Desm.*
" polaris *Karst*
" rubi *var.* pallida *Ell. & Holw.*
" rudbeckiae *Ell. & Holw.*
" sambucina *Peck*
" stachydis *R. & D.*
Synchitrium decipiens *Farlow*

Urophylictis pulposa (*Wallr.*) *Schroet.*
Urocystis anemones (*Pers.*) *Wint.*
Ustilago longissima (*Sow.*) *Tul.*
" perennans *Rostr.*
" zeae (*Beckm.*) *Ung.*

Valsaria exasperans *Ger. var.* aceris *Rehm.*

Mrs John Dennis, Rochester

Monarda clinopodia *Linn.*

Dr W. A. Murrill, New York

Boletinus pictus *Peck*

Ceriomyces subglabripes (*Peck*) *Murrill*
Chanterel infundibuliformis (*Scop.*) *Fr.*
" umbonatus *Fr.*
Collybia dryophila *Bull.*
" maculata *A. & S.*
Collybia strictipes *Peck*
Cortinarius armillatus *Fr.*
Clitocybe clavipes (*Pers.*) *Fr.*
" sinopica *Fr.*
Clavaria pistularis *Linn.*
" pinophila *Peck*
Craterellus cornucopioides *Pers.*
Cudonia lutea (*Peck*) *Sacc.*

Fomitiporia prunicola *Murrill*

Agaricus diminutivus *Peck*

Hydnum caput-ursi (*L.*) *Fr.*

Lactaria gerardii *Peck*
" mucida *Burlingham*
" subdulcis (*Pers.*) *Fr.*
" turpis (*Wenm.*) *Fr.*
" torminosa (*Schaeff.*) *Pers.*
" ligniota *Fr.*

Lepiota amianthina (*Scop.*) *Quel.*
" clypeolaria (*Bull.*) *Quel.*

Leotia lubrica (*Scop.*) *Pers.*

Lachnea hemisphaerica (*Wiggs.*)

Marasmius confluens (*Pers.*) *Ricken.*

Melanoleuca albissima (*Peck*) *Murrill*

Omphalia chrysophylla *Fr.*

Pholiota squarrosa *Muell.*
" caperata (*Pers.*) *Fr.*

Rostkovites granulatus (*L.*) *P. Karst.*

Russula depallens (*Pers.*) *Fr.*
" compacta *Frost & Peck*
" foetens (*Pers.*) *Fr.*
" lutea (*Huds.*) *Fr.*

Spathularia velutipes *C. & F.*

Tyromyces guttulatus (*Peck*) *Murrill*

Venenarius frostianus (*Peck*) *Murrill*
" phalloides (*Fr.*) *Murrill*

C. G. Lloyd, Cincinnati, Ohio

Trametes abietis *Karst.*

Trametes piceina *Peck*

J. H. Livingston, Tivoli-on-Hudson

Phyllosticta ampelopsidis *E. & M.*

W. A. Matthews, Rochester

Dryopteris clintoniana (*D. C. Eaton*) *Dowell*
" intermedia (*Muhl.*) *A. Gray*

Dryopteris spinulosa (*Muell.*) *Kuntze*

Monarda clinopodia *Linn.*

Prof. L. H. Pennington, Syracuse

Antrodia mollis (*Sommerf.*) *Karst.*

Azolla caroliniana *Willd.*

Bactridium flavum *Kze. & Schum.*

Cercospora betacola *Sacc.*

Clavaria mucida *Pers.*

Clitopilus abortivus *B. & C.*

Cronartium comandrae *Peck*

Daedalia quercina (*L.*) *Pers.*

Chlorosplenium aeruginosum (*Oed.*) *DeNot.*

Daldinia concentrica (*Bolt.*) *Ces. & DeNot.*

Diatrype stigma (*Hoffm.*) *Fr.*

Elaphomyces variegatus *Tul.*

Elfvingia fomentaria (*L.*) *Murrill*

Fomes populinus (*Schum.*) *Cooke*
" roseus (*Alb. & Schw.*) *Cooke*
" scutellatus (*Schw.*) *Cooke*

Fomitiporella betulina *Murrill*

Gloeophyllum hirsutum (*Schaeff.*) *Murrill*
" trabeum (*Pers.*) *Murrill*

Gloeosporium caryae *E. & E.*
" nervicolum *G. Massee*
" nervisequum (*Fckl.*) *Sacc.*

Gnomonia beneta (*Sacc.*) *Kleb.*

Gymnosporangium clavariaeforme (*Jacq.*) *DC.*

Holwaya giganthea (*Peck*) *Dur.*

Hydnum schiedermayeri (*Heufler*)
Hapalopilus gilvus (*Schw.*) *Murrill*
" rutilans (*Pers.*) *Murrill*

Lenzites betulina (*L.*) *Fr.*
Leotia lubrica (*Scop.*) *Pers.*

Marssonia juglandis (*Lib.*) *Sacc.*
Massaria vomitoria *B. & C.*
Melampsorella elatina (*Alb. & Schw.*) *Arth.*
Melanconium oblongum *Berk.*

Peronospora corydalis *DeBary*
Phyllosticta hamamelidis *Peck*
" paviae *Desm.*
Plasmopara viticola (*B. & C.*) *Berl. & DeToni*
" serotinus *Schrad.*
Porodisculus pendulus (*Schw.*) *Murrill*
Pseudopeziza medicaginis (*Lib.*) *Sacc.*
Puccinia malvacearum *Mont.*
" menthae *DC.*
" mesomegala *B. & C.*
" pimpinellae *Mart.*
" podophylli *Schw.*
" suaveolens (*Pers.*) *Rostr.*
Pycnoporus cinnabarinus (*Jacq.*) *Karst.*

Rhytisma punctata (*Pers.*) *Fr.*

Schizonella melanogramma (*DC.*) *Schroet.*
Septoria apii (*B. & C.*) *Chester*
" brunellae *Ell. & Holw.*
" dentariae *Peck*
" polygonarum *Desm.*
" viridi-tingenes *Curt.*
Sphaeropsis sumache (*Schw.*) *C. & E.*
Stigmatea robertiana *Fr.*
Synchytrium decipiens *Farlow*

Taphrina caerulescens (*Desm. & Mont.*) *Tul.*
Trametes piceina *Peck*

Urocystis anemones (*Pers.*) *Wint.*
Uromyces hedysari-paniculati (*Schw.*) *Farlow*
Ustilago heufleri *Fckl.*
" lorentziana *Thüm.*
" rabenhorstiana *Keuhn.*
" residua *Clinton*
" utriculosa (*Nees*) *Tul.*

Xylaria polymorpha *Pers.*

H. C. Sands, Malone

Spongospora subterranea (*Wallr.*) *Johnson*

F. A. Ward, Cortland

Poterium sanguisorba *Linn.*

Miss E. C. Webster, Syracuse

Centaurea nigra *Linn.*
Chenopodium glaucum *Linn.*

NEW OR INTERESTING SPECIES OF FUNGI III

1 Fungi new to the State flora

Aleurodiscus farlowi Burt

On dead branches and twigs of hemlock, Tsuga canadensis, Vaughns, Washington county. S. H. Burnham, February 20, 1914. (Determined by E. A. Burt.)

Botryosphaeria fuliginosa M. & M.

On dead twigs of Fraxinus americana L., Sylvan Beach, Oneida county. H. D. House, May 14, 1915.

Calosphaeria cornicola E. & E.

On dead branches of Cornus paniculata near Bethlehem, N. Y. April. Dr Charles H. Peck.

Cercospora caricis Dearness & House, n. sp.

Spots yellow, not definitely bordered, similar on both sides of the leaf, generally following but not bounded by the veinlets; hyphal tufts brown, hyphae 15–20 by 4–6 μ, amphigenous but mostly epiphyllous; conidia hyaline, slightly obclavate, occasionally concatenate, flexuous, continuous to 4-septate, 40–80 by 3 μ.

Old Forge, N. Y., on leaves of Carex folliculata. Dr C. H. Peck, August.

This species differs very markedly from Cercospora caricina Ell. & Dearness, which has minute hypophyllous tufts, and from Cercospora microstigma Sacc., which possesses smoky, margined spots.

Coniothyrium concentricum Desm.

On languishing leaves of Yucca filamentosa L. (cultv.) Oneida, Madison county. H. D. House, June 20, 1915.

Coryneum umbonatum Nees

On dead twigs of Carpinus caroliniana Walt. Sylvan Beach. H. D. House, May 10, 1915.

Cucurbitaria ceanothi Dearness & House, sp. nov.

Perithecia rough, small, subcaespitose on a black cortical stroma which finally throws off the cuticle; asci paraphysate, 150–175 by

10–15 μ; sporidia evenly to obliquely uniseriate, 3–7 but mostly 5–6 septate, 20–26 by 11–12 μ, somewhat constricted at the middle septum.

On dead stems of Ceanothus americanus. Albany. H. D. House, November to April. Type in the herbarium of the New York State Museum.

Cyphella conglobata Burt

(Ann. Mo. Bot. Gard. 1:375. 1914)

Adirondack mountains and North Elba. Collected by Dr C. H. Peck. (Determined by E. A. Burt.)

Dendrophoma albomaculans (Schw.) Starb.

On dead branches of Lilac (Syringa vulgaris L.), Rensselaer. H. D. House, June 9, 1915.

Diaporthe ailanthi Sacc. var. **viburni** Dearness & House, var. nov.

On dead twigs of Viburnum dentatum L. Sylvan Beach, Oneida county, N. Y. H. D. House, May 13, 1915.

The largest perithecia are about 360 μ in diameter, the asci are 45–60 x 6–9 μ and the 4-nucleate sporidia are 11–15 x 3–3½ μ. The only difference between this and the typical form of the species occurring on Ailanthus is that here the sporidia are not constricted, while in D. Ailanthi they are said to be slightly constricted.

Diaporthe comptoniae (Schw.) E. & E.

On dead twigs of Comptonia peregrina (L.) Coulter. Near Albany, N. Y. H. D. House, July 19, 1915.

Diaporthe minuta Dearness & House, sp. nov.

Perithecia minute, .3 mm; thickly scattered, the black entire ostiola scarcely visible above the ruptured cuticle, flesh white; asci fusoid, short-stipitate, 75 by 6–7 μ, profusely paraphysate, paraphyses linear and longer than the asci; sporidia uniseptate, somewhat constricted, hyaline, nucleate, acute at each end, 15 by 3 μ.

On dead stems of Ceanothus americanus Linn. Albany. H. D. House, March, 1915. Type in the herbarium of the New York State Museum.

Cercospora lathyri Dearness & House, sp. nov.

Spots bluish gray, becoming darkened with age, many of them finally arid, bounded by a narrow reddish border limited by the veinlets, 2–4 x 2–3 mm; hyphae very short on numerous evenly scattered brownish bases, amphigenous; conidia mostly epiphyllous,

continuous, or obscurely one to few septate, straight or slightly curved, amphigenous, 40–70 x 2¾–3¼ μ, mostly about 45 μ long.

On living and languishing leaves of the beach pea (Lathyrus maritimus (L.) Bigel.), Wading River (type) and Eastport, N. Y. Charles H. Peck. August and September. (Year not indicated on the collection). Type in the herbarium of the New York State Museum.

Diaporthe tecta (Cooke) Sacc.

(Valsa tecta *Cooke*)

Sand's point, Long Island, on dead twigs of Myrica carolinensis Mill. H. D. House, September 8, 1915. Professor Dearness, who examined these specimens, states that Cooke does not mention that the sporidia are appendiculate; otherwise the description agrees with the specimens.

The species is based upon Ravenel's. N. Am. F. no. 747. J. B. Ellis redescribed the species from a copy of no. 747, and states that the discrepancy (in part) between the two descriptions is remarkable. Cooke & Ellis may have had two different species in hand.

The same collection contains a little Calosphaera myricae C. & E.

Diaporthe tuberculosa (Ell.) Sacc. var. **pruni** Dearness & House, var. nov.

The perithecia, asci and sporidia are quite similar to those of the typical form of this species on Amelanchier, although the perithecia penetrate to or slightly into the wood on this host. The black stromatic boundary also penetrates more deeply and rises distinctly to the surface of the bark, elevating it into a narrow blackened circular ridge with a diameter of from 2 to 5 mm.

On dead twigs of Prunus serotina Ehrh. Oneida, Madison county, N. Y. H. D. House, May 15, 1915.

Didymosphaeria empetri (Fr.) Sacc.

On dead leaves of Empetrum nigrum L. Mount Marcy. H. D. House, July 1913.

Didymosphaeria housei Dearness

(Mycologia 8:100. 1916)

Perithecia scattered, dark, raising the cuticle in small pustules, .3 mm; ostiola very short, almost obsolete; asci paraphysate, cylindrical, short stipitate, 60–72 by 5–6 μ; sporidia smoky brown, 1-septate, slightly constricted, compactly uniseriate, 8–9 by 4–4½ μ.

On dead twigs of Ceanothus americanus Linn. Albany. H. D. House, January to April 1915. Type in the herbarium of the New York State Museum. Resembling Didymosphaeria ceanothi Cooke & Harkness of California, but the spores much smaller.

Microdiplodia ceanothi Dearness & House, sp. nov.

Acervuli scattered, raising the cuticle which is blackened into small pustules, ⅓ to ½ mm broad; spores smoky brown, suboblong, 9–11 by 4–5 μ.

On dead twigs of Ceanothus americanus Linn. Albany. H. D. House, March 1915. Type in the herbarium of the New York State Museum. Probably a stage of Didymosphaeria housei Dearness, which was found upon the same twigs.

Diplodia microspora B. & C.

On Viburnum dentatum Linn. Albany, N. Y. Collected by H. D. House, May 1915.

There is nothing in the meager description of Diplodia microspora to exclude our material except that the conidia of the latter are rather uniformly 9 x 3–3½ μ instead of 6–7 x 3 μ as given in the description by Saccardo. The type of D. microspora was collected by Curtis on Viburnum opulifolium (V. Opulus).

Eichleriella leveilliana (B. & C.) Burt

(Stereum leveillianum *B. & C.*)

On dead branches and twigs of hemlock, Tsuga canadensis (L.) Carr. Vaughns, Washington county. S. H. Burnham, February 20, 1914. (Determined by E. A. Burt.)

Flammula penetrans Fr.

On decayed pine logs, Sylvan Beach, Oneida county. H. D. House, October 12, 1915.

Gloeosporium alnicola Dearness & House, sp. n.

Spots subcircular, reddish brown with a diffused darker border, 1 cm in diameter; acervuli amphigenous, concolorous or usually darker, depressed, 50–150 μ, mostly about 70 μ; conidia continuous, elliptic-oblong, 9–12 by 2.75–3 μ.

On living leaves of Alnus rugosa (DuRoi) K. Koch. Eastport, Long Island. Dr C. H. Peck, August.

Gloeosporium falcatum Dearness & House, sp. nov.

Spots gray with a darker, ridged border and surrounded by an indefinite, reddish, somewhat translucent margin, 3 to .7 mm broad. Acervuli epiphyllous, concolorous, scattered, best observed with reflected light under the microscope, 90–150 μ. Spores falcate, hyaline, acute at one or both ends, grumous and guttulate, 24–32 x 8–12 μ.

On living leaves of Benzoin aestivale (L.) Nees. Black lake near Catskill, N. Y. H. D. House, August 21, 1915. Type in the herbarium of the New York State Museum.

The specimens are perhaps rather immature and might possibly develop septa in the spores, in which case it would be a Marsonia related to M. daphnes.

Gloeosporium hydrophylli Dearness & House, sp. nov.

Spots slaty gray, subcircular when not marginal, mostly about 1 cm broad, concentrically ridged when seen through a lens, becoming dry and brittle and breaking up.

Acervuli innate, often found in sections where their positions were not discovered with the lens. Spores hyaline, 5–9 x 2–2½ μ, nucleate at each end.

On living leaves of Hydrophyllum canadense L. Green lake near Kirkville, Onondaga county. H. D. House, August 1915. Type in the herbarium of the New York State Museum.

Ascochyta wisconsina Davis

Near Cicero, Onondaga county, on living leaves of Sambucus canadensis L. H. D. House, August 10, 1915. The fungus at first suggested a species of Gloeosporium but Professor Dearness, who identifies the species, notes that spores were found with a hyaline septum and that there is a thin pycnidial wall. The zonation, colors and spore measurements agree with the description of Ascochyta wisconsina, and differs from A. ebuli Fckl. described on Sambucus in Europe.

Leptonia euchlora (Lasch) Quel.

(Sacc. Syll. 5:713. 1887)

Pileus submembranaceous, campanulate becoming deeply depressed in the center, yellowish green or brownish when young becoming brownish with age, the surface radiately furrowed and streaked with paler tints, minutely tawny fibrillose and roughened

but scarcely squamulose, the margin irregular, 1–4 cm broad; flesh very thin and pallid; stipe slender, 2–4 cm long, 2.5–5 mm thick, hollow, grass green but the flesh pallid, surface becoming somewhat fuscus with age and slightly fibrillose; lamellae adnate and decurrent, rather distant, pallid or slightly yellowish when young, soon becoming flesh-colored; spores pale rusty brown in mass, angular, 9–13 x 5–9 μ.

Damp clay soil in deciduous thickets. Green lake near Kirkville, Onondaga county. H. D. House, *no. 14.16,* June 6, 1914. Orville, Onondaga county. George E. Morris, August 13, 1910.

Identification of this interesting species was suggested by Mr Morris and further examination of the specimens and notes makes the identification almost positive, and adds another species, heretofore known only in Europe, to the fungus flora of America.

The bright green stipe is so characteristic that the species can scarcely be mistaken. The two localities mentioned are about eight miles distant from each other.

Leptosphaeria triglochinis Schrt.

On dead stems of Triglochin palustre L. Castle swamp, Oneida, Madison county. H. D. House, June 20, 1915.

Leptosphaeria hydrophila Sacc.

Oneida, N. Y. on Typha angustifolia L. July 19, 1913. Determined by Saccardo. Originally described as found on Juncus effusus in Italy and not previously collected in America, nor upon this host.

Macrophoma viburni Dearness & House, sp. nov.

Pycnidia thickly scattered, nearly black, perforate, 125–270 μ in diameter. Conidia hyaline, naviculate, 19–25 x 6 μ, on evident short basidia.

Associated with a Rhabdospora on dead twigs of Viburnum opulus L. Catskill, N. Y. H. D. House, August 22, 1915. Type in the herbarium of the New York State Museum.

Metasphaeria staphyleae Dearness & House, sp. nov.

Perithecia scattered, raising the epidermis into flat, pale, perforated pustules, lenticular to subglobose, 180–360 μ; ostiola cylindric, obtuse and short.

Asci clavate-cylindrical, often widest near the middle,

75–90 x 8–15 μ, sometimes stipitate; paraphyses obscure, almost lacking among the older asci and then suggesting a Sphaerulina, but evident among the undeveloped asci.

Sporidia hyaline, elliptic, tri-septate, irregularly uniseriate, often biseriate near the middle or at the apex of the ascus, variable in size, 15–22 x 5–8 μ.

On dead twigs of Staphylea trifoliata L. West Park, Ulster county, N. Y. H. D. House, May 6, 1915. Also collected on the same host at Green pond, near Jamesville, Onondaga county, May 11, 1915. Type in the herbarium of the New York State Museum.

Metasphaeria staphylina (Pk.) Sacc. proves to be, upon examination of the type material, a species of Hysterium and is redescribed in another place.

Metasphaeria varia Dearness & House, sp. nov.

Perithecia thickly scattered, ½ mm apart or crowded, seated in the cortex and producing a black stain on the surface of the wood, rupturing and raising the cuticle into pustules about .3 mm in diameter, depressed globose with short very variable ostiola, in section white with a dark border.

Asci sparsely paraphysate but covered by a brownish layer of apparently paraphysal origin, adhering as though in a mucilaginous matrix and separable with difficulty, clavate, thick-walled, 75–100 μ.

Sporidia hyaline, biseriate, constricted, upper half larger, sometimes separating at the constriction, very variable in size from 15 x 3 μ to 27 x 7 μ or even 33 x 6 μ, and in septation 3–8 septate, quite frequently 4 septate in the upper half and 3 septate in the lower one, occasionally longitudinally septate between two septa.

On dead branches of Rhus copallina L. North Bay, Oneida county. H. D. House, June 22, 1915. Type in the herbarium of the New York State Museum.

Massaria plumigera E. & E.

var. **tetraspora** Dearness & House, var. nov.

Sporidia variable but larger than those of the type, the largest measuring 82 x 21 μ; asci 4–spored, 125–165 x 32–40 μ; paraphyses filiform and longer than the asci. As in the type the sporidia are permanently hyaline.

On dead twigs of Viburnum dentatum Linn. Albany, N. Y. Collected by H. D. House, May–June, 1915. Type in the

herbarium of the New York State Museum. Also collected on same host at Sylvan Beach, Oneida county, May 13, 1915.

Comparison of this collection with that made by Doctor Peck in 1877 on Viburnum lentago (31st Rep't, p. 50. 1879 as Massaria gigaspora Fckl.) shows them to be the same. The herbarium name of the specimens upon which this report was made was later changed by Doctor Peck to Massaria corni (Fr. & Mont.), which also inhabits Viburnum but its sporidia are brown and in globose-depressed perithecia. They differ from M. gigaspora Fckl. which is said to bear eight spores, four in an upper and four in a lower division of the ascus, and to have paraphyses shorter than the asci.

Microdiplodia lophiostomoides Dearness & House, sp. nov.

Pycnidia thinly scattered, when well developed rising through the closely investing elongate clefts in the bark, and strongly resembling a Lophiostoma, 1 x .25 mm.

Conidia brown, innumerable, uni-septate, guttate in each cell, oblong-elliptic, sometimes constricted, 11–13 x 5–7 μ, mostly about 12 μ long, on basidia often half their length.

On dead twigs of Liriodendron tulipifera L. Oneida, Madison county, N. Y. H. D. House, May 15, 1915. Type in the herbarium of the New York State Museum.

With one or two out of several sections there was found a Leptosphaeria with very minute perithecia, asci 40–45 x 8 μ, amber sporidia 15 x 4 μ, 3–septate, second cell largest. This might be supposed to be L. stictoides only that this species is said to have 5–septate sporidia.

Pestalozzia flagellifera E. & E.

On dead twigs of Comptonia peregrina (L.) Coulter. Near Albany, N. Y. H. D. House, July 19, 1915.

Phoma florida Dearness & House, sp. nov.

Pycnidia minute, .1 mm densely gregarious, subcuticular, causing ashen spots or stripes on the smooth, pale-brown twigs. Conidia sessile or nearly so, hyaline, 9 x 3 μ, rounded at the ends, mostly narrowed at one end.

On dead twigs of Cornus florida L. Yonkers, N. Y. H. D. House, May 8, 1915.

Phoma ailanthi Saccardo.

On dead shoots of Ailanthus glandulosus Desf. Yonkers. H. D. House, May 8, 1915. Albany. H. D. House, June 10, 1915.

Phoma imperialis Sacc. & Roum.

(Phoma paulowniae *Sacc.* not *Thüm.*)

On twigs of Paulownia tomentosa (Thunb.) Baill. Yonkers, N. Y. H. D. House, May 8, 1915.

The typical species inhabits petioles of Paulownia imperialis in France. The description in the Sylloge is rather meager to establish positively the identity of the Yonkers material, but for the nonessential fact that the former was on petioles while ours inhabits twigs, there is no difference so far as the description of the type goes. The following description is drawn from the Yonkers material.

Pycnidia immersed in the thin bark, mostly elliptic, 1 x .25–.3 mm, flat, dark brown or black and showing through the epidermis which is pierced by the short conic stomata; conidia abundant, hyaline, somewhat acutely elliptic, nucleate, 6–9 x 3 μ on basidia of about their own length.

Phoma paulowniae Thüm. is quite distinct.

Phoma linariae Dearness & House, sp. nov.

Pycnidia dark brown, very numerous, flat to subglobose or depressed around the small central stomata which pierce the cuticle, 150–200 μ in diameter; conidia numerous, hyaline, oblong to somewhat curved, 2–3 x 1 μ.

On dead stems of Linaria vulgaris Mill. Albany, N. Y. H. D. House, May 23, 1915.

Phoma longipes B. & C.

Orient Point, Long Island. On Morus alba L. Roy Latham, May 1, 1911. Reported as Phoma moricola Sacc. by Burnham and Latham in Torreya 14:210. 1914.

Phoma pectinata Dearness & House, sp. nov.

Pycnidia strictly hypophyllous, flat-globose to conic-globose, black, minutely perforate, stellately or cleftwise rupturing the raised cuticle, disposed in linear ranks, a few to about 20 on each side of the midvein, .25–.35 mm.

Conidia hyaline, ovoid to subglobose, 12–14 x 9–10 μ, on narrow sporophores, sometimes of their own length or longer.

On leaves of Abies pectinata on limbs which have died without casting their leaves. Oneida, Madison county, N. Y. H. D. House, May 14, 1915. Type in the herbarium of the New York State Museum.

Phoma platanicola Dearness & House, sp. nov.

Pycnidia rather sparsely scattered, raising the ruptured cuticle, pale, flat, circular, pseudo-locellate, .3–.5 mm. Conidia hyaline, non-guttulate, elliptic to subfusoid, 9–12 x 4–6 μ, on sporophores of the same length as the conidia, some of which are branched.

On dead twigs of Platanus occidentalis L. Sylvan Beach, Oneida county. H. D. House, June 21, 1915. Type in the herbarium of the New York State Museum. This comes near Phoma almeidae Sacc. & Trav., the conidia and sporophores of which are narrower and of different shape.

Phyllosticta ambrosioides Thüm.

On living leaves of Chenopodium ambrosioides L. Syracuse, N. Y. H. D. House, August 1915.

Phyllosticta staphyleae Dearness

On "blighted" capsules of Staphylea trifoliata L. near Black lake, north of Leeds, Greene county. H. D. House, August 21, 1915.

Phyllosticta myricae Cooke

On living and languishing leaves of Myrica carolinensis Mill. Sand's point, Long Island. H. D. House, September 8, 1915.

Phyllosticta steironematis Dearness & House, sp. nov.

Spots reddish, scattered, circular, 2–3 mm broad or confluent and extending over half or the whole of the leaf. Pycnidia amphigenous, black, 75–150 μ, not deeply seated. Conidia hyaline, globose, grumous, 5–6 μ.

On living leaves of Steironema ciliatum (L.) Raf. North Greenbush, N. Y. H. D. House, July 20, 1915. Type in the herbarium of the New York State Museum. The spores of this species are very distinct from those of either P. dodecathei Trelease or P. lysimachiae Allesch.

Puccinia conii (Strauss) Fuckel, II, III.

On leaves of Conium maculatum L. Eastport, Long Island. Collected by Dr C. H. Peck, August.

Ramularia cichorii Dearness & House, n. sp.

Spots scattered, small, grayish brown, alike on both sides of the leaf, bounded by usually 2 or 3 concentric ridges, 2–3 mm in diameter; tufts epiphyllous, minute, scarcely visible in the absence of sporules; conidia hyaline, not numerous on the tufts, even, continuous, 15–22 x 2¾ μ.

On living leaves of Cichorium intybus L. Evans Mills, N. Y. July. Collected by Dr C. H. Peck.

Scolescosporium coryli Dearness & House, n. sp.

Spots arid, definitely narrow bordered, 2–3 mm broad; acervuli epiphyllous, brown, irregular on the veinlets, hemispherical on the flat surface of the leaf, 100–150 μ; conidia four-celled, apical cell hyaline, somewhat elongate, subacute, others smoky brown, the basal one rounded; some of the spores curved, 12 x 5 μ.

On languishing leaves of Corylus americana Walt. Coleman's, N. Y. Collected by Dr C. H. Peck, October 3, 1908.

Septoria cryptotaeniae Ell. & Rau

On leaves of Deringa canadensis (L.) Kuntze. Fonda. Collected by Dr C. H. Peck, June.

Septoria mollisia Dearness & House, n. sp.

The affected part of the leaf, often the whole leaf, sordid or dull brown; pycnidia epiphyllous, waxy brown, punctate, very numerous, evenly scattered, 50–150 μ in diameter, widely open, saucerlike, suggesting Mollisia or Belonopsis; sporules straight, continuous, long and very narrow, 35–65 (mostly 60) by .5–.75 μ.

On leaves of Antennaria neodioica Greene and A. canadensis Greene, collected by M. S. Baxter near Greece, Monroe county, N. Y., May 1913. This species differs from Septoria lanariae Fairm. in lacking definite, margined spots and having longer, narrower sporules.

It may be questioned whether the waxy appearing rim is a part of a true pycnidial wall and whether the plant should not be called a Cylindrosporium.

Septoria pentstemonis E. & E.

On living leaves of Pentstemon laevigatus Ait. near Catskill, N. Y. H. D. House, August 21, 1915.

Septoria tenuis Dearness & House, sp. nov.

Pycnidia epiphyllous, numerous, seriate, nearly superficial, 90 μ in diameter. Sporules continuous, 45–90 x 1–1½ μ.

On dry dead portions of leaves of Carex tenuis Rudge, and on dry portions of leaves yet green. Sylvan Beach, Oneida county, N. Y. H. D. House, May 10, 1915. Type in the herbarium of the New York State Museum.

Sphaerella ciliata E. & E.

On dead stems of Steironema ciliata (L.) Raf. Sylvan Beach, Oneida county. H. D. House, May 13, 1915.

Sphaerella ailanthi Ell. & Barth.

On dead branches of Ailanthus glandulosa Desf. Albany, N. Y. H. D. House, February 22, 1915.

Sphaeropsis ceanothi Dearness & House, sp. nov.

Pycnidia subcuticular, raising the cuticle in globose-elliptic pustules, 200–300 μ, firm and white at first, darkening at maturity; ostiola round and merely penetrating the cuticle; spores strongly nucleate at first, finally homogeneous and brown, 20–22 by 10–11 μ, on basidia usually about half the length of the spores.

On dead stems of Ceanothus americanus Linn. Albany. H. D. House, January 1915. Type in the herbarium of the New York State Museum.

Sphaeropsis coryli E. & E.

On dead twigs of Corylus americana Marsh. Karner, Albany county. H. D. House, June 16, 1915.

Sphaeropsis parallela Dearness & House, sp. nov.

Pycnidia black, subglobose, .3 mm, minutely perforate, almost contiguous in parallel series, erumpent through elongate and finally continuous linear clefts in the cuticle. Conidia brown, pyriform but varying to subglobose, 18–30 x 12 μ, 1–3 guttate, on short basidia.

On dead branchlets of Cornus florida L. Yonkers, N. Y. H. D. House, May 8, 1915. Type in the herbarium of the New York State Museum.

Sphaeropsis viburni-dentati Dearness & House, sp. nov.

Pycnidia gregarious in the cortex, globose, 160–300 μ, raising the covering cuticle which is minutely pierced by the short black ostiola; conidia pale brown, oblong with rounded ends, 18 x 7 μ to 22 x 6½ μ, on basidia which are one-half to two-thirds of the length of the spores.

On dead stems of Viburnum dentatum Linn. Albany, N. Y. Collected by H. D. House, May–June, 1915. Type in the herbarium of the New York State Museum.

Differs from Sphaeropsis lantanae P. Brun., which has smaller dark-brown spores in erumpent, black perithecia, and from Sphaeropsis viburni Ell. & Dearness, which has larger, dark-brown, subpyriform spores and is phyllogenous.

Stagonospora convolvuli Dearness & House, sp. nov.

Spots reddish brown, irregular, .5 to 1 cm broad, deciduous, not bordered but faintly concentrically ridged on the upper side. Pycnidia mostly epiphyllous, black around the perforate mouth, 80–125 μ in diameter, obscure or imperfect beneath. Sporules hyaline, fusoid, subacute at one end, rounded at the other, nucleate, faintly 2–3 septate, 15–18 x 3–4 μ.

On living leaves of Convolvulus sepium L. Roadside north of Liverpool, Onondaga county. H. D. House, August 12, 1915. Type in the herbarium of the New York State Museum.

It was thought at first that this might be a variety of Septoria calystegiae West., but that has smaller spots and filiform conidia 30–40 x 4–5 μ. The difference between Septoria and Stagonospora is mainly that of "filiform" and "fusoid" as applied to the shape of the conidia. The specimens here considered belong clearly to the later type and hence to the genus Stagonospora. In Septoria calystegiae the pycnidia are mostly hypophyllous.

Vermicularia polygoni-virginici Schw.

On dead stems of Polygonum muhlenbergii (Meisn.) S. Wats. Sylvan Beach, Oneida county. H. D. House, May 13, 1915.

2 Notes on fungi

Asterina rubicola E. & E.

On living leaves of Rubus canadensis L. Albany. H. D. House, July 25, 1915.

Aulographum subconfluens Peck

(28th Rep't, p. 70. 1876. Sacc. Syll. II, p. 729)

The host plant given for this species by Professor Peck is "dead herbaceous stems," but an examination of the type specimens shows that the host is *Thalictrum*. Professor Peck obtained a later collection of this species near North Elba upon a host which he definitely identified as Thalictrum.

Barlaea lacunosa E. & E.

(Proc. Acad. Phil. 1894, p. 347. Sacc. Syll. XI, p. 396)

The only host given for this in the original description is "on bark." The specimen in the herbarium of the New York State Museum, from Waghorne, and presumably a duplicate of the type collection is on bark and dead twigs of Abies balsamea.

Ascochyta clematidina Thüm.

(See figure 1)

During the past two seasons this fungus, parasitic on the leaves of Clematis, has been noted with great frequency, causing a serious disfiguration and frequent death of leaves of the Virgin's-bower (Clematis virginiana) both wild and cultivated. Specimens of diseased leaves were collected in the counties of Albany, Rensselaer, Greene, Oneida, Madison and Onondaga. I assume that the disease, at least as a common parasite of the Clematis, is of recent appearance in this State, although it has been occasionally mentioned in literature as the cause of a serious leaf disease of cultivated Clematis, because there are no specimens in the state herbarium collected by Doctor Peck, who would not have overlooked it if it had been common in past years. It also appears to have been collected by J. M. Macoun, at Ottawa, Canada, in 1897.

Calyptospora columnaris (A. & S.) Kuhn.

Sylvan Beach, Oneida county. On stems of Vaccinium corymbosum Linn. H. D. House, May 13, 1915.



FIG. 1 ASCOCHYTA CLEMATIDINA THÜM

Cercospora chionea E. & K.

Lyndonville. On leaves of Cercis japonica. Dr C. E. Fairman, August 1904. The spores are clavate and shorter than given in the description of C. chionea, but appear to be closer to that species than to C. cercidicola.

Cercospora longispora Peck

Sylvan Beach, Oneida county. On Lupinus perennis Linn. H. D. House, July 3, 1915.

Cercospora rhoina C. & E.

Near Schroeppel's Bridge, Oswego county. On leaves of Rhus copallina L. H. D. House, August 13, 1915.

Dothidella vacciniicola Dearness & House, sp. nov.

Stromata nodular, subglobose, 1–2 mm in diameter at the base, 1–2 mm high, dark brown, reaching to the base of the cortex, becoming hollow, subcarbonaceous.

Ascigerous locules peripherical, mostly but not wholly in a single layer, 6 or 7 to a mm, their position apparent in a surface view; ostiola punctiform 120–150 μ wide, 150 μ deep.

Asci linear to subclavate, tips subconnivent in the locules, 75–90 x 6–7 μ, paraphyses linear, 90–110 μ.

Sporidia hyaline, nearly uniseriate, somewhat overlapping, uniseptate, 10–12 x 5–6 μ.

Parasitic on living twigs of Vaccinium atrococcum (A. Gray) Heller, taken from herbarium plants collected at Biltmore, N. C. H. D. House, May 1912.

Dothidella vaccinii Rostr. inhabits leaves and has larger, appendaged sporidia.

Dendrodochium pallidum Peck

(Bul. Torrey Club 11, p. 50. Sacc. Syll. XI, p. 646)

The host for this species is given by Professor Peck as "rotten wood." An examination of the original specimens collected near Ottawa, Canada, by Professor Macoun shows that the host was decorticated and somewhat decayed maple (Acer).

Dendrophoma cephalanthi Peck

On dead branches of Cephalanthus occidentalis L. at Sylvan Beach, Oneida county. H. D. House, May 10 and June 21, 1915.

Diaporthe obscura Peck

On dead stems of Geum strictum Ait. Pecksport, Madison county. H. D. House, July 2, 1915.

Diatrype woolworthi (Peck) Sacc.

(Valsa woolworthi *Peck*)

The original description states that the host is oak or hickory, and in order to settle definitely the identification of the host a careful examination made of the wood structure of the type specimens shows it to be Hicoria glabra.

Diplodia cercidis E. & E.

On dead twigs of Cercis canadensis L. (cultv.) near Oneida, Madison county. H. D. House, May 15, 1915. Also collected on Cercis japonica at Lyndonville, Orleans county, by Dr C. E. Fairman (no. 929), July 20, 1909.

Ectostroma liriodendri (Kuntze) Fr.

A sterile fungus producing Rhytisma-like spots and blotches on fallen leaves of Liriodendron tulipifera L. Valley Mills, Madison county. H. D. House, July 21, 1913. Also collected at Kirkville, Onondaga county, by Prof. L. M. Underwood, September 1888.

Eutypella glandulosa Cooke

On dead branches of Ailanthus glandulosa Desf. Yonkers. H. D. House, May 8, 1915. Albany, H. D. House, June 10, 1915.

Eutypella ludibunda Sacc.

On dead branches of Viburnum lantana Linn. Cultivated in Washington Park, Albany, N. Y. Collected by H. D. House, March 5, 1915.

The stromata are thickly and evenly scattered along the dead branches of the host, their black disks but slightly raised above the cuticle; perithecia 4–10, immersed in a whitish or wood-colored portion of the cortex and sometimes impressing the wood after the manner of some species of Diaporthe; the pale matrix bears a black covering which becomes continuous as a blackened layer between the cortex and the wood; the perithecia are pale and not of uniform depth in the stroma; stromata short-erumpent, black, some of them very obscurely stellate-cleft; asci sessile, 33–45 x 6–7 μ; sporidia

biseriate, hyaline, narrowly allantoid, 2–3 nucleate, the nucleus in the middle of many of the spores causing them to appear septate and Diaporthe-like, 10–12 x 2½ μ.

Although there are some slight differences to be noted between the above description and that given by Saccardo, the fungus appears to be closer to E. ludibunda than to any other species described, and the slight differences noted are not sufficient to give it a new name.

Eutypella tumidula (C. & P.) Sacc.

(Valsa Peck, 29th Rep't, p. 58, 1878)

On the original packet of this collection, it is stated by Professor Peck, "on unknown branch." In the original description, however, he states that the host is "Crataegus." An examination of the wood structure of the host material shows that it is Hickory, and apparently Hicoria alba.

Fusicladium depressum B. & Br.

(Didymaria platyspora *Ell. & Holw.;* D. atropurpurea *Ell. & Dearn.;* Scolecotrichium depressum *Bubak*)

Albany, on living and languishing leaves of Angelica atropurpurea L. H. D. House, September 2, 1915. Ithaca, B. B. Higgens (no. 33), August 21, 1911. On leaves of Sium cicutaefolium L. Oneida, Madison county. H. D. House, August 30, 1913. Rouses Point, on same host, C. H. Peck.

Gelatinosporium abietinum Peck

Early in May several specimens of native hemlock growing upon a private estate near West Park, Ulster county, were noticed to be dying from some unknown cause and specimens were sent to the State Botanist's office. Fruiting bodies of Gelatinosporium abietinum were present upon branches that were dead and an examination of the trees upon the estate was made a few days later. The entire top portion of young trees seems to die gradually and sometimes the disease progresses downward, killing the entire tree. In other cases only side branches were killed. In every case the fungus mentioned above was found to be present and while inoculation experiments would be necessary to determine its degree of parasitism, it is strongly suspected of being the cause of the trouble noted in this particular locality. The fungus was originally collected and described from dead branches of hemlock at Greenbush, but later collection of the same fungus was made by Doctor Peck

upon living branches of the hemlock at Elizabethtown, Essex county, and further study of the species may prove it to be the cause of considerable damage to living hemlocks.

Gloeosporium coryli (Desm.) Sacc.

Near Albany, on leaves of Corylus americana Walt. H. D. House *no. 14.136,* September 12, 1914, and August 13, 1915. Hewitt's pond, Adirondacks. Doctor C. H. Peck, July.

Gloeosporium divergens Peck

(See figure 2)

The leaves of the white oak (Quercus alba) are frequently disfigured by the attacks of this fungus and during the season of 1915 several serious outbreaks of this disease were noted in various localities. Young trees, sprout leaves and particularly seedlings in nurseries seem to suffer most severely but mature trees are by no means immune. This is probably the same fungus as described by Ellis and Everhart as Gloeosporium canadense.

Gloeosporium sassafras (Cooke) E. & K.

(Phyllosticta sassafras *Cooke*)

On leaves of Sassafras variifolium (Salisb.) Kuntze. Merrick, Long Island. H. D. House, September 9, 1915.

Haplosporella peckii (Sacc.) House, nom. nov.

(Sphaeropsis anomala *Peck*, 24th Ann. Rep't, N. Y. State Mus. 86, 1872. Not S. anomala *B. & C.*)

Sphaeropsis peckii *Sacc.* Syll. 3:293. 1894.

An odd species with the aspect of a Tympanis, the caespitose perithecia which are seated on the inner bark break through rather large transverse chinks in the bark; ostiola papillate; spores oblong, 20–25 μ in length. On the bark of dead cherry limbs near Albany. (Prescott.)

Hendersonia staphyleae E. & E.

On dead twigs of Staphylea trifoliata L. Green pond near Jamesville, Onondaga county. H. D. House, August 21, 1915. The same species has been collected near Albany by Doctor Peck.

Hygrophorus fuligineus Frost

In rich stony soil in a pine grove near North Bay, Oneida county. H. D. House, October 12, 1915. Doctor Peck reports it only from Albany county, in pine groves. The species is remarkable for the



FIG. 2 GLOEOSPORIUM CANADENSE E. & E.

extreme viscidity of the pileus and stem, especially when young, when it is so viscid that it is almost impossible to hold.

Hysterium staphylina (Pk.) Dearness & House

Perithecia thickly scattered, erumpent through the epidermis, shining, black, round, 100–270 μ in diameter to elongate, straight or bent, .25–2 mm x .15–.3 mm, rather widely cleft.

Asci covered by a thin parenchymatous layer, fusoid-clavate, mostly 75 x 15 μ, some shorter and stouter, others much longer and narrower, paraphyses obscure.

Sporidia biseriate to crowded and overlapping, hyaline, 3–7 septate, finally brown and 5–8 septate, second, third or fourth cell from the top enlarged, usually slightly constricted below the lower half; the hyaline spores 18–30 x 5–6 μ, the longest brown spore seen measured 45 x 6 μ.

On dead twigs and branches of Staphylea trifoliata L. Helderberg mountains, N. Y. C. H. Peck, May. This was published as Sphaeria staphylina Peck (= Metasphaeria staphylina Sacc.) in the 26th Report of the State Botanist, page 86, and imperfectly described. This lacks the black crust of Hysterium insidens Schw. but the microscopic characters are similar.

This redescription of Doctor Peck's type material of Sphaeria staphylina was prompted by the discovery in Ulster county of a good Metasphaeria upon the same host and which did not match his material, the name of which had been transferred to Metasphaeria by Saccardo.

Leptostromella hysterioides (Fr.) Sacc.

On dead stems of Helianthus decapetalus L. Kenwood swamp, Oneida, Madison county. H. D. House, May 15, 1915. Sporules curved, 20–21 x 2–2½ μ.

Macrosporium saponariae Peck

Oneida, Madison county, on Saponaria officinalis Linn. H. D. House, June 20, 1915.

Morchella semilibera DC.

Kenwood swamp, near Oneida, Madison county. H. D. House, May 15, 1915. Also collected there in May 1885 by Mr Henry A. Warne, who also collected the same species near Madison, Madison

county. These appear to be the only records of the occurrence of the species in this State.

Nigredo rhyncosporae (Ellis) Arthur

Adirondack mountains on Rhyncospora glomerata (L.) Vahl. C. H. Peck, August. (Taken in abundance from herbarium specimens of this host, collected by Professor Peck several years ago, who apparently overlooked the rust upon it.)

Pestalozzia guepini Desm.

On living and languishing leaves of Smilax glauca Walt. Near Babylon, Long Island. H. D. House, September 19, 1915. The same host plant contained Phyllosticta smilacis E. & M. and what appears to be Physalospora disrupta (B. & C.) Sacc.

Pestalozzia monochaetoidea S. & E.

On dead branches of Opulaster opulifolius (L.) Kuntze. Albany, N. Y. H. D. House, June 5, 1915.

Phacidium sparsum Peck

(Bot. Gaz. 5, p. 35–36. Sacc. Syll. VIII, p. 716.)

Collected in Vermont by C. G. Pringle and the host, given by Peck as dead wood and by Saccardo as "Ligno dejecto," proves to be upon examination white pine (Pinus strobus) wood which is partially decayed.

Phleospora chenopodii E. & K.

(Stagonospora chenopodii *Peck*, Septoria atriplicis *Desm.*, Septoria chenopodii *West*)

On living leaves of Chenopodium album L. Catskill. H. D. House, August 16, 1915.

Phoma bumeliae House, nom. nov.

Phoma maculans *Sacc.* Syll. III:116. 1884. Not P. maculans *Sacc.* l. c. 102. Sphaeropsis maculans *B. & C.* North Am. Fungi No. 417. Not S. maculans *Lev.* (1846).

On leaves of Bumelia, Alabama (Peters).

Phoma verbascicola (Schw.) Sacc.

On dead stems of Verbascum thapsus L. Pecksport, Madison county. H. D. House, July 2, 1915. Also collected at Sand lake by Doctor Peck.

Phyllosticta apocyni Trelease

On living leaves of Apocynum androsaemifolium L. Green's pond, near Leeds, Greene county. H. D. House, August 17, 1915. Also collected on the same host at Mechanicville by Doctor Peck.

Phyllosticta liriodendri Cooke

Along the edge of a woodland north of Liverpool, Onondaga county, there was noticed on August 12th, a yellow poplar tree (Liriodendron tulipifera L.) upon which the majority of the leaves were badly disfigured by insect galls and spots upon which appeared a Phyllosticta. About half of the circular brown spots were clearly caused by Phyllosticta liriodendri Cooke (P. circumvallata Wint.). Most of the remaining spots were blisterlike galls with considerable dead tissue surrounding them and caused by the gall midge Thecodiplosis liriodendri Osten Sacken (det. Felt), and upon these spots was a frequent occurrence of Phyllosticta macrospora E. & E., with sporules 18–22 x 6–8 μ. One spot showed the presence of a Sphaeropsis evidently related to Phyllosticta macrospora, while another spot showed a Septogloeum with spores 33–40 x 4 μ. It is interesting to note that Phyllosticta macrospora was also found at Black lake near Catskill on similar spots apparently caused by a gall midge on leaves of Vitis labrusca (August 21, 1915).

Phyllosticta variabilis Pk.

Jamesville, Onondaga county. On leaves of Rubus odoratus. H. D. House, August 9, 1915. Professor Dearness, who compared these specimens with the types of P. variabilis Pk. and P. bicolor Pk., regards all three as essentially the same, although the effect of the fungus upon the leaf tissue seems to be different in each case and the Jamesville specimens have a wider range of spore measurements, namely, 5–8 x 3 μ.

Phyllosticta paviae Desm.

(Phyllosticta sphaeropsoidea *Ell.*)

(See figure 3)

On living leaves of Aesculus hippocastanum L. Catskill, August 18, 1915. This fungus is responsible for a very unsightly disfiguration of the foliage of horse chestnut trees in some localities. Certain trees near Catskill were so badly affected in 1915 that by the end of August practically all the leaves were turning brown and many of them falling. Fortunately the disease does not appear to reoccur with equal abundance from year to year. Mr V. B. Stewart (Abs. in Phytopathology 4:399. 1914) shows that the sexual stage of Phyllosticta paviae is Laestadia aesculi Peck which occurs commonly upon the fallen petioles and leaves.

Physalospora ceanothina (Peck) Sacc.

(Sphaeria ceanothina *Peck*)

On dead twigs of Ceanothus americanus Linn. Karner, Albany county. H. D. House, April 1915. The type was also collected at Karner by Professor Peck in May 1875.

Poria attenuata Peck

Karner, Albany county. H. D. House, *no. 148,* October 3, 1914. Sylvan Beach, Oneida county. H. D. House, October 12, 1915. Rather common on dead hardwood sticks on the ground in moist woods and thickets.

Phyllosticta phomiformis Sacc.

(See figure 4)

This fungus, common on the leaves of Quercus alba, prinus and prinoides, appears to be invariably associated with the insect galls caused by Cincticornia, and is therefore of a saprophytic nature, although occurring on living leaves. This species has been transferred to the genus Macrophoma, but all our specimens have spores much smaller than described by Saccardo and it is quite possible that they should not be referred to his species.

Phoma galactis Dearness & House, n. sp.

Pycnidia subcuticular, hemispheric, black, thickly scattered, 200 μ in diameter; spores pyriform, hyaline, on basidia of about the length of the spores which are very small, oblong, $2\frac{1}{2}$–3 x $1\frac{1}{2}$ μ.

Dead flowering stems of Galax aphylla L. Biltmore, N. C. H. D. House, May 1912.

FIG. 3 PHYLLOSTICTA PAVIAE DESM.



FIG. 4 PHYLLOSTICTA PHOMIFORMIS SACC.

Poria calcea Fr.

North Greenbush, Rensselaer county. H. D. House, *no. 233*, October 10, 1914.

Ramularia arvensis Sacc.

On living leaves of Potentilla monspeliensis L. Oneida, Madison county. H. D. House, June 27, 1915. Also collected at Newman, N. Y., on the same host by Doctor Peck.

Ramularia barbareae Peck

Sylvan Beach, Oneida county. On leaves of Barbarea vulgaris R. Br. H. D. House, May 10, 1915.

Ramularia obovata Fckl.

On living and languishing leaves of Rumex crispus L. Albany. H. D. House, July 23, 1915. Karner. October 8, 1914. This is the form with obovate, nonseptate conidia. The one with clavate-oblong 1-septate spores is known as Ramularia obliqua (Cooke) Oud., and appears to be the one most frequently collected in this State. By some these two are regarded as forms or phases of the same species, to which may also be united Ramularia decipiens E. & E.

Rhizina inflata (Schaeff.) Quel.

(R. undulata *Fr.*)

Under hemlock and birch trees, Pleasant Lake north of Schroeppels Bridge, Oswego county. H. D. House, August 11, 1915. Doctor Peck has collected this species at Forestburg, Sullivan county, Hague, Warren county and Greig, Lewis county. At the Oswego county locality the fungus appears to be chiefly saprophytic, but several instances were observed where the mycelium of the fungus invested and was apparently parasitic on hemlock seedlings, causing their death.

Septogloeum ochroleucum (B. & C.) Dearness, com. nov.

(Septoria ochroleuca *B. & C.;* Phyllosticta, *Pk.;* Gloeosporium, *B. & C.;* Cryptosporium epiphyllum *C. & E.*)

Schroeppels Bridge, Oswego county, on living leaves of Castanea dentata (Marsh.) Borkh. H. D. House, August 13, 1915. Also collected by Doctor Peck at Sand Lake, Copake and Wading River.

Septoria atropurpurea Peck

On living leaves of Aster corymbosus Ait. Karner, Albany county. H. D. House, July 26, 1915. The following host species for this fungus are represented in the state herbarium in addition to the above: Aster macrophyllus (N. Y. Peck, *type*); Aster drummondii (Wisc. Davis); Aster laevis (Ontario, Dearness); Aster corymbosus (Ontario, Dearness).

Septoria conspicua E. & M.

On living leaves of Lysimachia quadrifolia L. near Huntington, Long Island. H. D. House, September 17, 1915.

Septoria erigerontis Peck

On leaves of Erigeron annuus L. Albany. H. D. House, July 25, 1915. On leaves of E. pulchellus, Cicero, Onondaga county, August 12, 1915. On leaves of E. philadelphicus, Oneida, Madison county. May 14, 1915.

Septoria verbenae Rob. & Desm.

On living leaves of Verbena hastata L. Outlet of Onondaga lake, Onondaga county. H. D. House, August 10, 1915. On same host, Pecksport, Madison county. July 2, 1915. Albany, June 19, 1915.

Septoria wilsoni Clinton

On living leaves of Chelone glabra L. North of Liverpool, Onondaga county. H. D. House, August 10, 1915. On same host, Albany, July 25, 1915. Other collections of this species, on the same host, in the state herbarium are Buffalo (Clinton, *type*); Alcove (Shear); North Elba and Caroga (Peck).

Sphaeropsis ailanthi Ell. & Barth.

Albany, N. Y., on dead twigs of Ailanthus glandulosa Desf. H. D. House, February 22, 1915.

Sphaeropsis conspicua House, nom. nov.

Sphaeropsis maculans *Peck*, 39th Rep't, N. Y. State Museum, p. 46. 1886. Not S. maculans *Lev.*, Ann. Sci. Nat. 1846, p. 297.

Perithecia immersed, 400–500 μ broad, black; ostiola papillate; sporules elliptical, colored, 10–12.5 x 5–6.5 μ.

On decorticated dead twigs (apparently Acer), Adirondack mountains. May 1885 (Peck).

Sphaeropsis linearis Peck

(25th Ann. Rep't, N. Y. State Museum, p. 86. 1873)

Professor Peck states that S. linearis occurs on oak but an examination of the type material shows that an error was made in the identification of the host which proves to be unmistakably hickory, and hence the name S. linearis Peck must replace the name Sphaeropsis caryae C. & E., having priority over it, and being identical in all particulars. Curiously enough, while the type host material is unmistakably hickory, I have an abundant collection on twigs of Quercus alba, Albany, March 14, 1915, of which Professor Dearness, after a careful examination, says, "So near S. linearis, if it is not exactly that, as to leave no room to make another species of it." The species must therefore be credited to both hickory and oak.

Sphaeropsis sepulta E. & E.

(S. mori *E. & E.*)

Albany, N. Y. On dead twigs of Morus alba L. H. D. House, February 22, 1915. Also collected at Orient Point, Long Island, by Roy Latham and at Southfield, Long Island, by Professor Peck on Morus alba, and at West Albany, on Morus rubra, by Professor Peck.

Vermicularia compacta C. & E.

On dead stems of Saponaria officinalis L. Sylvan Beach, Oneida county. H. D. House, May 10, 1915. Trichia few, 40–60 x 4–6 μ; sporules arcuate, acute, 20–22 x 2.5–3 μ.

Vermicularia herbarum (Pers.) Fr.

Among the numerous hosts upon which this has been found during the past season, may be mentioned the following: Aralia nudicaulis (spores 20–25 x 3 μ); Vitis labrusca; Aster macrophyllus; Sambucus canadensis; Fraxinus americana; and Meibonia canadensis.

Vermicularia liliacearum Westd.

On dead stems of Uvularia perfoliata L. Oneida, Madison county. H. D. House, May 14, 1915. "Trichia numerous; sporules 20 x 2¾–3 μ."

Valsa ambiens (Pers.) Fr.

Very abundant on dead twigs of Ceanothus americanus L. Albany. H. D. House, November to March. Also collected at New Scotland, Albany county, on the same host by Professor Peck and on Ceanothus ovatus Desf. near New York by H. D. House.

Valsa subclypeata C. & P.

Sylvan Beach, Oneida county. On dead limbs of Sassafras variifolium (Salisb.) Kuntze. H. D. House, May 10, 1915.

Venturia cassandrae Peck

Pecksport, Madison county. On fallen leaves of Chamaedaphne calyculata (L.) Moench. H. D. House, July 2, 1915. Also collected at Karner, Albany county, April 22, 1915.

The following species of Asterostroma, Corticium, Coniophora, Hypochnus, Merulius, Odontia, Peniophora and Poria have been determined in major part by Prof. E. A. Burt of the Missouri Botanical Garden, St Louis, to whom the specimens were submitted for identification or verification.

Asterostroma cervicolor (B. & C.) Massee

Near Albany, on decaying decorticated branches lying on the ground in the woods. H. D. House and Joseph Rubinger, October 23, 1915.

Corticium colliculosum B. & C.

Near Albany, on dead limbs of Prunus pennsylvanica L. H. D. House, November 26, 1915.

Corticium evolvens Fr.

Sylvan Beach, Oneida county, on dead oak branches lying on the ground. H. D. House, October 12, 1915. Albany, November 26, 1915, on the same host and also on bark of decayed maple limbs.

Corticium berkeleyi Cooke

Near Albany, on bark of Pinus strobus. H. D. House and Joseph Rubinger, October 23, 1915. Newtonville, on the same host. Dr C. H. Peck (date of collection not indicated).

Corticium alutaceum (Schrad.) Bres.

Near Albany, on decayed bark and wood. H. D. House and Joseph Rubinger, October 23, 1915.

Corticium investiens (Schw.) Bres.

(Thelephora subochracea *Peck*)

Karner, Albany county. H. D. House, October 3, 1914. Albany, H. D. House and Joseph Rubinger, October 23, 1915. One of the commonest species of the genus and apparently showing little choice of host, growing on and investing leaves, sticks, twigs, bark and branches of both coniferous and deciduous species lying on the ground in the woods. It has also been collected by Doctor Peck at Shokan, Floodwood, Schuylerville and Snyder's Corners.

Corticium laetum Karst.

Karner, Albany county. H. D. House, *nos. 161 and 164,* October 3, 1914.

Corticium mutatum Peck

Near Albany, on bark of fallen and decaying limbs of Populus tremuloides. H. D. House, November 26, 1915.

Corticium roseopallens Burt

Karner, Albany county. H. D. House, *no. 170,* October 3, 1914. Near Sylvan Beach, Oneida county, on bark of decayed birch limbs.

Corticium atrovirens Berk.

Karner, Albany county. H. D. House, *no. 205,* October 8, 1914.

Corticium effuscatum C. & E.

Karner, Albany county. H. D. House, *no. 210,* October 8, 1914. Greenbush, Rensselaer county. H. D. House, *no. 236,* October 10, 1914. Not a rare species, at least in this part of the State, having also been collected by Doctor Peck at East Berne, Westport and East Schaghticoke.

Corticium epigaeum E. & E.

Karner, Albany county. On dead twigs lyings on the ground in woods. H. D. House, *no. 160,* October 3, 1914.

Coniophora olivascens (B. & C.) Massee

Albany. On fallen branches in woods. H. D. House, November 26, 1915. At the same place and date were collected the much commoner species Coniophora puteana Schum. on fallen pine limbs and Coniophora arida Fr. on decaying coniferous log.

Corticium suffocatum Peck

Karner, Albany county. H. D. House, *no. 165,* October 3, 1914. Originally collected at Sand lake by Doctor Peck and generally referred to the genus Coniophora.

Corticium sambuci Fr.

Near Albany. On dead limbs of hickory lying on ground in woods. H. D. House and Joseph Rubinger, October 12, 1915. Clarksville. On decayed wood and bark of Juglans cinerea. Dr C. H. Peck (date of collection not indicated).

Corticium vagum B. & C.

Near Albany, on decayed and decorticated hemlock limbs lying on ground in woods. H. D. House and Joseph Rubinger, October 23, 1915.

Hypochnus granulosus (Peck) Burt

(Zygodesmus granulosus *Peck;* H. elaeodes *Bres.*)

Karner, Albany county. H. D. House, *no. 211,* October 8, 1914. Near Albany. H. D. House and Joseph Rubinger, October 23, 1915. Zygodesmus granulosus was collected by Doctor Peck at East Schaghticoke, and the state herbarium also contains an additional specimen collected at Flatbush by Zabriskie.

Hypochnus subferrugineus Burt

Sylvan Beach, Oneida county. On decayed bark and wood of oak. H. D. House, October 12, 1915.

Hypochnus olivaceous (B. & C.) Burt

Karner, Albany county. H. D. House, *no. 167,* October 3, 1914. North Greenbush, Rensselaer county. On dead hemlock bark. H. D. House, November 25, 1915.

Hypochnus fuscus (Pers.) Fries

Near Albany. On dead branches of pine. H. D. House and Joseph Rubinger, October 23, 1915.

Merulius bellus B. & C.

Near Albany. On decayed hemlock limbs lying on ground in woods. H. D. House and Joseph Rubinger, October 23, 1915.

Odontia trachytricha (E. & E.) Burt

(Peniophora trachytricha *E. & E.*, Odontia acerina *Pk.*)

Karner, Albany county. H. D. House, *no. 207,* October 8, 1914.

Peniophora affinis Burt

Albany. On bark of fallen and decayed branches. H. D. House, November 26, 1915.

Peniophora crassa Burt

Sylvan Beach, Oneida county. On charred undersurface of logs of Pinus rigida. H. D. House, October 12, 1915.

Peniophora filamentosa (B. & C.) Burt

(Peniophora unicolor *Peck*)

North Greenbush, Rensselaer county. H. D. House, *no. 235,* October 10, 1914. Same locality, on bark of decayed branches of Ulmus americana lying on ground in woods, November 25, 1915. The type of P. unicolor Peck was collected at Bolton, Warren county.

Peniophora incarnata Fr.

Albany, on fallen and decorticated branches of Prunus pennsylvanica. H. D. House, November 26, 1915.

Peniophora laevis (Fr.) Burt

Karner, Albany county. H. D. House, *no. 153,* October 3, 1914. North Greenbush, Rensselaer county. H. D. House, *no. 234,* October 10, 1914.

Peniophora longispora Pat.

East Berne, Albany county. On decayed log. Dr C. H. Peck (date of collection not indicated).

Peniophora pubera (Fr.)

Karner, Albany county. H. D. House, *no. 206,* October 8, 1914.

Peniophora sordida Karst.

Karner, Albany county. H. D. House, *no. 188,* October 3, 1914.

Peniophora velutina DC.

Sylvan Beach, Oneida county. On charred undersurface of maple log. H. D. House, October 12, 1915.

Poria pulchella Schw.

Sylvan Beach, Oneida county. On charred undersurface of logs in woods. H. D. House, October 12, 1915.

Rhinotrichum curtisii Berk.

North Greenbush, Rensselaer county. On bark of decayed oak limbs on ground in open woods. H. D. House, November 25, 1915.

Stereum rameale Schw.

Albany, on dead limbs of Prunus pennsylvanica. H. D. House, November 26, 1915.

NOTES UPON LOCAL FLORAS III

MADISON COUNTY

Antennaria neglecta Greene

Oneida. H. D. House, June 4, 1914. Pecksport. H. D. House, June 5, 1915.

Antennaria grandis (Fernald) House

Pecksport. H. D. House. June 10, 1914.

Antennaria fallax Greene

Oneida. H. D. House, June 4, 1914.

Antennaria parlinii Fern. var. **arnoglossa** Fern.

Thin soil on limestone ledges in open woods, Chittenango Falls. H. D. House, June 9, 1914.

MONROE COUNTY

Antennaria occidentalis Greene

(A. Farwellii *Fern.* not *Greene*)

East Rochester. M. S. Baxter, *nos. 319 and 320,* October 1912 and May 23, 1913.

Antennaria petaloidea Fernald

Penfield. M. S. Baxter, May 23, 1915.

Antennaria fallax Greene

Perinton and East Rochester. M. S. Baxter, May 23–25, 1915.

Antennaria ambigens (Greene) Fernald

Greece and Perinton. M. S. Baxter, May 17 and 25, 1913.

Antennaria neodioica Greene

Perinton. M. S. Baxter. May 17, 23 and 25, 1915.

Antennaria canadensis Greene

Penfield and Perinton. M. S. Baxter, May 23 and 25, 1915. Near Greece. M. S. Baxter, May 17, 1913.

Antennaria plantaginifolia (L.) Richard.

Greece and Perinton. M. S. Baxter, May 17, 23 and 25, 1913.

Antennaria grandis (Fernald) House

Perinton. M. S. Baxter, May 25, 1915.

Antennaria neglecta Greene

East Rochester, Perinton, Greece and Penfield. M. S. Baxter, May 1913.

Chamaesyce glyptosperma (Engelm.) Small

(Euphorbia glyptosperma *Engelm.*)

Sandy soil, Irondequoit. M. S. Baxter, August 1915. A rare species in the east. Reported from Fisher's Island, N. Y., and from Oxford county, Maine, while its usual range is given as Ontario to Wisconsin, Missouri and westward.

Selaginella ruprestris (L.) Spring.

Sandy plains near Penfield. M. S. Baxter, October 31, 1915. A local but not particularly rare species. This record is interesting as indicating that while its usual habitat is dry rocky ledges, it may sometimes occur in dry sandy places.

NASSAU COUNTY

September 8th and 13th were spent in and around the salt marshes just north of Long Beach, and on Long Beach itself. The species observed at this season constitute an interesting list for this locality, and are characteristic for the extensive salt marshes on this part of Long Island.

Agalinis maritima *Raf.*
" purpurea (*L.*) *Britton*
Angelica atropurpurea *Linn.*
Argentina anserina (*L.*) *Rydb.*
Aster novi-belgii *Linn.*
" salicifolius *Lam.*
" subulatus *Michx.*
" tenuifolius *Linn.*
Atriplex hastata *Linn.*
Baccharis halimifolia *Linn.*
Cakile edentula (*Bigel.*) *Hook.*
Chamaecrista fasciculata (*Michx.*) *Greene*
Clethra alnifolia *Linn.*
Cyperus strigosus *Linn.*
Cuscuta gronovii *Willd.*
Distichlis spicata (*L.*) *Greene*
Dondia linearis (*Ell.*) *Heller*
Echinochloa walteri (*Pursh*) *Nash*
Elymus virginicus *Linn.*
Falcata comosa (*L.*) *Kuntze*
Fimbristylis autumnalis (*L.*) *R. & S.*
Fuirena squarrosa *Michx.*
Glycine apios *Linn.*
Helianthus angustifolius *Linn.*
" giganteus *Linn.*
Hibiscus moscheutos *Linn.*
" oculiroseus *Britt.*
Hydrocotyle verticillata *Thumb.*
Ibidium cernuum (*L.*) *House*
Iva frutescens *Linn.*
Juncus gerardii *Lois.*
Limonium carolinianum (*Walt.*) *Britt.*
Lysimachis terrestris (*L.*) *B. S. P.*
Mikania scandens (*L.*) *Willd.*

Marsicus mariscoides (*Muhl.*) *Kuntze*
Persicaria pennsylvanica (*L.*) *Small*
Plantago maritima *Linn.*
Puccinellia distans (*L.*) *Parl.*
Ptilimnium capillaceum (*Mx.*) *Raf.*
Polygonum prolificum (*Small*) *Rob.*
Panicum dichotomiflorum *Michx.*
Pluchea camphorata (*L.*) *DC.*
Samolus floribundus *H. B. K.*
Salsola kali *Linn.*
Salicornia europaea *Linn.*
Sabbatia dodecandra (*L.*) *B. S. P.*
" stellaris *Pursh*
Scirpus americanus *Pers.*
" robustus *Pursh*
Solidago sempervirens *Linn.*
Spergula arvensis *Linn.*
Spartina cynosuroides (*L.*) *Roth*
" patens (*Ait.*) *Muhl.*
Teucrium littorale *Bicknell*
Tissa marina (*L.*) *Britt.*
Triglochin maritima *Linn.*
Stroptostyles helvola (*L.*) *Britt.*
Vernonia noveboracensis (*L.*) *Willd.*
Viola lanceolata *Linn.*
" brittoniana *Pollard*
" pectinata *Bicknell*
Xanthium echinatum *Murr.*

Althaea officinalis Linn.

In and around the margins of brackish and salt water marshes near Port Washington. H. D. House, September 16, 1915. A native of Europe which has become very abundant on this part of Long Island.

Sanguisorba canadensis Linn.

Very abundant in a swamp along the Merrick road between Merrick and Freeport. H. D. House, September 9, 1915.

Lespedeza stuvei Nutt.

Dry banks along a roadside through deciduous woodland near Port Washington. H. D. House, September 16, 1915.

Lonicera sempervirens Linn.

Open woods near Sand's Point, Long Island. H. D. House, September 16, 1915. This is a common species in the south, but is very rare in New York, although it has been reported from southern New England. In Paine's Catalogue of the Plants of Oneida County and Vicinity, it is recorded as having been found by J. H. Hall at Tarrytown and on the hills eastward, and on the borders of Otsego lake, Otsego county, by B. D. Gilbert and H. Lathrop. The latter is an outlying station for the species comparable to some of the isolated northern stations in New York State for Ilex montana, Ophrys australis, Blephariglottis ciliaris, Rhyncospora corniculata, Lathyrus ochroleucus and other species. The report of the Director of the State Museum for 1915 contains a colored plate illustrating this species, the photograph of which was taken at this locality.

Tagetes erecta Linn.

In a waste place near a roadside not far from Rockville Center, where rubbish had evidently been dumped at one time. The Marigold, as this species is known, is a common plant of old gardens in America but appears to have become established but rarely in this latitude although perfectly hardy in cultivation. Our specimens were single, possessing disc and ray flowers instead of the large mass of crinkled rays common in the cultivated varieties, and bore an abundance of good seeds. Numerous specimens in the immediate vicinity seemed to indicate that the species was well established and propagating itself by seed from year to year.

ONEIDA COUNTY

Polygonum buxiforme Small

Forming broad mats on the sandy shores of Oneida lake near Sylvan Beach. H. D. House, October 11, 1915.

Polygala pauciflora Willd.

Edge of pine woods, North Bay. H. D. House, June 25, 1915.

Panicum ashei Pearson

Open woods, sandy soil, North Bay. H. D. House, June 19, 1915. Also collected at Ithaca in 1884 by Prof. William Dudley.

Panicum columbianum Scribn.

Sandy soil along margin of oak woods. H. D. House, July 24, 1914.

Panicum addisonii Nash

Sandy soil, near Sylvan Beach. Dr J. V. Haberer.

Panicum implicatum Scribn.

Sandy fields near Sylvan Beach. H. D. House, July 24, 1914. Near Deerfield (Haberer). Also collected by Professor Peck at Fulton Chain, North Elba, Gansevoort and North Albany.

Panicum sphaerocarpon Ell.

Sandy fields near Sylvan Beach. H. D. House, July 20, 1914.

Panicum lindheimeri Nash

Open sandy woods near Sylvan Beach. H. D. House, July 20, 1914. Also collected in Bergen swamp, Genesee county, and at Amagansett, Long Island, by Professor Peck.

Panicum spretum Schult.

Sandy soil near Sylvan Beach. H. D. House, June 21, 1915. A species apparently widely distributed throughout the State, having been collected by Professor Peck at Whitehall, West Albany and Riverhead, at Orient Point by Roy Latham and at Penfield, Monroe county, by M. S. Baxter. The collections by H. D. House mentioned above have all been determined by Prof. A. S. Hitchcock.

Panicum xanthophysum A. Gray

Moist places in sandy woods near Sylvan Beach. H. D. House, July 20, 1915.

Panicum werneri Scribn.

Dry thickets, North Bay. H. D. House, June 1915.

Antennaria neglecta Greene

Sylvan Beach, eastern end of Oneida lake. H. D. House, June 4, 1914.

Antennaria grandis (Fern.) House

Sylvan Beach. H. D. House, June 5, 1915.

Antennaria fallax Greene

Sandy fields near Sylvan Beach. H. D. House, June 8, 1914. Also collected here by Doctor Haberer, June 1, 1903.

Panicum boreale Nash

Open woods near North Bay. H. D. House, July 1915.

Panicum tennessensis Ashe.

Dry oak woods near Sylvan Beach. H. D. House, June 1915.

Trillium cernuum Linn.

Low sandy woods and thickets near Sylvan Beach. H. D. House, May 1915.

ST LAWRENCE COUNTY

Viola selkirkii Pursh

Near Canton. Mrs Orra Parker Phelps, May 2, 1915. The great-spurred violet, although locally abundant, is rather sparingly distributed throughout the Northeastern states and Canada. In

New York it has been collected near Utica, Oneida county; Minerva, Essex county; W. Albany, Albany county; Little Falls, Herkimer county; Oneida, Madison county; and Jamesville, Onondaga county.

Antennaria canadensis Greene

Collected at Colton, Lisbon, Canton and Hopkinton by Mrs Orra Parker Phelps, May 13–25, 1915.

Antennaria neodioica Greene

Collected at Hopkinton, Stockholm, Hammon, Norfolk and Canton by Mrs Orra Parker Phelps, May 13–25, 1915.

Antennaria fallax Greene

Near Hammond. Mrs Orra Parker Phelps, May 19, 1915.

Antennaria petaloidea Fernald

Near Canton. Mrs Orra Parker Phelps, May 25, 1915.

Antennaria neglecta Greene

Near Stockholm. Mrs Orra Parker Phelps, May 19, 1915.

SUFFOLK COUNTY

Panicum commonsianum Ashe

Riverhead. Charles H. Peck. July. Determined by Prof. A. S. Hitchcock.

Hypericum densiflorum Pursh

Near Babylon. H. D. House, September 21, 1915. A species common in the sandy coastal plains and barrens of New Jersey as far north in the State as they extend, but apparently not previously recorded from Long Island.

Aster spectabilis Ait.

Edge of woods in sandy soil, near Babylon. H. D. House, September 21, 1915. Almost without question the most showy of the blue-flowered Asters of the north.



OUTLINE MAP
OF
THE STATE OF NEW YORK
SHOWING THE LOCATION
OF
CREAM COLORED VETCHLING
Lathyrus ochroleucus *Hooker*

WARREN COUNTY

Elymus glaucus Buckley

Warrensburg. Charles H. Peck, July. Determined by Prof. A. S. Hitchcock, to whom was submitted a large number of undetermined grasses collected by Professor Peck. The range given for this species is "Ontario and Michigan to British Columbia, Colorado and California." The Warren county collection constitutes not merely a new species for the state flora but a remarkable eastward extension to the known range of the species.

Pyrola asarifolia Michx.

Bog near Horicon. Dr Charles H. Peck, July. The exact year is not given, but the specimens were detected amongst some undetermined material collected between 1907 and 1910.

WYOMING COUNTY

Cathartolinum sulcatum (Riddell) Small

Near Portageville. Dr Charles H. Peck, July 1908. Detected among the undetermined specimens of Professor Peck's collecting, and rather easily distinguished by the united styles.

Lathyrus ochroleucus Hook.

Near Portageville. Dr Charles H. Peck, May 1905. This must be regarded as one of the rare species of the state flora. It was collected nearly three-fourths of a century ago at Watertown, Jefferson county, by Crawe, and in Paine's Catalogue of the Plants of Oneida County and Vicinity two additional localities are mentioned, namely, Gorham, Ontario county (Sartwell), and Monroe county (C. M. Booth). In addition to these stations it has been collected at Penn Yan, Sartwell (in Nat. Herb.); western New York, Sartwell (in Gray Herb.); Lake Chautauqua, J. R. Churchill (in Gray Herb.); Ithaca, Tompkins county by Charles S. Sheldon in 1878 (N. Y. State Herb.); at Belfast, Allegany county, and Carrollton, Cattaraugus county, by Charles H. Peck. With the exception of the Watertown locality, its range appears to be confined in this State to the western and southwestern counties.

The species was collected at Belleville, Ontario, June 1877, by Professor Macoun, a station even farther north than Watertown. Its distribution in New York State is shown by the accompanying map.

A BIBLIOGRAPHY OF THE BOTANY OF NEW YORK STATE

One of the signs of progress in botany is the increasing attention given to the study of local vegetation and its ecological relations. A local flora has been published for nearly every section of the State in addition to a large number of county and sectional floras, which for the most part are exceptionally complete. The number of published papers dealing with various phases of local botany in this State is very large and one of the disadvantages to be encountered in the study of local flora problems is the difficulty of locating quickly the references to the published literature dealing with a given locality or section.

The bibliography here presented aims to group the titles bearing upon the subject in such a manner as to show the nature, quantity and authorship of the various studies upon the flora of the State and its natural and political subdivisions.

Citations dealing with economic botany (agriculture), plant pathology and forestry have been for the most part omitted, although it is obviously difficult to draw a line of distinction, especially where record is made in such articles to native species of fungi or flowering plants constituting an original observation or addition to the flora of some section of the State. Upon this ground alone have several titles dealing with plant pathology, agriculture and forestry been admitted.

Since the aim of this bibliography is to present the citations by localities rather than by authors, the arrangement takes the following order:

1 New York State in General
2 State Botanist's Reports
3 Adirondack Mountains
4 Catskill Mountains
5 Central New York
6 Hudson River Valley
7 Long Island
8 Susquehanna Valley
9 Western New York
10 Citation of Titles by Counties
Index to Citations by Authors

CURRENT FLORAS OF THE NORTHEASTERN STATES

Britton. Manual of the Flora of the Northern States and Canada. 3d edition, revised and enlarged. 1907

Britton & Brown. Illustrated Flora. 3 v. 2d edition, revised and enlarged. 1913

Robinson & Fernald. Gray's New Manual of Botany. 1908

Stevens. An Illustrated Guide to the Flowering Plants of the Middle Atlantic and New England States. 1910

1 NEW YORK STATE

Catalogue of the Plants Indigenous to the State of New York. Jacob Green. Transactions of the Society for the Promotions of Useful Arts. V. 1, p. 91–136. Albany 1814

Trees, Shrubs, Plants, &c. (of New York). James Macauley. In "Natural, Statistical and Civil History of the State of New York." V. 1, p. 521–39. New York 1829

A Notice of Some New, Rare, or Otherwise Interesting Plants, from the Northern and Western Portions of the State of New York. Asa Gray. Ann. Lyc. Nat. Hist. N. Y. 3:221–38. 1836

Catalogue of Plants (of New York State). John Torrey. 4th Annual Report Geological Survey New York. Assembly Document no. 161. p. 9–10 (ed. 2, p. 11–12). 1837. Assembly Doc. no. 50. p. 113–97. Jan. 24, 1840

Flora of New York State. John Torrey. 2v. 4to., p. 484 and 572; 161 plates. Albany 1843

V. 1. 12+484 p. 72 pl. 1843. 300 copies with hand-colored plates.

V. 2. 572 p. 89 pl. 1843. 300 copies with hand-colored plates.

Catalogue of the Medicinal Plants, Indigenous and Exotic, Growing in the State of New York. Charles A. Lee. 8vo., pamph., p. 64. New York 1848

Catalogue of the Plants of the State of New York, of Which Specimens Are Preserved in the Cabinet at Albany. John Torrey. 2d Annual Report of the Regents on the Cabinet (for 1848), p. 39–64. 1849

Index to Volumes in the State Cabinet Containing the Plants of New York. L. C. Beck. Annual Report of the New York State Museum (for 1849), p. 157–66. 1850. The same report (for 1849) revised ed., p. 161–72. 1850

List of Plants Described in the State Flora, and of Plants Discovered and Collected since the Publication of the Flora. John Torrey. p. 1–61. Catalogue of the Cabinet of Natural History of New York. Albany 1866

Facts and Observations Touching the Flora of the State of New York. By One of the Regents (G. W. Clinton). 18th Annual Report of the Regents on the Cabinet, 197–205. 1865. 19th Annual Report of the Regents on the Cabinet, 72–80. 1866

Catalogue of Mosses Presented to the State of New York (Mainly from Rensselaer County). Charles H. Peck. 19th Annual Report of the Regents on the Cabinet, 193–96. Albany 1866

List of Mosses of the State of New York. Charles H. Peck. 19th Annual Report of the Regents on the Cabinet, 42–70. 1866

Facts and Observation Touching the Flora of the State of New York. Charles H. Peck. 20th Annual Report of the Regents on the Cabinet, 403–10. 1867. Reprinted on pages 159–66 of the revised (quarto) edition of the same report, dated 1868 but not published until 1870

Species (plants found) Growing Spontaneously in the State and not before Reported. Charles H. Peck. 22d Annual Report of the Regents on the Cabinet, 52–106. 1869. These lists have been continued annually in the succeeding reports of State Botanist, Charles H. Peck, until 1913. (See State Botanist's Reports)

Fungi. Charles H. Peck. Albany Institute Trans., 6:209–26. 1870

Synopsis of New York Uncinulae. Charles H. Peck. Albany Institute Trans., 7:213–17. 1 pl. 1872

New Stations for Rare Plants. Remarks and Observations. Charles H. Peck. 23d Report of the Regents on the Cabinet, 1873. Continued under these titles in succeeding reports and bulletins of the New York State Museum. (See State Botanist's Reports)

Report on Botany. Charles H. Peck. Albany Institute Trans., 7:35–43; 186–204. 1872. 8:152–56. 1876

The Black Spruce. Charles H. Peck. Albany Institute Trans., 8:283–301. 1876

Parasitic Fungi of New York and Their Supporting Hosts. Charles H. Peck. 29th Annual Report of the New York State Museum, 71–82. 1878.

The Ferns of New York. Benjamin D. Gilbert. Utica Herald. October 18, 1878

List of the Ferns of New York State. William H. Leggett. Bul., Torrey Club, 6:1878. Addenda by L. M. Underwood. l. c. 8:78–79. 1880

New York Fungi. Mordecai Cubitt Cooke. Grevillea 8:117–19. 1880

New York Carices. Charles H. Peck. 35th Report of the New York State Museum, 147–49. 1882.

United States Species of Lycoperdon. Charles H. Peck. Albany Institute Trans., 9:285–318. 1879

Contains numerous references to New York species.

Contributions to the Botany of the State of New York. Charles H. Peck. Bul., New York State Museum, 2:1–66. 2 pl. Albany 1887

Fertilization of Wild Flowers. Charles H. Peck. Albany Institute Trans., 11:155–68. 1887

List of the New York Pyrenomycetous Fungi. Charles H. Peck. Bul., N. Y. Museum, 2:49–56. 1887

Names of New York Pyrenomycetous Fungi. Charles H. Peck. New York State Museum Bul. 2, p. 49–56. 1887.

Fungi Destructive to Wood. P. H. Dudley. 41st Annual Report of the State Museum of Natural History (for 1887), p. 86–94. 1888. 41st Annual Report of the State Botanist, p. 45–46. 1890

Boleti of the United States. Charles H. Peck. New York State Museum Bulletin, 8 p. 71–166. 1889

Contains numerous references to New York species.

Edible Wild Fruits of New York. Charles H. Peck. Albany Institute Trans., 12:83–102. 1889. Fruit Growers Journal (Cobden, Ill.) 6:16, June 15, 1889; 6:17, July 1, 1889; 6:18, July 15, 1889; 6:19, August 1, 1889; 6:20, August 15, 1889; 6:21, September 1, 1889

Native Trees of New York. Charles H. Peck. Annual Report of the Forest Commission of New York (for 1891), p. 103–5. 1892. Reprinted in Annual Report of the Forest Commission of New York (for 1893), p. 244–46. 1894

Weeds. Charles H. Peck. Albany Institute Trans., 12: 251–65. 1893

List of New York Fungi Represented at the World's Columbian Exposition at Chicago, in the Horticultural Building. Charles H. Peck. 47th Report, p. 43–48. 1894

New York Species of Carex. E. C. Howe. Report of State Botanist for 1894. (From 48th Annual Report of the New York State Museum), p. 20–104. 1895. Same, Museum Report 48 (for 1894), 1:118–202. 1895

Edible and Poisonous Fungi of New York. Charles H. Peck. 48th Annual Report of the New York State Museum, p. 105–241. 43pl. Albany 1896

Continued under this title in succeeding annual reports of the State Botanist in Annual Reports and Bulletins of the State Museum to 1913, the total number of plates being 132. (See State Botanist's Reports).

Dryopteris Simulata in New York State. Willard Nelson Clute. Fern Bulletin, 7:91–92. 1899

Report of the State Botanist on Edible Fungi of New York. Charles H. Peck. New York State Museum Memoir 4 (v. 3), p. 129–234, pl. 44–68. Albany 1900

Notes on Some Type Specimens of Myxomycetes in the New York State Museum. W. C. Sturgis. Connecticut Academy of Arts and Science Trans., 10:463–90. pl. 60, 61. 1900

Notes from the Botanical Department (on fungi). F. C. Stewart and H. J. Eustace. New York Agricultural Experiment Station Bul. 200. Geneva 1901

A History of the Lumber Industry in the State of New York. William F. Fox. United States Department of Agriculture, Bureau of Forestry, Bul. 34, p. 59. Washington 1902

Studies in North American Discomycetes. II. Some New or Noteworthy Species from Central and Western New York. Elias Judah Durand. Torrey Club Bul. 29, p. 458–65. July 25, 1902

The Fern Flora of New York. Benjamin D. Gilbert. Fern Bul., 11:97–105. 1903.

New York Species of Crataegus. Charles H. Peck. New York State Museum Bul. 75, p. 35–57. 1904

A Key to the Genera of Woody Plants in Winter, Including Those with hardy Representatives found Growing Wild or in Cultivation Within New York State. K. M. Wiegand and F. W. Foxworthy. pamph., p, 1–27. Ithaca 1904. Second ed., p. 1–33. 1906. Third ed., p. 1–33. 1908

List of New York Fungi. F. L. Stevens. Journal of Mycology 13:67–72. 1907

Notae Mycologicae. P. A. Saccardo. Annales Mycologici 6: 553–69. 1908

Describes fourteen species of fungi from New York.

New York Species of Crataegus from Various Localities. Charles Sprague Sargent. New York State Museum Bul. 122, p. 115–30. 1908

Asplenium Ebenoides in New York. Stewart H. Burnham. Fern Bul. 16:111–13. 1908 (January 1909) (Hartford, Washington county, and Saugerties, Ulster county)

List of Species and Varieties of Fungi Described by C. H. Peck, State Botanist. (Charles H. Peck). New York State Museum Bul., 131, p. 59–190. 1909

Notes on New York Plant Diseases I. F. C. Stewart. New York Agricultural Experiment Station Bul. 328. Geneva 1910

List of Edible, Poisonous and Unwholesome Mushrooms hitherto Figured and Described by C. H. Peck, State Botanist. (Charles H. Peck). New York State Museum Bul. 139, p. 78–89. 1910

A Bibliography of the Genera whose New York Species Have been Collated with Descriptions in the State Botanist's Reports (Fungi). (Charles H. Peck). New York State Museum Bul. 139, p. 87–89. 1910

Reference is made to the following genera: Aecidium, Agaricus, Amanita, Armillaria, Boletus, Boletinus, Cantharellus, Craterellus, Claudopus, Clavaria, Clitocybe, Clipopilus, Collybia, Coprinus, Cortinarius, Crepidotus, Entoloma, Flammula, Galera, Hebeloma, Helvella, Hygroporus, Hypholoma, Lactarius, Lentinus, Lepiota, Leptonia, Lycoperdon, Marasmius, Mycena, Naucoria, Odontia, Omphalia, Panaeolus, Paxillus, Pholiota, Pleurotus, Pluteolus, Pluteus, Psathyrella, Psilocybe, Puccinia, Russula, Spathularia, Strobilomyces, Trametes, Tricholoma, Xylaria.

Forestry and Forest Resources in New York. F. A. Gaylord. Conservation Commission of New York, Bul. 1. Albany 1912

Wild Flowers of New York. Chester Albert Reed. p. 1–46. Mohonk Lake, N. Y., 1912. Illustrated in color

Crataegus in New York. Charles Sprague Sargent. New York State Museum Bul. 167, p. 53–124. 1913

Tree Diseases. Clifford H. Pettis. Second Annual Report of the Conservation Commission of New York, p. 97–99. 3 pl. Albany 1913

Braun's Holly Fern. Stewart H. Burnham. American Fern Journal, 4:1–5. 1914

New or Interesting Species of Fungi. Homer D. House. New York State Museum Bul. 176, p. 19–21. 1915. l. c. Bul. 179, p. 26–32. 1915

The Herbarium of Charles S. Sheldon. Homer D. House. New York State Museum Bul. 179, p. 22–25. 1915

Includes a list of the rarer New York plants therein.

New York Species of Marasmius. L. H. Pennington. New York State Museum Bul. 179, p. 52–79. 1915

Fungi Noveboracenses a cl. H. D. House imprimis collecti. P. A. Saccardo. Annales Mycologici, 13:115–22, 1915

The Development of the Vegetation of New York State. William L. Bray. p. 186. 1 map in color, 52 fig. Technical Publication No. 3, New York State College of Forestry at Syracuse University. Nov., 1915. (Vol. XVI, No. 2. Syracuse University Quarterly Publications).

2 STATE BOTANIST'S REPORTS

Except where otherwise indicated, Dr Charles Horton Peck is the author of the contents of the State Botanist's Reports from 1867 to 1912. The reports of 1913, 1914 and 1915 are by Homer D. House.

Bound also with Museum Reports 21–55, of which they form a part; the first Botanist's report appeared in the 21st Museum Report and is numbered 21. Reports 21–24, 29, 31–41 were not published separately.

Report of the Botanist (for 1867). From the 21st Annual Report of the Regents on the New York State Cabinet of Natural History (for 1867), p. 23–24. 1871

Report of the Botanist (for 1868). From the 22d Annual Report of the Regents on the New York State Cabinet (for 1868), p. 25–106. 1869

Species growing spontaneously in the State and not before reported, p. 52–105.

Report of the Botanist (for 1869). Appendix C. 23d Report of the Regents on the New York State Cabinet (for 1869), p. 27–135. pl. 1–6. 1873

List of plants found on the exposed summit of Mount Marcy, p. 43–44.

Plants found growing spontaneously in the State and not before reported, p. 49–133 (including synopsis of genera of Agaricaceae and Boletus).

New Stations of Rare Plants and Notable varieties, p. 133–35.

Report of the Botanist (for 1870). From the 24th Report of the Regents on the New York State Museum of Natural History (for 1870), p. 41–108. pl. 1–4. 1872

Plants found growing spontaneously in the State and not before reported, p. 56–103.

The genus Clavaria, p. 104–5.

The genus Aecidium, p. 105–8.

Report of the Botanist (for 1871). From the 25th Annual Report of the New York State Museum of Natural History (for 1871), p. 57–123. pl. 1–2. 1873

Plants found growing spontaneously in the State and not before reported, p. 69–106.

New stations of rare plants, remarkable varieties and observations. p. 107–9.

Synopsis of the New York Pucciniae, p. 110–23.

Report of the Botanist (for 1872). From the 26th Annual Report of the New York State Museum of Natural History (for 1872), p. 35–91. 1874

Plants found growing spontaneously in the State and not before reported, p. 48–87.

New stations of rare plants, remarks, and observations, p. 87–91.

Report of the Botanist (for 1873). From the 27th Annual Report of the New York State Museum of Natural History (for 1873), p. 73–116. 2pl. 1875

Plants found growing spontaneously in the State and not before reported, p. 89–111.

New stations of rare plants, remarks and observations, p. 111–116 (including synopsis of Ustilago).

Report of the Botanist (for 1874). From the 28th Annual Report of the New York State Museum of Natural History (for 1874, p. 31–88. 2pl. 1876

Plants, indigenous and introduced, not before reported, p. 46–82.

New stations of rare plants, remarks and observations, p. 82–88.

(The State Museum edition, published in 1879.)

Report of the Botanist (for 1875). From the 29th Annual Report of the New York State Museum of Natural History, p. 29–82. 2 pl. 1878

Plants not before reported, p. 38–63.

Plants previously reported, remarks and observations, p. 63–71.

Parasitic fungi of New York and their supporting plants, p. 71–82.

Report of the Botanist (for 1876). From the 30th Annual Report of the New York State Museum, p. 23–78. 2 pl. 1878

Species not before reported, p. 37–67.

Remarks and observations, p. 68–78.

Report of the Botanist (for 1877). From the 31st Annual Report of the New York State Museum, p. 19–60. 1879

Plants not before reported, p. 30–51.

New stations, notes and observations, p. 51–54.

List of New York Myxogasters, p. 55–58.

New York species of Helvella, p. 59–60.

New York species of Xylaria, p. 60.

Report of the Botanist (for 1878). From the 32d Annual Report of the New York State Museum, p. 17–72. 1879

Plants not before reported, p. 24–52.

Remarks and observations, p. 52–58.

New York species of Lycoperdon, p. 58–72.

Mosses of Caledonia creek, N. Y., p. 73–74.

Report of the Botanist (for 1879). From the 33d Annual Report of the New York State Museum, p. 11–49. 2 pl. 1880

Plants not before reported, p. 17–34.

Remarks and observations, p. 35–38.
New York species of Amanita, p. 38–49.

Report of the Botanist (for 1880). 34th Annual Report of the State Museum of Natural History, p. 24–58. 4 pl. 1881

Plants not before reported, p. 41–53.
Remarks and observations, p. 53–58.

Report of the Botanist (for 1881). 35th Annual Report of the New York State Museum, p. 125–64. 1884

Species not before reported, p. 131–45.
Remarks and observations, p. 145–47.
New York Carices, p. 147–49.
New York species of Lepiota, p. 150–64.

Report of the Botanist (for 1882). 36th Annual Report of the New York State Museum of Natural History, p. 27–49. 1883

New stations, remarks and observations, p. 35–40.
New York species of Psalliota, p. 41–49.

Report of the Botanist (for 1883). From the 37th Annual Report of the New York State Museum, p. 63–68. 1884

The titles of the first four articles enumerated below were given on page 65. The articles, however, were printed in the following publication: "Contribution to the Botany of the State of New York." Charles H. Peck. New York State Museum Bul. 2, p. 1–66. 2 pl. May 1887.

Descriptions of new species of fungi, p. 5–24.
Additions to the flora of the State of New York in 1883, with remarks and observations, p. 25–28.
New York species of Paxillus, p. 29–33.
New York species of Cantherellus, p. 33–43.
New York species of Craterellus, p. 44–48.
Names of New York species of Pyrenomycetous fungi, p. 49–56.
New York species of Viscid Boleti, p. 57–66.

Report of the Botanist (for 1884). From the 38th Annual Report of the New York State Museum of Natural History, p. 77–138. 3 pl. 1885

Plants not before reported, p. 83–106.
Remarks and observations, p. 106–11.
New York species of Lactarius, p. 111–33.
New York species of Pluteus, p. 133–38.

Report of the Botanist (for 1885). From the 39th Annual Report of the Trustees of the State Museum of Natural History (for 1885), p. 30–73. 2 pl. 1886

Plants not before reported, p. 38–53.
Remarks and observations, p. 53–58.
New York species of Pleurotus, p. 58–67.
New York species of Claudopus, p. 67–69.
New York species of Crepidotus, p. 69–73.

Report of the Botanist (for 1886). From the 40th Annual Report of the Trustees of the State Museum of Natural History (for 1886), p. 39–77. 1887

Plants not before reported, p. 52–71.
Notes and observations, p. 72–77.

Report of the State Botanist (for 1887). From the 41st Annual Report of the Trustees of the State Museum of Natural History, p. 49–122. 1888

Plants not before reported, p. 56–81.
Remarks and observations, p. 81–86.
Fungi Destructive to Wood, by P. H. Dudley, p. 86–94.
Botanical index to New York State Museum Reports 22 to 38, p. 94–122.

Annual Report of the State Botanist (1888). From the 42d Report of the New York State Museum. Bot. ed., p. 1–48. 2 pl. 1889

Species not before reported, p. 15–35.
Remarks and observations, p. 35–39.
New York species of Clitopilus, p. 39–46.

Annual Report of the State Botanist (1889). From the 43d Report of the New York State Museum. Bot. ed., p. 1–48. 4 pl. 1890

Plants not before reported, p. 16–36.
Remarks and observations, p. 36–40.
New York species of Armillaria, p. 30–45.
Fungi causing decay of timbers (a letter from P. H. Dudley), p. 45–47.

Annual Report of the State Botanist (1890). From the 44th Report of the New York State Museum, p. 115–87. pl. 1–4. 1892. Bot. ed., p. 1–75. 1891

Species of plants not before reported, pl. 1–4 (1891), p. 15–30.
Remarks and observations, p. 30–38.
New York species of Tricholoma, p. 38–64.
Fungi of Maryland (Mary E. Banning) (C. H. Peck), p. 64–75.

Annual Report of the State Botanist (1891). From the 45th Report of the New York State Museum, p. 63–102. 1892. Bot. ed., p. 1–42. 1893

Plants not before reported, p. 17–25.
Remarks and observations, p. 25–31.
New York species of Omphalia, p. 32–42.

Annual Report of the State Botanist (1892). From the 46th Report of the New York State Museum, p. 83–149. 1893. Bot. ed., p. 1–69. 1893

Species not before reported, p. 18–36.
Extralimital species, p. 37–40.
Notes and observations, p. 40–58.
New York species of Pluteolus, p. 58–61.
New York species of Galera, p. 61–69.

Annual Report of the State Botanist (1893). From the 47th Report of the New York State Museum, p. 129–74. 1894. Bot. ed., p. 1–48. 1894

Species not before reported, p. 16–26.
Remarks and observations, p. 27–43.
List of New York fungi represented at the World's Columbian Exposition at Chicago, p. 43–48.

Report of the State Botanist (1894). From the 48th Report of the New York State Museum, p. 101–337 pl. A and 1–43. 1895. Bot. ed., p. 1–238. Pl. A and 1–43. 1896

Species not before reported, p. 11–17.
Remarks and observations, p. 17–20.
New York species of Carex, by E. C. Howe, p. 20–104.
Edible and Poisonous Fungi of New York (pl. A & 1–43), p. 105–238.
(Catalogue of New York Woods (Mus. ed.), p. 16–20).

Annual Report of the State Botanist (1895). From the 49th Report of the New York State Museum, 1:17–83. 1897. Bot. ed., p. 1–70. 1896.

Species not before reported, p. 15–24.
Remarks and observations, p. 25–32.
New York species of Collybia, p. 32–55.
Edible Fungi (pl. 44–49), p. 56–69.

Annual Report of the State Botanist (1896). From the 50th Report of the New York State Museum, p. 77–159. 1898

Species of plants not before reported, p. 92–119.
Remarks and observations, p. 119–33.
New York species of Flammula, p. 133–42.
Index to reports 34–48, p. 143–59.

Report of the State Botanist (1897). Reprinted from 51st Annual Report of the New York State Museum, p. 267–321. 1899

Species not before reported (pl. A, B), p. 277–96.
Remarks and observations, p. 296–300.
Edible fungi (pl. 50–56), p. 300–12.

Report of the State Botanist (1898). New York State Museum Bul. 25, p. 618–88. 1900

(Reprinted from 52d Report of the New York State Museum).

List of changed names (in Illustrated Flora) from those of Gray's Manual, p. 628–42.
Species not before reported, p. 642–50.
Remarks and observations, p. 651–56.
Plants of the summit of Mount Marcy, p. 657–73.
Edible fungi (pl. 57–61), p. 673–82.

The descriptions and illustrations of edible and unwholesome species of fungi contained in the 49th, 51st and 52d reports have been revised and rearranged and combined with others more recently prepared and constitute Museum Memoir 4. 106 p. 25 pl. 1900. Same, Museum Report 53 (for 1899) 2:129–234. 25pl. 1901.

Report of the State Botanist (1899). Reprinted from the 53d Report of the New York State Museum (for 1900), p. 821–67

Species not before reported (pl. A–D), p. 835–49.
Remarks and observations, p. 849–58.
Plants of Bonaparte swamp, p. 858–61.
Plants of North Elba, New York State Museum Bul. 28, p. 65–266.

Report of the State Botanist (1900). Reprinted from the 54th Annual Report of the New York State Museum, p. 129–99. pl. E–I. pl. 69–76. 1902

Species not before reported (pl. E–I), p. 143–57.
Remarks and observations, p. 158–72.
Edible fungi (pl. 69–76), p. 173–86.

Report of the State Botanist (1901). New York State Museum Bul. 54. 1902. Reprinted from the 55th Annual Report of the New York State Museum.

Species not before reported (pl. K, L), p. 944–57.
Remarks and observations, p. 957–66.
Edible fungi (pl. 77–81), p. 966–78.

Report of the State Botanist (1902). New York State Museum Bul. 67. 1903

Species not before reported (pl. M, N), p. 18–32.
Remarks and observations, p. 32–39.
Edible fungi (pl. 82–84), p. 39–47.
Plants of the Susquehanna valley and adjacent hills of Tioga county, by Frank E. Fenno, p. 47–160.

Report of the State Botanist (1903). New York State Museum Bul. 75. 1904

Species not before reported (pl. O), p. 12–22.
Remarks and observations, p. 22–27.
Edible fungi (pl. 84–86), p. 27–34.
New York species of Craetaegus, p. 35–57.
Supplementary list of plants of Susquehanna valley, by Frank E. Fenno, p. 57–60.

Report of the State Botanist (1904). New York State Museum Bul. 94. 1905

Species not before reported (pl. P, Q, R), p. 19–35.
Remarks and observations (pl. 87–93), p. 35–44.
Edible fungi, p. 44–50.

Report of the State Botanist (1905). New York State Museum Bul. 105. 1906

Species not before reported (pl. S, T), p. 15–30.
Remarks and observations, p. 30–36.
Edible fungi (pl. 94–103), p. 36–44.
Species of Crataegus found within twenty miles of Albany, by C. S. Sargent and C. H. Peck, p. 44.

New species and varieties of extralimital fungi, p. 50–65.
Edible fungi (pl. 121–23), p. 65–69.
Cranberry and Averyville marshes, p. 69–73.
New York species of Hypholoma, p. 73–84.
New York species of Psathyra, p. 84–86.

Report of the State Botanist (1911). New York State Museum Bul. 157. 1912

Species not before reported, p. 21–36.
Remarks and observations, p. 37–44.
New species and varieties of extralimital fungi, p. 45–52.
Edible fungi (pl. 124–30), p. 53–58.
New York species of Clitocybe, p. 59–89.
New York species of Laccaria, p. 90–93.
New York species of Psilocybe, p. 94–105.
Latin descriptions of new species and varieties, p. 106–16.

Report of the State Botanist (1912). New York State Museum Bul. 167. 1913

Species not before reported, p. 23–33.
Remarks and observations, p. 34–37.
New species of extralimital fungi, p. 38–50.
Edible fungi (pl. 131–32), p. 51–52.
Poisonous fungi (pl. X), p. 52.
Crataegus in New York, by C. S. Sargent, p. 53–124.

Report of the State Botanist (1913). New York State Museum Bul. 176. 1915

New or interesting species of fungi I, p. 19–21.
Notes upon local floras I, p. 22–44.
An odd form of hypertrophy in Arbor vitae, p. 45–46.
Certain features of German forestry, p. 47–74.

Report of the State Botanist (1914). New York State Museum Bul. 179. 1915

The herbarium of Charles S. Sheldon, p. 22–25.
New or interesting species of fungi II, p. 26–32.
New or noteworthy extralimital fungi, p. 33–37.
Western plants introduced at Rochester, p. 38–39.
Notes upon local floras II, p. 40–51.
New York species of Marasmius, by L. H. Pennington, p. 52–79.
The fungi of North Elba, by C. H. Kauffman, p. 80–104.

3 ADIRONDACK MOUNTAINS

(See also Franklin, Herkimer, Essex, Warren and Lewis counties)

The Flora of the Adirondacks. George Thomas Stevens. Albany Institute Trans., 6:67–82. 1870

Notes on the Adirondacks. (Hamilton county). Albert Nelson Prentiss. Torrey Club Bul. 10, p. 43–45. 1883

The Adirondack Black Spruce. W. F. Fox. Annual Report of the Forest Commission of New York for 1894, p. 121–98. 1895

The Spruces of the Adirondacks. Charles H. Peck. Pamphlet, 13 pages. Albany 1898

Read before the Albany Institute November 16, 1897.

The Adirondack Spruce, A Study of the Forest in Ne-Ha-Sa-Ne Park. Gifford Pinchot. 157 pages. New York 1898

Practical Forestry in the Adirondacks. Henry S. Graves. United States Department of Agriculture, Division of Forestry, Bul. 26, p. 1–85. Washington 1899

A Note of the "Flowering" of the Lakes in the Adirondacks. Marshall Avery Howe. Torreya, 3:150–54. 1903

The Plant Formation of the Adirondack Mountains. John W. Harshberger. Torreya, 5:187–94. 1905

4 CATSKILL MOUNTAINS

(See also Greene and Ulster counties)

A List of the Trees and Shrubs Collected (in the Catskill Mountains). Edgar Alexander Mearns. United States National Museum Proc., 21:343. 1898

Mosses of the Catskill Mountains, N. Y. Elizabeth Gertrude Britton. Torreya, 1:84. 1901

Notes from the Catskills. J. C. Buchheister. Fern Bul. 11:15–16. 1903

The Plant Formations of the Catskills. John W. Harshberger. Plant World, 8:276–81. 1905

5 CENTRAL NEW YORK

New Stations of Rare Plants (in Central New York). David Starr Jordan. American Naturalist, 6:362. June 1872

Notes from Central New York. John Herman Wibbe. Torrey Club Bul. 10:46–47. April 1883

The Cayuga Flora. William R. Dudley. Cornell University Bul. 2:132. Ithaca, 1886. (Additions by K. M. Wiegand, Torrey Club Bul., 21:176–77. 1894)

Some Rare Myxomycetes of Central New York, with Notes on the Germination of Enteridium rozeanum. Elias J. Durand. Bot. Gaz., 19:89–95. 1894

Buxbaumia indusiata Bridel, in Central New York. Elias J. Durand. Torrey Club Bul., 21:38–39. 1894

The Hart's-tongue Fern in New York and Tennessee. William Ralph Maxon. Plant World, 3:129–32. 1900

On the Occurrence of the Hart's-tongue Fern in America. William Ralph Maxon. Fernwort Papers, 30–36. Published by the Linnaean Fern Chapter, Binghamton, 1900

Eleocharis diandra in Central New York. J. V. Haberer. Rhodora, 2:61. 1900

The Ternate Botrychia in Central New York. Benjamin D. Gilbert. Fern Bulletin, 9:25–28. 1901

The Acaulescent Violets of Central New York. Homer D. House. Torreya, 3:49–54. 1903

Notes upon the Orchids of Central New York. Homer D. House. Torreya, 3:49–54. 1903

Further Notes on the Orchids of Central New York. Homer D. House. Torrey Club Bul., 32:373–82. 1905

The localization of plants in the Finger Lakes Region and the Adjacent Ontario Lowlands of Central New York. W. W. Rowlee. Torreya, 7:69–73. 1907

Lowland of Central New York. Isaiah Bowman. Forest Physiography p. 707–20. New York. 1911 (John Wiley & Sons)

6 HUDSON RIVER VALLEY

Note on Some Rarer Plants of the Valley of the Hudson. James H. F. Merrill. Torrey Club Bul., 13:6. 1886

Notes on the Flora of the Hudson Highlands. William Whitman Bailey. Torrey Club Bul., 13:60, 61. April 1886

A Fruit Disease Survey of the Hudson Valley in 1899. F. C. Stewart and F. H. Blodgett. New York Agricultural Experiment Station Bul. 167. Geneva 1899

Native Trees of the Hudson River Valley. Norman Taylor. New York Botanical Garden Bul., 7:90–147. 1909

The Highlands of the Hudson Forest Reservation. F. Frank Moon. 15th Annual Report of the New York Forest, Fish and Game Commission, 103–21. Map. Albany

Also reprinted, pamphlet.

7 LONG ISLAND

On the Northward Extension of the New Jersey Pine Barren Flora on Long and Staten Islands. Nathaniel Lord Britton. Torrey Club Bul., 7:81–83. July 1880

Check List of the Marine Algae Based on Specimens Collected on the Shores of Long Island, from 1839 to 1885. Nicholas Pike. Torrey Club Bul., 13:105–15. 1886

Reprinted, pamph., 10 pages. 1886

Notes from Long Island. George D. Hulst. Torrey Club Bul. 18:152, 153. 1891

Notes from Long Island. Smith Ely Jelliffe. Science, 22:6. 1893

Cryptogamic Notes from Long Island. Smith Ely Jelliffe.
1 Torrey Club Bul., 21:266–68. 1894 (Musci)
2 Torrey Club Bul., 21:489. 1894 (Hepaticae)
3 Torrey Club Bul., 22:274–75. 1895 (Diatomaceae)

Orchids on Long Island. Augusta Schenck Kalbfleisch. Plant World, 1:177–79. 1898

The Flora of Long Island. Smith Ely Jelliffe. p. 1–163. 1899. Additions in Torreya, 4:97–100. 1904

The June Flora of a Long Island Swamp. Anna Murray Vail. Garden and Forest, 8:282, 283. 1895

The Flora about Coldspring Harbor. Charles Benedict Davenport. Science II, 8:687–88. November 18, 1898
Also on pages 7–10 of a repaged separate of the paper of which it constitutes a part.

The Violets on Long Island. William L. Fisher. Plant World, 3:91–92. 1900

Note on a Long Island Moss. Elizabeth Gertrude Britton. Torreya, 2:91. 1902. Bryologist, 5:66–67. 1902

Additions to the Recorded Flora of Long Island. A. J. Grout. Torreya, 2:49–53. 1902

Notes on the Local Flora. Frederick William Kobbe. Torreya, 4:68, 69. 1904

Three New Violets from Long Island. Eugene P. Bicknell. Torreya, 4:129–32. 1904

Additions to the Lichen Flora of Long Island. George Clayton Wood. Bryologist, 8:51. May 1, 1905

Contribution to the Recorded Fungus and Slime-mould Flora of Long Island. Gerard Alston Reichling. Torreya, 5:85–87. May 25, 1905

A Long Island Cedar Swamp. Roland M. Harper. Torreya, 7:198–201. 1907

A New Utricularia from Long Island. John Hendley Barnhart. Torrey Club Bul., 34:579–82. 1907

The White Cedar Swamp in Western Long Island. Eugene P. Bicknell. Torreya, 8:27–28. 1908

The First Botanic Garden on Long Island. C. Stuart Gager. Brooklyn Botanic Garden Record, 1:97–99. 1912

8 SUSQUEHANNA VALLEY REGION

(See also under counties of the Susquehanna valley)

Flora of the Upper Susquehanna and Its Tributaries. Willard Nelson Clute. p. 1–142. Binghamton 1898. Second ed. (with 16 page supplement), 1901

The Ferns and Fern Allies of the Upper Susquehanna Valley. Willard Nelson Clute. 12 mo., pamphlet, p. 1–15. Binghamton 1898

9 WESTERN NEW YORK

(See also under counties of the western part of the State)

Notes on New or Rare Fungi from Western New York. Charles Edward Fairman. Jour. Mycol., 5:78–80. June 1889

Contributions to the Mycology of Western New York. The Fungi of Western New York. Charles Edward Fairman. Rochester Academy of Science Proc., 1:43–54; pl. 3, 4. 1890

Notes on Western New York Woodlands. E. J. Hill. Garden and Forest, 8:342, 382–85. 1895

Studies in North American Discomycetes. II. Some New or Noteworthy Species from Central and Western New York. Elias J. Durand. Torrey Club Bul., 29:458–65. 1902

Some New Fungi from Western New York. Charles Edward Fairman. Journ. Mycol., 10:229–31. 1904
All from Orleans county.

Remarks on Some Fernworts of Western New York. E. J. Hill. Fern Bulletin, 12:18–20. 1904

Some Additions to the Crataegus Flora of Western New York. Charles Sprague Sargent. New York State Museum Bul. 122, p. 26–83. 1908

Fern Notes from (western) New York. Mrs George B. Ayres. Fern Bulletin, 19:15–16. 1911

10 CITATION OF TITLES BY COUNTIES

ALBANY COUNTY

(Catalogue of the Plants of Albany County). J. S. Markle and Charles H. Peck. Bicentennial History of Albany. Published by Howell & Tenney, p. 21–29. 1886

Species of Crataegus Found within Twenty Miles of Albany. Charles Sprague Sargent and Charles H. Peck. New York State Museum Bul 105, p. 44–77. Albany 1906

An Afternoon in the Helderbergs. Frank Dobbin. American Botanist, 12:78, 79. 1907

Vegetation of the Escarpment near Indian Ladder. Homer D. House. 19th Annual Report of the American Scenic and Preservation Society, p. 357–59. 1914

BRONX COUNTY

(See also New York county)

Some of the Rarer Plants of Our Northern Suburbs. Eugene P. Bicknell. Torrey Club Bul., 7:51–54. 1880

Local Cryptogamic Notes (Diatoms from Van Cortland Lake). Henry Clay Bennett and Smith Ely Jelliffe. Torrey Club Bul., 24:412. 1897

Desmids from Bronx Park, New York. J. A. Cushman. Torrey Club Bul., 30:513–14. 1903

BROOME COUNTY

(See also Susquehanna valley region)

Broome County (N. Y.) Finds. Charles Frederick Millspaugh. Torrey Club Bul., 12:100–2. 1885

Notes from Binghamton, New York. Willard Nelson Clute. Torrey Club. Bul., 23:424. 1896

CAYUGA COUNTY

(See also Dudley's Cayuga Flora in the Central New York list)

A Catalogue of Plants Found in the Vicinity of Aurora, Cayuga County, During the Year 1840. Analyzed and arranged at said place by George W. Schenck. Alexander Thompson. 54th Annual Report of the Regents, 224–26. Albany 1841

CHAUTAUQUA COUNTY

The Chautauqua Flora. Edward S. Burgess. Pamphlet, 37 pages. Clinton 1877

CHEMUNG COUNTY

Notes from Chemung County, New York. T. F. Lucy. Torrey Club Bul., 8:115 (1881), 9:72 (1882), 10:8, 9 (1883)

CHENANGO COUNTY

Flora of Chenango County, N. Y.: Some Plants Not Previously Reported from That Region. Frederick Vernon Coville. Torrey Club Bul., 12:52, 53. 1885

COLUMBIA COUNTY

See also Flora of the Vicinity of New York by Norman Taylor, and citations under Hudson River valley.

(Catalogue of Plants Growing in the Vicinity of the City of Hudson). Cyrus M. Stebbins. Albany Institute Trans., 12–33, 34. 1830

A Catalogue of Indigenous Plants Found Growing in the Vicinity of Kinderhook Academy. W. V. S. Woodworth. 52d Annual Report of the Regents, 253–54. Albany 1839. 53d Annual Report of the Regents, 208–10. Albany 1840 (title not indicated for latter list)

Trees and Shrubs of New York. (A list of 63 species from Lebanon Springs). Arthur Harrison. Swiss Cross, 2:63. 1887

The Rare Mosses of Bashbish Falls. Elizabeth Gertrude Britton. Torreya, 1:9. 1901

The Flora of Copake Falls, New York. Sereno Stetson. Torreya, 13:121–33. 1913

A Supplementary List of Plants of Copake Falls, New York. Stewart H. Burnham. Torreya, 13:217–19. 1913

1913 Notes on the Flora of Copake Falls, New York. Sereno Stetson. Torreya, 14:42–45. 1914

CORTLAND COUNTY

A Catalogue of Plants, Growing Spontaneously in the Vicinity of Cortland Academy, Homer, Cortland County. George W. Bradford. 46th Annual Report of the Regents, 66–71. Albany 1833

DELAWARE COUNTY

Plants Collected and Examined by the Botanical Class in the Delaware Literary Institute During the Summer Term of 1840. M. Platt. 54th Annual Report of the Regents, 227–31. Albany 1841

A Plant New to the State of New York and the Local Flora Range (Adoxa moschatellina). Norman Taylor. Torreya, 13:78. 1913

See also Flora of the Vicinity of New York by Norman Taylor.

DUTCHESS COUNTY

Catalogue of Plants Found Growing without Cultivation in the Vicinity of Amenia Seminary, Dutchess County. A. Winchell. 64th Annual Report of the Regents, 256–79. Albany 1851

Flora of the Pine Plains, Dutchess County, N. Y. Lyman Henry Hoysradt. No. 1. Torrey Club Bul., 5:46–48. 1874

Catalogue of the Phaenogamous and Acrogenous Plants Growing without Cultivation within Five Miles of Pine Plains. Lyman H. Hoysradt. (Acrogens were not printed). Supplement to Torrey Botanical Club Bul., 6:32. New York, 1875–79. (Published at considerable intervals, in 8 parts of 4 pages each).

List of Plants of Fishkill, N. Y., and Vicinity. Winfred A. Sterns. Pamphlet, 16mo. 23 pages (1880). (His name was incorrectly spelled Winifred on the pamphlet.)

Ferns (of Poughkeepsie). Gilbert Van Ingen. Vassar Brothers Institute Trans., 5:143–46. (1890)

(List of specimens in the Herbarium of Vassar Brothers Institute, collected in the county of Dutchess, N. Y.) (Gilbert Van Ingen). Vassar Brothers Institute Trans., 5:179–92. (1890)

Crataegus of Dutchess County, New York. W. W. Eggleston. Torreya, 6:63–67. 1906

See also Flora of the Vicinity of New York by Norman Taylor and citations under Hudson River valley.

ERIE COUNTY

Preliminary List of the Plants of Buffalo and Its Vicinity. George W. Clinton. 17th Annual Report of the Regents on the State Cabinet (for 1863), p. 24–35. Albany 1864. Also in 8vo., pamphlet, 12 pages. Buffalo 1864

A Catalogue of the Native and Naturalized Plants of the City of Buffalo and Its Vicinity. David F. Day; Buffalo Society of Natural Science Bul., 4:65–279. 1882–84

Also reprinted as pamphlet, 215 pages. Buffalo (1884). Second supplement in Buffalo Society Natural Science Bul., 5:85–96. 1886

Adventives at East Buffalo. John F. Cowell. Buffalo Naturalist's Field Club Bul., 1:23–24. 1883

Botanical Notes. David F. Day and John F. Cowell. Buffalo Naturalist's Field Club Bul., 1:36–40; 85–88; 117–18. 1883

See also citations under Western New York.

ESSEX COUNTY

Plants of the Summit of Mount Marcy. Charles H. Peck. 7th Report of the Adirondack Survey, p. 401–12, Albany 1880. Also reprinted, pamphlet, 8vo., 12 pages. 1880. (Same title). 52d Report of the New York State Museum, 657–73. Albany 1899. Also in Report on the Progress of the State Land Survey (Verplank Colvin), p. 177–87. Albany 1891

Notes on the Forest Trees of Essex, Clinton, and Franklin Counties, New York. John H. Sears. Essex Institute Bul., 13:174–88. 1881

Plants of North Elba. Charles H. Peck. New York State Museum Bul. 28, p. 67–266. Albany 1899

The Crataegi of Fort Frederick, Crown Point, New York. Willard W. Eggleston. Torreya, 4:38–39. 1904

A List of the Foliaceous and Fruticose Lichens Collected at Chilson Lake, Essex County, New York. Caroline W. Harris. Bryologist, 9:48–52. 1906

List of Plants Collected on Mount Marcy, August 17 and 18, 1885. Hermon C. Gordinier. (Troy, N. Y.) (Date of publication not given). 1 p.

The Fungi of North Elba. C. H. Kauffman. New York State Museum Bul. 179, p. 80–104. 1915

See also citations under Adirondack mountains.

FRANKLIN COUNTY

Preliminary List of Upper St Regis Fungi. William A. Murrill. Mycologia, 7:297–306. November 1915

FULTON COUNTY

(See also Paine's Flora of Oneida County)

Notes on Local Floras (Fulton County). Homer D. House. New York State Museum Bul. 176, p. 22–28. 1915

GREENE COUNTY

A New Locality of Aspidium Aculeatum (in Stony Clove, Catskill Mountains). J. H. Redfield. American Naturalist, 3:495. 1869

Catskill Ferns. Isaac H. Hall. Torrey Club Bul., 5:38–39. 1874

Aspidium aculeatum at Bushnellsville Clove in the Catskill Mountains. J. H. Redfield. Torrey Club Bul., 6:331. 1879

Occurrence of Hieracium Aurantiacum in the Catskill Mountains. J. H. Redfield. Torrey Club Bul., 8:112. 1881. Proc. Phila. Acad. Nat. Sci. 1881, p. 429. 1881

See also Flora of the Vicinity of New York by Norman Taylor, and citations under Catskill mountains.

HAMILTON COUNTY

(See citations under Adirondack mountains)

HERKIMER COUNTY

(See also Central New York and Paine's Flora of Oneida County, and citations under Adirondack mountains)

Flora of Honnedaga Lake. Annie Morrill Smith. Adirondack League Club Handbook for 1894, p. 48–54. (1894)

Botany of the Little Moose Region. Annie Morrill Smith. Report of Adirondack League Club for 1896, p. 54–58. (1896)

List of Plants Found on the Adirondack League Club Tract. Annie Morrill Smith. Adirondack League Club Year Book for 1898, p. 59–72. 1898. Reprinted as pamphlet, p. 59–72. 1898

Some Roadside Ferns of Herkimer County, New York. Homer D. House. Fern Bulletin, 10:14–16. 1902

Fern Hunting in Little Falls, New York. Mrs H. A. DeCoster. American Botanist, 5:21–25. 1903

Corrected and Enlarged List of Plants Found on the Adirondack League Club Tract. Annie Morrill Smith. Adirondack League Club Year Book for 1904, p. 43–61. (1904) (The Hepatics by Caroline Coventry Haynes)

A List of Trees Occurring or Likely to Occur on the Club Preserve. B. E. Fernow. Adirondack League Club Year Book for 1906, p. 34–40. (1906)

A List of the Hepatics Collected in the Vicinity of Little Moose Lake, Adirondack League Club Tract, Herkimer County, New York. Caroline Coventry Haynes. Bryologist, 9:62–63. 1906

Lichens of the Adirondack League Club Tract. Caroline W. Harris. Bryologist, 10:64–66. 1907

Notes on Local Floras: Herkimer County. Homer D. House. New York State Museum Bul. 176, p. 28–29. 1915

KINGS COUNTY

Catalogue of the Plants, Indigenous and Cultivated, Found in the Vicinity of Erasmus Hall. John Barrea Zabriskie. 48th Annual Report of the Regents, 176–81. Albany 1835

The Plants of Prospect Park. Smith Ely Jelliffe. Brooklyn Daily Eagle Almanac, p. 75–76. 1890. (Reprinted)

A Preliminary List of the Plants Found in the Ridgewood Water Supply of the City of Brooklyn, Kings County, N. Y. Smith Ely Jelliffe. Torrey Club Bul., 20:243–46. June 17, 1893

See also various references for the vicinity of New York under New York county and Long Island.

Trees and Shrubs of Prospect Park. Louis Harman Peet. 237 pages. New York (1903)

LEWIS COUNTY

A Catalogue of the Indigenous, Naturalized and Filicoid Plants of Lewis County. Franklin B. Hough. 59th Annual Report of the Regents, 249–83. Albany 1846

A Few Plants of the North Woods. Benjamin D. Gilbert. Torrey Club Bul., 6:362–63. 1879

Plants of Bonaparate Swamp. Charles H. Peck. 53d Annual Report of the New York State Museum, p. 858–61. 1900

The Flora of Mohawk Hill, New York, north of the Watershed. T. A. Bendrat. Torreya, 13:45–63. 1913

MADISON COUNTY

List of Trees and Woody Plants Growing Spontaneously in Madison and Onondaga Counties. L. M. Underwood. Geological Formations Madison and Onondaga Counties, 8vo., pamphlet, p. 16, 17. Syracuse 1879

Notes on Local Floras: Madison County. Homer D. House. New York State Museum Bul. 176, p. 29–32. 1915

MONROE COUNTY

Catalogue of Plants and Their Time of Flowering, in and about the City of Rochester, for the year 1841. Rev. Chester Dewey. 55th Annual Report of the Regents, p. 265–72. Albany 1842

Botanical Calendar Kept at Rochester. Rev. Chester Dewey. 56th Annual Report of the Regents, p. 311–16. Albany 1843

Mosses of Caledonia Creek. Charles H. Peck. 32d Report of the New York State Museum, p. 73–74. 1879

Also in 10th Report of the New York Commissioners of Fisheries.

Plants and Plant Stations (Mumford, Monroe County). E. J. Hill. Torrey Club Bul., 8:45–47. 1881

A List of the Indigenous Ferns of the Vicinity of Rochester, with Notes. Charles W. Seelye. Rochester Academy of Science Proc., 1:186–97. 1891. Reprinted, with the addition of cultural notes, in Annual Report of the New York State Agricultural Society, 51:472–91. 1892

Report of the Botanical Section, Rochester Academy of Sciences (on records for plants in the vicinity of Rochester). Miss J. H. McGuire. Rochester Academy of Science Proc., 2:44–48. 1892

The Flora of Long Pond. A. H. Searing. Rochester Academy of Science Proc., 2:297–300. 1895

Plants of Monroe County, New York, and Adjacent Territory. Florence Beckwith and Mary E. Macauley, assisted by Joseph B. Fuller. Rochester Academy of Science Proc., 3:1–150. May 1896. Reprinted as pamphlet, 150 pages. June 1896. Supplementary list by Florence Beckwith, Mary E. Macauley and Milton S. Baxter. Rochester Academy of Science Proc., 5:1–38. 1910

The Pinnacle Peat Marsh. H. L. Fairchild and E. G. Barnum. Rochester Academy of Science Proc., 3:201–4. 1900

Crataegus in Rochester, New York. Charles Sprague Sargent. Rochester Academy of Science Proc., 4:93–136. June 1903

Early Botanists of Rochester and Vicinity and the Botanical Section. Florence Beckwith. Rochester Academy of Science Proc., 5:39–58. 1912. (Purely biographical)

Western Plants Introduced at Rochester. Homer D. House. New York State Museum Bul. 179, p. 38–39. 1915

See also citations under western New York.

NASSAU COUNTY

Plantae Plandomenses, or a Catalogue of the Plants Growing Spontaneously in the Neighborhood of Plandome. Casper Wister Eddy. Medical Repository II, 5:123–31. New York 1807

List of Algae (Collected near Glen Cove). Nathaniel Lord Britton. 4th Annual Report of the State Board of Health, p. 379, 380. 1884

Some Plants of the Hempstead Plains. James Kirby. American Botanist, 7:110. December 1905. (Actual date of issue was several months later)

The Hempstead Plains of Long Island. Roland M. Harper. Torreya, 12:277–87. 1912. American Geographical Society Bul., 43:351–60. May 1911

See also various references to the vicinity of New York and particularly the Flora of the Vicinity of New York by Norman Taylor, under New York county, and Long Island.

NEW YORK COUNTY

(For vicinity of New York, see Long Island, Richmond county, Kings county, Nassau county, Bronx county, Westchester county and Queens county)

Catalogus Plantarum Quas Sponte Crescentes in Insula Noveboraco, Observavit Johannes Leconte (John LeConte). American Medical and Philosophical Register, 2:134–42. 1811

A Catalogue of Plants Growing Spontaneously within Thirty Miles of the City of New York. (John Torrey). 8vo., pamphlet, 102 pages. Albany 1819.

Torrey is known to have been the real author, but it was nominally prepared by a committee of three, whose names appear, namely, Torrey, Eddy and Knowles.

Synoptical View of the Lichens Growing in the Vicinity of the City of New York. Abraham Halsey. Annals Lyc. Nat. Hist., 1:3–21. 1823

Notes on Some Chenopodiaceae, Growing Spontaneously, about the City of New York. John Carey. Am. Journ. Sci. II, 7:167–71. 1849

Catalogue of Plants. Gathered in August and September, 1857, in the Ground of the Central Park. Charles Rawolle and Ig. A. Pilat. 8vo., pamphlet, 34 pages. New York 1857

(List of Trees and Shrubs of Central Park). Report of the Engineer in Chief of Central Park. p. 25–35. 1857

Revised Catalogue of Plants Growing within Thirty Miles of New York City (to Gramineae). By the Torrey Botanical Club. Torrey Club Bul., v. 1–5. 1870–74. (William Henry Leggett)

Vol. 1: 2, 7, 8, 9–11, 15–18, 23–26, 32–34, 40–42, 47, 48. 1870.
Vol. 2: 3–6, 11–14, 19–22, 28–30, 35–37, 43, 44. 1871
Vol. 3: 3–6, 20, 21, 28, 29, 44–46, 52, 53. 1872
Vol. 4: 3–5, 16, 17, 23–25. 1873
Vol. 5: 28, 29, 36, 37. 1874

List of Plants Introduced (in Vicinity of New York) with Ballast, and on Made Land. Addison Brown. Torrey Club Bul., 6:255–58; 273 (1878); 6:353–60 (1879); 7:122–26 (1880); 8:141–42 (1881)

Large Trees near New York City. W. H. Rudkin. Torrey Club Bul., 7:107–9. 1880

The Botany of a City Square (Manhattan Square). L. P. Gratacap. American Naturalist, 14:889–92. 1880

The Fresh Water Flora and Fauna of Central Park, New York. L. P. Gratacap and A. Woodward. Scientific American, Supplement, December 27, 1884, p. 7480–481. Also Reprinted, pamphlet, 19 pages. 1884

Cheilanthes vestita Sw., on New York Island. E. E. Sterns. Torrey Club Bul., 15:211. 1888

Preliminary Catalogue of Anthophyta and Pteridophyta Reported as Growing Spontaneously within One Hundred Miles of New York City. By a Committee of the Torrey Botanical Club (N. L. Britton, E. E. Sterns, Justus F. Poggenburg, Addison Brown, Thomas Conrad Porter and Charles Arthur Hollick). xviii+90 pages. Map. New York, April 25, 1888

Trees and Shrubs of Central Park. xii, 363 pages. New York (March 22, 1905). Louis Harman Peet

The Poisonous Plants of the Vicinity of New York. Henry H. Rusby. Alumni Journal, College of Pharmacy, 2:307–25. 1895. Reprinted, p. 1–19. 1895

Some Interesting Features of Well-known Plants of New York Harbor. Carlton C. Curtis. Journal of New York Microscopical Society, 11:63–73. 1895

On Certain Bacteria from the Air of New York City. Harrison Gray Dyar. Annals of New York Academy of Science, 8:322–80. 1895

New York Ballast Grounds (and) Solanum rostratum and Argemone mexicana (two titles). W. H. McDonald. Asa Gray Bulletin, 4:65–66. 1896

Botanical Collecting in the Vicinity of New York City. W. H. McDonald. Asa Gray Bulletin, 5:6–7. 1897

The Passing of Port Morris. Pauline Kaufman. American Botanist, 5:10–12. 1903

The Trees of a Great City. J. H. McFarland. Outlook, 82:203–13. (Illus.) 1906

A Historical Sketch of the Development of Botany in New York City. Henry H. Rusby. Torreya, 6:101–11; 133–45. 1906

Local Flora Notes. Norman Taylor.

1 Torreya, 9: 203–8. 1909
2 Torreya, 9: 257–61. 1909
3 Torreya, 10: 80–83. 1910
4 Torreya, 10: 145–49. 1910
5 Torrey Club Bul., 37: 429–35. 1910
6 Torreya, 10: 224–28. 1910
7 Torrey Club Bul., 37: 559–62. 1910
8 Torreya, 11: 33–36. 1911
9 Torreya, 11: 170–74. 1911
10 Torreya, 11: 186–89. 1911

Key to the Wild Herbs Flowering in the Spring. Chester A. Darling. Torreya, 12:46–65. 1912

A Preliminary List of the Lichens Found within a Radius of One Hundred Miles of New York City. George C. Wood. Torreya, 14:73–95. 1914

Flora of the Vicinity of New York. Norman Taylor. New York Botanical Garden Memoir, 5:1–683. 1915

Includes a radius of 100 miles and hence all of Richmond county, western Long Island including part of Suffolk county, Bronx, Westchester, Putnam, Rockland, Dutchess, Orange, Sullivan, Ulster and parts of Greene and Columbia counties. Includes a "List of Local Floras of the Torrey Club Range" by John Hendley Barnhart.

The Growth-Forms of the Flora of New York and Vicinity. Norman Taylor. American Journal of Botany, 2:23–31. 1915

Endemism in the Flora of the Vicinity of New York. Norman Taylor. Torreya, 16:18–27. 1916

NIAGARA COUNTY

(See also western New York)

A Catalogue of the Flowering and Fernlike Plants Growing without Cultivation in the Vicinity of the Falls of Niagara. David F. Day. Annual Report of the Commission for the State Reservation at Niagara, 67–133. 1888. Also reprinted as pamphlet, 67 pages. Troy 1888

Native Plants at Niagara Falls. John Chamberlin. Garden and Forest, 9:268. 1896

Carex Tuckermani Niagarensis; a Neglected Sedge. C. P. Smith. Rhodora, 17:57–59. 1915

ONEIDA COUNTY

(See also central New York)

A Catalogue of the Indigenous Flowering and Filicoid Plants Growing within Twenty Miles of Bridgewater, Oneida County. Asa Gray. 46th Annual Report of the Regents, p. 57–65. 1833

Catalogue of Plants Found in the County of Oneida. Peter D. Kneiskern. 55th Annual Report of the Regents, p. 273–99. Albany 1842

Catalogue of Plants Found in Oneida County and Vicinity. John A. Paine, jr. 18th Annual Report of the Regents on the Cabinet, p. 53–192. Albany 1865. Also reprinted, 140 pages.

Not a county flora as implied by its title. It cites definite localities from all parts of the State except the coastal islands.

Catalogue of Trees and Plants Found in the Town of Kirkland, N. Y. Amos Delos Gridley. In his History of the Town of Kirkland, New York, p. 201–16. New York 1874

A List of Plants in the Vicinity of Utica for April, May and a Portion of June. J. V. Haberer. Pamphlet, 8vo., 20 pages.

Published by the Asa Gray Botanical Society.

Two Fern Allies in Central New York. J. V. Haberer. Fern Bulletin, 9:88–89. 1901

Dryopteris simulata, Davenport, in Central New York. H. D. House. Fern Bulletin, 9:84–85. 1901

Two New Varieties of the Ternate Botrychiums. B. D. Gilbert. Fern Bulletin, 11:88–89. 1903

Notes on the Flora of Oneida Lake and Vicinity. H. D. House. Torreya, 3:165–68. 1903

Plants of Oneida County, New York, and Vicinity. J. V. Haberer. Rhodora, 7:92–97; 106–10. 1905

Forest Conditions in Oneida County. John W. Stephen. New York Conservation Commission Bul. 4. Albany 1911

Notes on Local Floras: Oneida County. H. D. House. New York State Museum Bul. 176, p. 32–39. 1915

ONONDAGA COUNTY

(See also central New York)

A Catalogue of Plants Found Growing Chiefly in the Vicinity of Onondaga Academy, Collected During the Summers of 1834 and 1835. J. L. Hendrick. 50th Annual Report of the Regents, p. 182–86. Albany 1837. (Another list for 1836 and 1837) 51st Annual Report of the Regents, p. 216–17. 1838

List of Ferns Growing in the Vicinity of Syracuse, Onondaga County, N. Y. L. M. Underwood. Case's Botanical Index, 1:80. 1878

The Ferns of Onondaga. Mrs S. M. Rust (Mary Oliva Rust) The Sunday Courier, March 7, 1880. Syracuse. Reprint: "Filices Onondagensis." 1 page

The Syracuse Botanical Club (Additions to the Onondaga flora). Mary Oliva Rust. Torrey Club Bul., 9:36. 1882

Apropos of Cicero Swamp. Mary Oliva Rust. Torrey Club Bul., 10:66–67. 1883

Additions to the Flora of Onondaga County, N. Y. Mary Oliva Rust. 10:121. 1883

Onondaga Indian Names of Plants. W. M. Beauchamp. Torrey Club Bul., 15:214; 262–66 (1888); 16:54–55 (1889)

The Ferns of Scolopendrium Lake (Green Pond, Jamesville). L. M. Underwood. Fern Bulletin, 5:53–54. 1897

The Story of a Fern Hunt. George Duryea Hulst. Fern Bulletin, 9:1–2. 1901

Outings for Onondaga Moonwort and Slender Cliffbrake. H. E. Ransier. American Fern Journal, 2:119–21. 1912

Flora of Onondaga. Mrs L. L. H. Goodrich. 210 pages. Syracuse 1912

Notes on Local Floras: Onondaga County. H. D. House. New York State Museum Bul. 176, 39–41. 1915

ONTARIO COUNTY

Blephila ciliata (L.) Raf. in Western New York. E. J. Durand. Torrey Club Bul., 20:408–9. 1893

ORANGE COUNTY

Plantae Coldenghamiae in Provincia Noveboracensi Americes Sponte Crescentes, quae ad Methodum Cl. Linnaei Sexualem Anno 1742, etc. Obseravit et Descripsit Cadwallader Colden. Acta Societ. Reg. Sci. Upsala 1743:81–136. 1749; 1744–50: 47–82. 1751

Droseraceae and Orchidaceae of Spruce Pond, N. Y. Charles Frederick Millspaugh. Torrey Club Bul., 11: 133–34. 1884

The Violet. O. R. Willis (Description of native violets about Cornwall and proposal of several new forms). New York Military Quarterly, 4:4–6. 6 figures

The Balm of Gilead Tree (located at Balmville, Orange county). Annie Delano Hitch. Tree Talk, 1:8. 1913

See also Flora of the Vicinity of New York by Norman Taylor.

ORLEANS COUNTY

(See also western New York)

Hymenomycetes of Orleans County, N. Y. Charles Edward Fairman. Rochester Academy of Science Proc., 2:154–67. 1893

Puff Balls, Slime Moulds and Cup Fungi of Orleans County, N. Y. Charles Edward Fairman. Rochester Academy of Science Proc., 3:206–20. 1900

The Pyrenomyceteae of Orleans County, N. Y. Charles Edward Fairman. Rochester Academy of Science Proc., 4:165–91; fig. 1–6. 1905

New or Rare Pyrenomyceteae from Western New York. Charles Edward Fairman. Rochester Academy of Science Proc., 4: 215–24. 1906

Pyrenomyceteae Novae in Leguminibus Robinae. Charles Edward Fairman. Annals Mycology, 4:326–28. 1906

Micromycetes Americani Novi. P. A. Saccardo. Journal of Mycology, 12:47–52. 1906

New Fungi from New York. P. A. Saccardo. Journal of Mycology, 13:45–48. 1907

Fungi Lyndonvillensis Novi vel Minus Cogniti. Charles Edward Fairman. Annals Mycology, 8:322–32. 1910

OSWEGO COUNTY

Oswego Plants. John Herman Wibbe. Torrey Club Bul., 6:192. 1877

The Swamps of Oswego County, N. Y., and Their Flora. W. W. Rowlee. American Naturalist, 31:690–99; 792–800. 1897

The Flora of Artificial Lakes in Northern New York. W. W. Rowlee. Plant World, 1:65–66. 1898

Notes on Local Floras: Oswego County. H. D. House. New York State Museum Bul. 179, p. 48–51. 1916

QUEENS COUNTY

(See also Long Island and New York county)

Notes from Queens County, Long Island. Julius A. Bisky. Torrey Club Bul., 14:13–14. 1887

Additional notes by Frank N. Tillinghast, page 59.

The Trees of Flushing. Josiah Whitney Barstow. Reprinted from the Flushing Evening Journal of June 8, 1893.

RENSSELAER COUNTY

A Catalogue of Plants, Growing without Cultivation, in the Vicinity of Troy. J. Wright and James Hall. 8vo., pamphlet, 42 pages. Troy 1836

Description of a Few Species of Plants from the Vicinity of Troy. H. Hurlbert Eaton. Transylvania Journal of Medical and Associated Sciences, 5:102–10. 1832. Reprint, 8 pages.
ciated Sciences, 5:102–10. 1832. Reprint, 8 pages

Flora of Rensselaer County. H. C. Gordinier and E. C. Howe. Pamphlet, 39 pages. Troy 1894

RICHMOND COUNTY

(See also New York county)

Staten Island Plants. Nathaniel Lord Britton. Torrey Club Bul., 6:177–79. 1877; 259–60. 1878; 323. 1879

Flora of Richmond County. Charles Arthur Hollick and N. L. Britton. 8vo., pamphlet, 36 pages. 1879. Addenda in Torrey Club Bul., 7:11–12 (1880); 8:48 (1881); 9:149–51 (1882); 12:38–40 (1885); 13:83–84 (1886); 16:132–34 (1889); 18:213–14 (1891); 22:460–62 (1895)

On the Northward Extension of the New Jersey Pine Barren Flora on Long and Staten Islands. N. L. Britton. Torrey Club Bul., 7:81–83. 1880

A Descriptive List of Staten Island Diatoms. E. A. Schultze. Torrey Club Bul., 14:69–73; 109–14 (1887); 16:98–104 (1889)

(Staten Island Trees). Charles Arthur Hollick. Natural Science Association of Staten Island Proc., February 12, 1887

(Hybrid Oaks on Staten Island). Charles Arthur Hollick and W. T. Davis. Natural Science Association of Staten Island Proc., September 8, 1888

A Recent Discovery of Hybrid Oaks on Staten Island. Charles Arthur Hollick. Torrey Club Bul., 15:303–9. 1888. (Reprinted, Contribution no. 8, Herbarium, Columbia College).

Marine Algae of the New Jersey Coast and Adjacent Waters of Staten Island. Isaac C. Martindale. Torrey Club Memoirs, 1:87–111. 1889

(Forms of Staten Island Plants). N. L. Britton. Natural Science Association of Staten Island Proc., November 8, 1890

List of Staten Island Fungi in the Collection of the Association. Charles Arthur Hollick and Nathaniel Lord Britton. (2 pages). August 1890. Natural Science Association of Staten Island Proc., Special no. 11

List of Mosses Collected at Arlington, Staten Island, September 27, 1896. Elizabeth Gertrude Britton. Natural Science Association of Staten Island Proc., 6:54. 1898

Notes on the Geology and Botany of the Fox Hills Golf Links. Charles Arthur Hollick. Natural Science Association of Staten Island Proc., 7:20–22. 1899

Preliminary List of the Mosses of Staten Island. Elizabeth Gertrude Britton. Natural Science Association of Staten Island Proc., Special no. 11. 1890

Botanical Notes. (Additions to Lists of Staten Island Plants.) William T. Davis. Natural Science Association of Staten Island Proc., April 1893; October 14, 1893; 4:83 (1895); 8:5 (1901); 30–31 (1902); 9:22, 23 (1904). Staten Island Association of Arts and Science Proc., 1:35–37 (1906); 2:161–62 (1910)

List of Fungi Collected at Tottenville, October 4, 1890. Charles Arthur Hollick. Natural Science Association of Staten Island Proc., 8:25. 1901

A Recently Introduced Grass (Festuca capillata Lam.). Charles Arthur Hollick. Natural Science Association of Staten Island Proc., 8:16–17. 1901

Local Notes on Vanishing Wild Flowers. William T. Davis. Natural Science Association of Staten Island Proc., 8:29–30. 1902

Notes on Our Common Stemless Blue Violets. Charles Arthur Hollick. Natural Science Association of Staten Island Proc., 8:39. 1902

An Undescribed Species of Alnus (A. noveboracensis). Nathaniel Lord Britton. Torreya, 4:124. 1904

A New Station for the Hybrid Oak, Quercus brittoni Davis. William T. Davis. Natural Science Association of Staten Island Proc., 9:38. 1905

Additions to the Flora of Staten Island. Philip Dowell. Natural Science Association of Staten Island Proc., 9:41–42. (1905); 3:156–62 (1912)

Distribution of Ferns on Staten Island. Philip Dowell. Staten Island Association Proc., 1:61–67. 1906. l. c. 3:163–68. 1912. (Notes on Some Staten Island Ferns)

The Violets of Staten Island. Philip Dowell. Torrey Club Bul., 37:163–79. 1910

The Flora of the Sand Barrens of Southern Staten Island. Stewart H. Burnham. Torreya, 13:249–55. 1913

A correction by Charles Arthur Hollick in Torreya, 13:274, 275. 1913.

Additional Facts Concerning the Hybrid Oaks, Quercus nana x Quercus marylandica (Q. brittoni Davis). William T. Davis. Staten Island Association Proc., 4:110, 111. 1914

See also Flora of the Vicinity of New York, by Norman Taylor.

ROCKLAND COUNTY

Some Trees and Shrubs of Rockland County. Elsie M. Kittredge. Torreya, 13:25–33. 1913

See also Flora of the Vicinity of New York, by Norman Taylor.

SARATOGA COUNTY

Mimulus moschatus Douglas, in New York State. J. Herman Wibbe. Torrey Club Bul., 19:22, 23 (1892) (with note by N. L. Britton on its occurrence on Long Island)

SCHENECTADY COUNTY

Catalogue of the Flowering Plants of Schenectady County. E. W. Paige. 8vo., pamphlet, 48 pages. Albany 1865

Notes on Local Floras: Schenectady County. H. D. House. New York State Museum Bul. 176, p. 41, 42. 1915

See also Paine's Flora of Oneida county.

SENECA COUNTY

(See also central New York)

Weeds (of Seneca County). John Delafield. New York State Agricultural Society Trans., 10:511–16. 1851

New York State Agricultural Farm. Its Characteristics as Indicated by its General Botany. William H. Brewer. New York State Agricultural Society Trans., 18:398–406. 1859

STEUBEN COUNTY

The Flora of Steuben County. Goldsmith Denniston. New York State Agricultural Society Trans., 25:182–91. 1866

Notes on the Flora of the Upper Chemung Valley. Isabel S. Arnold. Torrey Club Bul., 15:131–33. 1888

Notes on a Collection of Crataegus Made by Mr G. D. Cornell in the Neighborhood of Cooper Plains, Steuben County, New York. Charles Sprague Sargent. New York State Museum Bul. 122, p. 84–115. 1908

SUFFOLK COUNTY

(See also Long Island)

The Oenothera of Montauk Point, Long Island. T. F. Allen. Torrey Club Bul., 1:2, 3. 1870

Suffolk County Plants. Henri Wilson Young. Torrey Club Bul., 3:51, 52 (1872); 4:41 (1873)

Suffolk County Plants. Elihu Sanford Miller. Torrey Club Bul., 2:40 (1871); 3:56 (1872); 4:41, 42 (1873)

Catalogue of the Phaenogamous and Acrogenous Plants of Suffolk County. E. S. Miller and H. W. Young. 8vo., pamphlet, 15 pages. Port Jefferson, 1874. Addenda in Torrey Club Bul., 5:33–34 (1874); 6:155–57; 171–72 (1877); 6:258–59 (1878); 7:17–18 (1880)

A Trip to Montauk Point, Long Island. Charles Arthur Hollick. Torrey Club Bul., 18:255, 256. 1891

Notes from Plum Island and Fisher's Island, N. Y. Charles Burr Graves. Torrey Club Bul., 23:59. 1896

Some Sand-barren Plants (of the Shinnecock Hills). Willard Nelson Clute. Plant World, 1:11, 12. 1897

Spring in the Shinnecock Hills. Willard Nelson Clute. Plant World, 2:53–55. 1899

The Pine Barrens of Babylon and Islip. Roland M. Harper. Torreya, 8:1–8. 1908

Flora of Southhold and Gardiner's Island. Stewart H. Burnham and Roy A. Latham. Torreya, 14:201–25; 229–54. 1914. Reprinted, pamphlet

Notes on Local Floras: Suffolk County. H. D. House. New York State Museum Bul. 176, p. 42–44. 1915

See also Flora of the Vicinity of New York, by Norman Taylor.

TIOGA COUNTY

(See also Susquehanna region)

Catalogue of the Forest Trees Growing Wild in the Town of Nichols, Tioga Co. Robert Howell. 65th Annual Report of the Regents, p. 392–95. Albany 1852

Notes of the Flora of Cayuta Creek (Tioga County). Charles F. Millspaugh. Torrey Club Bul., 14: 183–86. 1887

Plants of the Susquehanna Valley and Adjacent Hills of Tioga County. Frank E. Fenno. New York State Museum Bul. 67, p. 47–160. 1903. Supplementary list. Frank E. Fenno. New York State Museum Bul. 75, p. 57–60. 1904

TOMPKINS COUNTY

(See also Dudley's "Cayuga Flora," listed under central New York)

List of Plants for the State Herbarium, Collected in the Vicinity of Ludlowville, Tompkins County. Henry B. Lord. 19th Annual Report of the Regents on the Cabinet. Appendix p. 71. 1866

Preliminary Notes on Some New Species of Fungi. George F Atkinson. Journal of Mycology, 8:110–19. 1902

Notes on the Genus Hapochyrium. George F. Atkinson. Journal of Mycology, 10:3–8. 1904

A Mushroom Parasitic on Another Mushroom. George F. Atkinson. Plant World, 10:121–30. 1907

The Algae of the Ithaca Marshes. H. A. Anderson. Science II 30:654. November 5, 1909

Some Fungi Parasitic of Algae. George F. Atkinson. Botanical Gazette, 48:321–38. 1909

Systematic Studies on Oenothera, III. New Species from Ithaca, New York. H. H. Bartlett. Rhodora, 15:81–85. 1913

ULSTER COUNTY

(See also Catskill mountains)

Notes on a Botanical Excursion to Sam's Point, Ulster Co., N. L. Britton. Torrey Club Bul., 10:105, 106. 1883

"Shongum" I–III. M. H. Pike. Garden and Forest, 5:459–60; 471–72; 483–84. 1892

Minnewaska's Flora. (Ellen Markoe Dallas). p. 1–13. 1896

See also Flora of the Vicinity of New York, by Norman Taylor.

WARREN COUNTY

Forest Conditions of Warren County. F. Frank Moon. New York Conservation Commission Bul. 6. Albany, N. Y.

WASHINGTON COUNTY

Flora of Buck Mountain. Stewart H. Burnham. The Ornithologist and Botanist, 11: no. 2, p. 809 (Feb.) 1892. (Des Moines, Iowa)

Carices (of Vaughns, Washington County). Stewart H. Burnham. Gray Memorial Botanical Chapter of the Agassiz Association Bul. 1, p. 7–8. 1893

Native Orchids. Frank Dobbin. Plant World, 3:88–89. 1900

Spring in the Anaquassacook Hills. Frank Dobbin. Plant World, 4:47–49. 1901

Notes on the Flora of Lake George Region. Stewart H. Burnham. Torreya, 2:27. 1902

Notes on Epigaea repens. Stewart H. Burnham. Torreya, 4: 25. 1904

A Sphagnum Bog. Frank Dobbin. American Botanist, 8:51–53. 1905

A New Blueberry from New York (Vaccinium dobbini). Stewart H. Burnham. American Botanist, 12:8, 9. 1907

Additional Notes on New Forms of Rudbeckia (R. hirta tubuliforme). Stewart H. Burnham. American Botanist, 20:22, 23. 1914

WESTCHESTER COUNTY

(See also New York county)

A Catalogue of Plants Growing Spontaneously in the Vicinity of North Salem Academy. Samuel Barnum Mead, 44th Annual Report of the Regents, p. 101. Albany 1832

Westchester County Plants. Samuel Barnum Mead. Torrey Club Bul., 3:40. 1872

New York City Stations. E. P. Bicknell. Torrey Club Bul., 8:130. 1881. (Title misleading; station is Croton Point in Westchester county)

Report of the Flora of Westchester County. Oliver Rivington Willis. Bolton's History of the County of Westchester (2d ed.), 1:771–826. 1881. Also reprinted, pamphlet, 56 pages. New York 1881

Additions by Elizabeth Gertrude Britton, Torrey Club Bul., 13:6–7. 1886

Additions by E. H. Day, Torrey Club Bul., 13:94–95. 1886

Additions by J. W. Martens, jr. Torrey Club Bul., 16:123–24. 1889

The Spreading of Solidago speciosa in the Vicinity of Yonkers, New York. Mrs J. I. Northrop. Torreya, 1:141, 142. 1901

See also Flora of the Vicinity of New York, by Norman Taylor.

WYOMING COUNTY

A Visit to Letchworth Park. George V. Nash. Torreya, 7:209–14. 1907

Letchworth Park and Falls of the Genesee. George V. Nash. Journal of the New York Botanical Garden, 9:188–201. 1908

The Letchworth Park Arboretum. George V. Nash. Journal of the New York Botanical Garden, 13:39–41. 1912

Letchworth Park and Arboretum. C. Stuart Gager. Brooklyn Botanical Garden Record, 2:7–9. 1913

YATES COUNTY

Catalogue of Plants Growing without Cultivation in the Vicinity of Seneca and Crooked Lakes, in Western New York. H. P. Sartwell. 58th Annual Report of the Regents, p. 273–90 Albany 1845

INDEX TO CITATIONS BY AUTHORS

Wild Flowers of New York

Explanations of plates

Plate 1

107

PEARLY EVERLASTING

(Compositae)

Anaphalis margaritacea (L.) Benth. & Hooker

A white-tomentose or woolly perennial herb, the erect leafy stem corymbosely branched at the summit, 1–3 feet high. The alternate, entire leaves linear-lanceolate, sessile, revolute, green but pubescent above and woolly beneath, 3–5 inches long, heads of flowers numerous in a compound corymb, 2–8 inches broad, each head one-quarter to one-third inch broad when expanded; involucre campanulate, its bracts ovate-lanceolate, obtuse, pearly white; flowers cream-colored becoming yellowish; staminate flowers with a slender or filiform corolla, an undivided style and pappus bristles not thickened at the summit or scarcely so; pistillate flowers with a tubular 5-toothed corolla, 2-cleft style and a pappus of distinct capillary bristles which fall away separately.

Rather common in dry soil, especially on abandoned fields, old pastures, roadsides and door yards, and open woods from Newfoundland to Alaska, Pennsylvania, Kansas and Oregon. Flowering from August to October.

The dry chaffy character of the involucre of the flowers suggests the appropriate name of everlasting. Clusters may be gathered and placed in a vase or other receptacle without water and kept for an indefinite length of time. They are sometimes subjected to various dyes but it is doubtful if this adds anything to their attractiveness. In florists shops they are frequently seen dyed a brilliant red.



Pearly Everlasting (Compositæ)

Anaphalis margaritacæ (Linn.) Benth. & Hooker

Plate 2

PALE TOUCH-ME-NOT

(Balsaminaceae)

Impatiens pallida Nuttall

A tall, stout, annual herbaceous plant with rather succulent stems and alternate, simple, dentate and petioled, thin, ovate to elliptic leaves, pale and somewhat glaucous beneath, 1–4 inches long; flowers showy, pale yellow, 1–1½ inches long on axillary peduncles, irregular, sparingly dotted with reddish brown or sometimes without spots, sepals 3, the 2 lateral ones small, green, nerved, the posterior one large, petaloid, and forming the conspicuous sac which terminates in a short spreading spur; petals 3, with 2 of them 2-cleft into dissimilar lobes; stamens 5, short; filaments appendaged by scales on their inner side and more or less united; gruit an oblong or linear capsule, elastically and violently dihiscent at the slightest touch when mature into 5 spirally coiled valves, expelling the oblong, ridged seeds; small and inconspicuous cleistogamous flowers without petals are frequently developed following the petaliferous flowers.

In moist grounds, most frequent in shaded situations along streams and springy places in woods, Nova Scotia to Saskatchewan, Georgia and Kansas. Apparently not so abundant as the spotted touch-me-not which possesses orange-yellow flowers. Flowering from July to September.

The rapidity with which the flowers and leaves of the wild touch-me-nots wither prevents its use as an ornamental cutflower species although its relative, the balsam or garden touch-me-not, with purple or white flowers, is frequent in cultivation. This species is also known as the pale or yellow jewelweed.

Pale Touch-Me-Not (Balsaminaceæ)

Impatiens pallida Nuttall

Plate 3

III

WINTERGREEN

(Ericaceae)

Gaultheria procumbens L.

A low, aromatic, semi-woody plant with creeping or subterranean, perennial stems, branches erect or nearly so, 2–6 inches high, bearing several oval, oblong or obovate, obtuse or acute, thick, evergreen leaves, dark green and shining above, pale beneath, 1–2 inches long, margins slightly revolute and serrate with low bristle-tipped teeth; flowers white, usually solitary in the axils of the leaves, on recurved peduncles; corolla ovoid-urceolate, with 5 recurved teeth. Stamens 10, included and inserted at base of the corolla, the anther sacs opening by a terminal pore; fruit depressed-globose, usually slightly 5-lobed, bright red when mature, one-third to one-half inch in diameter, mealy and very spicy in flavor.

In woods and open places, especially under or near evergreen trees, most abundant in sandy regions, Newfoundland to Manitoba, New Jersey, Georgia, West Virginia, Indiana and Michigan. Flowering from June to early September, the fruit ripe in late autumn and persisting on the branches well into the next season.

The generic name was given to this plant by Peter Kalm in honor of Doctor Gaultier who lived at Quebec in the middle of the eighteenth century.

Wintergreen (Ericaceæ)

Gaultheria procumbens Linn.

Plate 4

INDIAN PIPE

(Ericaceae)

Monotropa uniflora Linn.

A white, scapose, succulent plant growing usually in clusters from a mass of matted, brittle roots, attached to partially decayed organic matter in the soil; stems 4–10 inches high, erect, each with a solitary nodding, terminal, inodorous, oblong-campanulate flower, one-half to 1 inch long; the fruit, which is a 5-celled, many-seeded capsule becoming erect; sepals 2–4, deciduous; petals 4–5 (rarely 6), puberulent within, white, somewhat longer than the stamens which are usually ten in number; ovary ovoid, acute, narrowed into the short, thick style and funnelform stigma.

In moist, rich woods, Anticosti to Florida, west to Washington and California.

The Indian pipe or corpse-plant as it is frequently known, is one of the few flowering plants which possesses a saprophytic habit, and is in consequence devoid of green leaves or green color in the stems.



Indian Pipe (Ericaceæ)

Monotropa uniflora Linn.

INDEX

The University of the State of New York

New York State Museum

JOHN M. CLARKE, Director

PUBLICATIONS

Packages will be sent prepaid except when distance or weight renders the same impracticable. On 10 or more copies of any one publication 20% discount will be given. Editions printed are only large enough to meet special claims and probable sales. When the sale copies are exhausted, the price for the few reserve copies is advanced to that charged by second-hand booksellers, in order to limit their distribution to cases of special need. Such prices are inclosed in [ ]. All publications are in paper covers, unless binding is specified. Checks or money orders should be addressed and payable to The University of the State of New York.

Museum annual reports 1847–date. *All in print to* 1894, 50c *a volume*, 75c *in cloth; 1894–date, sold in sets only;* 75c *each for octavo volumes; price of quarto volumes on application.*

These reports are made up of the reports of the Director, Geologist, Paleontologist, Botanist and Entomologist, and museum bulletins and memoirs, issued as advance sections of the reports.

Director's annual reports 1904–date.

1904. 138p. 20c.
1905. 102p. 23pl. 30c.
1906. 186p. 41pl. 25c.
1907. (Bul. 121) 212p. 63pl. 50c.
1908. (Bul. 133) 234p. 39pl. map. 40c.
1909. (Bul. 149) 230p. 41pl. 2 maps, 4 charts. *Out of print*
1910. (Bul. 149) 280p. il. 42pl. 50c.
1911. (Bul. 158) 218p. 49pl. 50c.
1912. (Bul. 164) 214p. 50pl. 50c.
1913. (Bul. 173) 158p. il. 29pl. 40c.
1914. (Bul. 177) 174p. il. 33pl. 45c.
1915. (Bul. 187) 192p. il. 58pl. 5 maps. 50c.

These reports cover the reports of the State Geologist and of the State Paleontologist, Bound also with the museum reports of which they form a part.

Geologist's annual reports 1881–date. Rep'ts 1, 3–13, 17–date, 8vo; 2, 14–16, 4to.

In 1898 the paleontologic work of the State was made distinct from the geologic and was reported separately from 1899–1903. The two departments were reunited in 1904, and are now reported in the Director's report.

The annual reports of the original Natural History Survey, 1837–41, are out of print.

Reports 1–4, 1881–84, were published only in separate form. Of the 5th report 4 pages were reprinted in the 39th museum report, and a supplement to the 6th report was included in the 40th museum reports. The 7th and subsequent reports are included in the 41st and following museum reports, except that certain lithographic plates in the 11th report (1891) and 13th (1893) are omitted from the 45th and 47th museum reports.

Separate volumes of the following only are available.

Report	*Price*	*Report*	*Price*	*Report*	*Price*
12 (1892)	$.50	17	$.75	21	$.40
14	.75	18	.75	22	.40
15, 2v.	2	19	.40	23	.45
16	1	20	.50	[*See* Director's annual reports]	

Paleontologist's annual reports 1899–date.

See first note under Geologist's annual reports.

Bound also with museum reports of which they form a part. Reports for 1899 and 1900 may be had for 20c each. Those for 1901–3 were issued as bulletins. In 1904 combined with the Director's report.

Entomologist's annual reports on the injurious and other insects of the State of New York 1882–date.

Reports 3–20 bound also with museum reports 40–46, 48–58 of which they form a part. Since 1898 these reports have been issued as bulletins. Reports 3–4, 17 are out of print, other reports with prices are:

Report	*Price*	*Report*	*Price*	*Report*	*Price*
1	$.50	11	$.25	21 (Bul. 104)	$.25
2	.30	12	.25	22 (" 110)	.25
5	.25	13	*Out of print*	23 (" 124)	.75
6	.15	14 (Bul. 23)	.20	24 (" 134)	.35
7	.20	15 (" 31)	.15	25 (" 141)	.35
8	.25	16 (" 36)	.25	26 (" 147)	.35
9	.25	18 (" 64)	.20	27 (" 155)	.40
10	.35	19 (" 76)	.15	28 (" 165)	.40
		20 (" 97)	.40	29 (" 175)	.45

M 87r. N 16-30o.

Reports 2, 8–12 may also be obtained bound in cloth at 25c each in addition to the price given above.

Botanist's annual reports 1867–date.

Bound also with museum reports 21–date of which they form a part; the first Botanist's report appeared in the 21st museum report and is numbered 21. Reports 21–24, 29, 31–41 were not published separately.

Separate reports for 1871–74, 1876, 1888–98 are out of print. Report for 1899 may be had for 20c; 1900 for 50c. Since 1901 these reports have been issued as bulletins.

Descriptions and illustrations of edible, poisonous and unwholesome fungi of New York have also been published in volumes 1 and 3 of the 48th (1894) museum report and in volume 1 of the 49th (1895), 51st (1897), 52d (1898), 54th (1900), 55th (1901), in volume 4 of the 56th (1902), in volume 2 of the 57th (1903), in volume 4 of the 58th (1904), in volume 2 of the 59th (1905), in volume 1 of the 60th (1906), in volume 2 of the 61st (1907), 62d (1908), 63d (1909), 64th (1910), 65th (1911) reports. The descriptions and illustrations of edible and unwholesome species contained in the 49th, 51st and 52d reports have been revised and rearranged, and, combined with others more recently prepared, constitute Museum Memoir 4.

Museum bulletins 1887–date. 8vo. *To advance subscribers, $2 a year, or $1 a year for division* (1) *geology, economic geology, paleontology, mineralogy;* 50c *each for division* (2) *general zoology, archeology, miscellaneous,* (3) *botany,* (4) *entomology.*

Bulletins are grouped in the list on the following pages according to divisions.
The divisions to which bulletins belong are as follows:

1 Zoology
2 Botany
3 Economic Geology
4 Mineralogy
5 Entomology
6 "
7 Economic Geology
8 Botany
9 Zoology
10 Economic Geology
11 "
12 "
13 Entomology
14 Geology
15 Economic Geology
16 Archeology
17 Economic Geology
18 Archeology
19 Geology
20 Entomology
21 Geology
22 Archeology
23 Entomology
24 "
25 Botany
26 Entomology
27 "
28 Botany
29 Zoology
30 Economic Geology
31 Entomology
32 Archeology
33 Zoology
34 Geology
35 Economic Geology
36 Entomology
37 "
38 Zoology
39 Paleontology
40 Zoology
41 Archeology
42 Geology
43 Zoology
44 Economic Geology
45 Paleontology
46 Entomology
47 "
48 Geology
49 Paleontology
50 Archeology
51 Zoology
52 Paleontology
53 Entomology
54 Botany
55 Archeology
56 Geology
57 Entomology
58 Mineralogy
59 Entomology
60 Zoology
61 Economic Geology
62 Miscellaneous
63 Geology
64 Entomology
65 Paleontology
66 Miscellaneous
67 Botany
68 Entomology
69 Paleontology
70 Mineralogy
71 Zoology
72 Entomology
73 Archeology
74 Entomology
75 Botany
76 Entomology
77 Geology
78 Archeology
79 Entomology
80 Paleontology
81 Geology
82 "
83 "
84 "
85 Economic Geology
86 Entomology
87 Archeology
88 Zoology
89 Archeology
90 Paleontology
91 Zoology
92 Paleontology
93 Economic Geology
94 Botany
95 Geology
96 "
97 Entomology
98 Mineralogy
99 Paleontology
100 Economic Geology
101 Paleontology
102 Economic Geology
103 Entomology
104 "
105 Botany
106 Geology
107 Geology and Paleontology
108 Archeology
109 Entomology
110 "
111 Geology
112 Economic Geology
113 Archeology
114 Geology
115 "
116 Botany
117 Archeology
118 Geology
119 Economic Geology
120 "
121 Director's report for 1907
122 Botany
123 Economic Geology
124 Entomology
125 Archeology
126 Geology
127 Geology
128 "
129 Entomology
130 Zoology
131 Botany
132 Economic Geology
133 Director's report for 1908
134 Entomology
135 Geology
136 Entomology
137 Geology
138 "
139 Botany
140 Director's report for 1909
141 Entomology
142 Economic Geology
143 "
144 Archeology
145 Geology
146 "
147 Entomology
148 Geology
149 Director's report for 1910
150 Botany
151 Economic Geology
152 Geology
153 "
154 "
155 Entomology
156 "
157 Botany
158 Director's report for 1911
159 Geology
160 "
161 Economic Geology
162 Geology
163 Archeology
164 Director's report for 1912
165 Entomology
166 Economic Geology
167 Botany
168 Geology
169 "
170 "
171 "
172 "
173 Director's report for 1913
174 Economic Geology
175 Entomology
176 Botany
177 Director's report for 1914
178 Economic Geology
179 Botany
180 Entomology
181 Economic Geology
182 Geology
183 "
184 Archeology
185 Geology
186 Entomology
187 Director's report for 1915
188 Botany

Bulletins are also found with the annual reports of the museum as follows:

Bulletin	*Report*	*Bulletin*	*Report*	*Bulletin*	*Report*	*Bulletin*	*Report*
12–15	48, v. 1	79	57, v. 1, pt 2	119–21	61, v. 1	155	65, v. 2
16, 17	50, v. 1	80	57, v. 1, pt 1	122	61, v. 2	156	65, v. 2
18, 19	51, v. 1	81, 82	58, v. 3	123	61, v. 1	157	65, v. 2
20–25	52, v. 1	83, 84	58, v. 1	124	61, v. 2	158	65, v. 1
26–31	53, v. 1	85	58, v. 2	125	62, v. 3	159	65, v. 1
32–34	54, v. 1	86	58, v. 5	126–28	62, v. 1	160	65, v. 1
35, 36	54, v. 2	87–89	58, v. 4	129	62, v. 2	161	65, v. 2
37–44	54, v. 3	90	58, v. 3	130	62, v. 3	162	65, v. 1
45–48	54, v. 4	91	58, v. 4	131, 132	62, v. 2	163	66, v. 2
49–54	55, v. 1	92	58, v. 3	133	62, v. 1	164	66, v. 1
55	56, v. 4	93	58, v. 2	134	62, v. 2	165–67	66, v. 2
56	56, v. 1	94	58, v. 4	135	63, v. 1	168–70	66, v. 1
57	56, v. 3	95, 96	58, v. 1	136	63, v. 2	171–76	67
58	56, v. 1	97	58, v. 5	137	63, v. 1	177–80	68
59, 60	56, v. 3	98, 99	59, v. 2	138	63, v. 1		
61	56, v. 1	100	59, v. 1	139	63, v. 2	*Memoir*	
62	56, v. 4	101	59, v. 2	140	63, v. 1	2	49, v. 3
63	56, v. 2	102	59, v. 1	141	63, v. 2	3, 4	53, v. 2
64	56, v. 3	103–5	59, v. 2	142	63, v. 2	5, 6	57, v. 3
65	56, v. 2	106	59, v. 1	143	63, v. 2	7	57, v. 4
66, 67	56, v. 4	107	60, v. 2	144	64, v. 2	8, pt 1	59, v. 3
68	56, v. 3	108	60, v. 3	145	64, v. 1	8, pt 2	59, v. 4
69	56, v. 2	109, 110	60, v. 1	146	64, v. 1	9, pt 1	60, v. 4
70, 71	57, v. 1, pt 1	111	60, v. 2	147	64, v. 2	9, pt 2	62, v. 4
72	57, v. 1, pt 2	112	60, v. 1	148	64, v. 2	10	60, v. 5
73	57, v. 2	113	60, v. 3	149	64, v. 1	11	61, v. 3
74	57, v. 1, pt 2	114	60, v. 1	150	64, v. 2	12, pt 1	63, v. 3
75	57, v. 2	115	60, v. 2	151	64, v. 2	12, pt 2	66, v. 3
76	57, v. 1, pt 2	116	60, v. 1	152	64, v. 2	13	63, v. 4
77	57, v. 1, pt 1	117	60, v. 3	153	64, v. 2	14, v. 1	65, v. 3
78	57, v. 2	118	60, v. 1	154	64, v. 2	14, v. 2	65, v. 4

The figures at the beginning of each entry in the following list indicate its number as a museum bulletin.

Geology and Paleontology. **14** Kemp, J. F. Geology of Moriah and Westport Townships, Essex Co., N. Y., with notes on the iron mines. 38p. il. 7pl. 2 maps. Sept. 1895. Free.

19 Merrill, F. J. H. Guide to the Study of the Geological Collections of the New York State Museum. 164p. 119 pl. map. Nov. 1898. *Out of print.*

21 Kemp, J. F. Geology of the Lake Placid Region. 24p. 1pl. map. Sept. 1898. Free.

34 Cumings, E. R. Lower Silurian System of Eastern Montgomery County; Prosser, C. S. Notes on the Stratigraphy of Mohawk Valley and Saratoga County, N. Y. 74p. 14pl. map. May 1900. 15c.

39 Clarke, J. M.; Simpson, G. B. & Loomis, F. B. Paleontologic Papers 1. 72p. il. 16pl. Oct. 1900. 15c.

Contents: Clarke, J. M. A Remarkable Occurrence of Orthoceras in the Oneonta Beds of the Chenango Valley, N. Y.
—— Paropsonema cryptophya; a Peculiar Echinoderm from the Intumescens-zone (Portage Beds) of Western New York.
—— Dictyonine Hexactinellid Sponges from the Upper Devonic of New York.
—— The Water Biscuit of Squaw Island, Canandaigua Lake, N. Y.
Simpson, G. B. Preliminary Descriptions of New Genera of Paleozoic Rugose Corals.
Loomis, F. B. Siluric Fungi from Western New York.

42 Ruedemann, Rudolf. Hudson River Beds near Albany and Their Taxonomic Equivalents. 116p. 2pl. map. Apr. 1901. 25c.

45 Grabau, A. W. Geology and Paleontology of Niagara Falls and Vicinity. 286p. il. 18pl. map. Apr. 1901. 65c; *cloth*, 90c.

48 Woodworth, J. B. Pleistocene Geology of Nassau County and Borough of Queens. 58p. il. 8pl. map. Dec. 1901. *Out of print.*

49 Ruedemann, Rudolf; Clarke, J. M. & Wood, Elvira. Paleontologic Papers 2. 240p. 13pl. Dec. 1901. *Out of print.*

Contents: Ruedemann, Rudolf. Trenton Conglomerate of Rysedorph Hill.
Clarke, J. M. Limestones of Central and Western New York Interbedded with Bituminous Shales of the Marcellus Stage.
Wood, Elvira. Marcellus Limestones of Lancaster, Erie Co., N. Y.
Clarke, J. M. New Agelacrinites.
—— Value of Amnigenia as an Indicator of Fresh-water Deposits during the Devonic of New York, Ireland and the Rhineland.

52 Clarke, J. M. Report of the State Paleontologist 1901. 289p. il. 10pl. map, 1 tab. July 1902. 40c.

56 Merrill, F. J. H. Description of the State Geologic Map of 1901. 42p. 2 maps, tab. Nov. 1902. Free.
63 Clarke, J. M. & Luther, D. D. Stratigraphy of Canandaigua and Naples Quadrangles. 78p. map. June 1904. 25c.
65 Clarke, J. M. Catalogue of Type Specimens of Paleozoic Fossils in the New York State Museum. 848p. May 1903. $1.20 *cloth.*
69 —— Report of the State Paleontologist 1902. 464p. 52pl. 7 maps. Nov. 1903. $1, *cloth.*
77 Cushing, H. P. Geology of the Vicinity of Little Falls, Herkimer Co. 98p. il. 15pl. 2 maps. Jan. 1905. 30c.
80 Clarke, J. M. Report of the State Paleontologist 1903. 396p. 29pl. 2 maps. Feb. 1905. 85c, *cloth.*
81 Clarke, J. M. & Luther, D. D. Watkins and Elmira Quadrangles. 32p. map. Mar. 1905. 25c.
82 —— Geologic Map of the Tully Quadrangle. 40p. map. Apr. 1905. 20c.
83 Woodworth, J. B. Pleistocene Geology of the Moores Quadrangle. 62p. 25pl. map. June 1905. 25c.
84 —— Ancient Water Levels of the Champlain and Hudson Valleys. 206p. il. 11pl. 18 maps. July 1905. 45c.
90 Ruedemann, Rudolf. Cephalopoda of Beekmantown and Chazy Formations of Champlain Basin. 224p. il. 38pl. May 1906. 75c, *cloth.*
92 Grabau, A. W. Guide to the Geology and Paleontology of the Schoharie Region. 314p. il. 26pl. map. Apr. 1906. 75c, *cloth.*
95 Cushing, H. P. Geology of the Northern Adirondack Region. 188p. 15pl. 3 maps. Sept. 1905. 30c.
96 Ogilvie, I. H. Geology of the Paradox Lake Quadrangle. 54p. il. 17pl. map. Dec. 1905. 30c.
99 Luther, D. D. Geology of the Buffalo Quadrangle. 32p. map. May 1906. 20c.
101 —— Geology of the Penn Yan-Hammondsport Quadrangles. 28p. map. July 1906. *Out of print.*
106 Fairchild, H. L. Glacial Waters in the Erie Basin. 88p. 14pl. 9 maps. Feb. 1907. *Out of print.*
107 Woodworth, J. B.; Hartnagel, C. A.; Whitlock, H. P.; Hudson, G. H.; Clarke, J. M.; White, David & Berkey, C. P. Geological Papers. 388p. 54pl. map. May 1907. 90c, *cloth.*

Contents: Woodworth, J. B. Postglacial Faults of Eastern New York.
Hartnagel, C. A. Stratigraphic Relations of the Oneida Conglomerate.
—— Upper Siluric and Lower Devonic Formations of the Skunnemunk Mountain Region.
Whitlock, H. P. Minerals from Lyon Mountain, Clinton Co.
Hudson, G. H. On Some Pelmatozoa from the Chazy Limestone of New York.
Clarke, J. M. Some New Devonic Fossils.
—— An Interesting Style of Sand-filled Vein.
—— Eurypterus Shales of the Shawangunk Mountains in Eastern New York.
White, David. A Remarkable Fossil Tree Trunk from the Middle Devonic of New York.
Berkey, C. P. Structural and Stratigraphic Features of the Basal Gneisses of the Highlands.

111 Fairchild, H. L. Drumlins of New York. 60p. 28pl. 19 maps. July 1907. *Out of print.*
114 Hartnagel, C. A. Geologic Map of the Rochester and Ontario Beach Quadrangles. 36p. map. Aug. 1907. 20c.
115 Cushing, H. P. Geology of the Long Lake Quadrangle. 88p. 20pl. map. Sept. 1907. 25c.
118 Clarke, J. M. & Luther, D. D. Geologic Maps and Descriptions of the Portage and Nunda Quadrangles including a map of Letchworth Park. 50p. 16pl. 4 maps. Jan. 1908. 35c.
126 Miller, W. J. Geology of the Remsen Quadrangle. 54p. il. 11pl. map. Jan. 1909. 25c.
127 Fairchild, H. L. Glacial Waters in Central New York. 64p. 27pl. 15 maps. Mar. 1909. 40c.
128 Luther, D. D. Geology of the Geneva-Ovid Quadrangles. 44p. map. Apr. 1909. 20c.
135 Miller, W. J. Geology of the Port Leyden Quadrangle, Lewis County, N. Y. 62p. il. 11pl. map. Jan. 1910. 25c.

137 Luther, D. D. Geology of the Auburn-Genoa Quadrangles. 36p. map. Mar. 1910. 20c.
138 Kemp, J. F. & Ruedemann, Rudolf. Geology of the Elizabethtown and Port Henry Quadrangles. 176p. il. 20pl. 3 maps. Apr. 1910. *Out of print.*
145 Cushing, H. P.; Fairchild, H. L.; Ruedemann, Rudolf & Smyth, C. H. Geology of the Thousand Islands Region. 194p. il. 62pl. 6 maps. Dec. 1910. $1.00, *cloth.*
146 Berkey, C. P. Geologic Features and Problems of the New York City (Catskill) Aqueduct. 286p. il. 38pl. maps. Feb. 1911. 75c; *cloth,* $1.
148 Gordon, C. E. Geology of the Poughkeepsie Quadrangle. 122p. il. 26pl. map. Apr. 1911. 30c.
152 Luther, D. D. Geology of the Honeoye-Wayland Quadrangles. 30p. map. Oct. 1911. 20c.
153 Miller, William J. Geology of the Broadalbin Quadrangle, Fulton-Saratoga Counties, New York. 66p. il. 8pl. map. Dec. 1911. 25c.
154 Stoller, James H. Glacial Geology of the Schenectady Quadrangle. 44p. 9pl. map. Dec. 1911. 20c.
159 Kemp, James F. The Mineral Springs of Saratoga. 80p. il. 3pl. Apr. 1912. 15c.
160 Fairchild, H. L. Glacial Waters in the Black and Mohawk Valleys. 48p. il. 8pl. 14 maps. May 1912. 50c.
162 Ruedemann, Rudolf. The Lower Siluric Shales of the Mohawk Valley. 152p. il. 15pl. Aug. 1912. 35c.
168 Miller, William J. Geological History of New York State. 130p. 43pl. 10 maps. Dec. 1913. 40c.
169 Cushing, H. P. & Ruedemann, Rudolf. Geology of Saratoga Springs and Vicinity. 178p. il. 20pl. map. Feb. 1914. 40c.
170 Miller, William J. Geology of the North Creek Quadrangle. 90p. il. 14pl. Feb. 1914. 25c.
171 Hopkins, T. C. The Geology of the Syracuse Quadrangle. 80p. il. 20pl. map. July 1914. 25c.
172 Luther, D. D. Geology of the Attica and Depew Quadrangles. 32p. map. August 1914. 15c.
182 Miller, William J. The Geology of the Lake Pleasant Quadrangle. 56p. il. 10pl. map. Feb. 1916. 25c.
183 Stoller, James H. Glacial Geology of the Saratoga Quadrangle. 50p. il. 12pl. map. Mar. 1, 1916. 25c.
185 Martin, James C. The Precambrian Rocks of the Canton Quadrangle. 112p. il. 20pl. map. May 1, 1916. 30c.
189 Ruedemann, Rudolf. Paleontologic Contributions from the New York State Museum. *In press.*
191 Cushing, H. P. Geology of the Vicinity of Ogdensburg. *In press.*
192 Miller, William J. Geology of the Blue Mountain Quadrangle. *In press.*
Luther, D. D. Geology of the Phelps Quadrangle. *In preparation.*
Whitnall, H. O. Geology of the Morrisville Quadrangle. *Prepared.*
Hudson, G. H. Geology of Valcour Island. *In preparation.*
Economic Geology. 3 Smock, J. C. Building Stone in the State of New York. 154p. Mar. 1888. 30c.
7 —— First Report on the Iron Mines and Iron Ore Districts in the State of New York. 78p. map. June 1889. *Out of print.*
10 —— Building Stone in New York. 210p. map, tab. Sept. 1890.
11 Merrill, F. J. H. Salt and Gypsum Industries of New York. 94p. 12pl. 2 maps, 11 tab. Apr. 1893. *Not available.*
12 Ries, Heinrich. Clay Industries of New York. 174p. il. 1pl. map. Mar. 1895. 30c.
15 Merrill, F. J. H. Mineral Resources of New York. 240p. 2 maps. Sept. 1895. [50c]
17 —— Road Materials and Road Building in New York. 52p. 14pl. 2 maps. Oct. 1897. 15c.
30 Orton, Edward. Petroleum and Natural Gas in New York. 136p. il. 3 maps. Nov. 1899. 15c.
35 Ries, Heinrich. Clays of New York; Their Properties and Uses. 456p. 140pl. map. June 1900. $1.00 *cloth.*

44 —— Lime and Cement Industries of New York; Eckel, E. C. Chapters on the Cement Industry. 332p. 101pl. 2 maps. Dec. 1901. 85c, *cloth.*

61 Dickinson, H. T. Quarries of Bluestone and Other Sandstones in New York. 114p. 18pl. 2 maps. Mar. 1903. 35c.

85 Rafter, G. W. Hydrology of New York State. 902p. il. 44pl. 5 maps. May 1905. $1.50, *cloth.*

93 Newland, D. H. Mining and Quarry Industry of New York. 78p. July 1905. *Out of print.*

100 McCourt, W. E. Fire Tests of Some New York Building Stones. 40p. 26pl. Feb. 1906. 15c.

102 Newland, D. H. Mining and Quarry Industry of New York 1905. 162p. June 1906. 25c.

112 —— Mining and Quarry Industry of New York 1906. 82p. July 1907. *Out of print.*

119 —— & Kemp, J. F. Geology of the Adirondack Magnetic Iron Ores with a Report on the Mineville-Port Henry Mine Group. 184p. 14pl. 8 maps. Apr. 1908. 35c.

120 Newland, D. H. Mining and Quarry Industry of New York 1907. 82p. July 1908. 15c.

123 —— & Hartnagel, C. A. Iron Ores of the Clinton Formation in New York State. 76p. il. 14pl. 3 maps. Nov. 1908. 25c.

132 Newland, D. H. Mining and Quarry Industry of New York 1908. 98p. July 1909. 15c.

142 —— Mining and Quarry Industry of New York for 1909. 98p. Aug. 1910. 15c.

143 —— Gypsum Deposits of New York. 94p. 20pl. 4 maps. Oct. 1910. 35c.

151 —— Mining and Quarry Industry of New York 1910. 82p. June 1911. 15c.

161 —— Mining and Quarry Industry of New York 1911. 114p. July 1912. 20c.

166 —— Mining and Quarry Industry of New York 1912. 114p. August 1913. 20c.

174 —— Mining and Quarry Industry of New York 1913. 111p. Dec. 1914 20c.

178 —— Mining and Quarry Industry of New York 1914. 88p. Nov. 1915. 15c.

181 —— The Quarry Materials of New York. 212p. 34pl. Jan. 1916. 40c.

190 —— Mining and Quarry Industry of New York 1915. *In press.*

Mineralogy. 4 Nason, F. L. Some New York Minerals and Their Localities. 22p. 1pl. Aug. 1888. Free.

58 Whitlock, H. P. Guide to the Mineralogic Collections of the New York State Museum. 150p. il. 39pl. 11 models. Sept. 1902. 40c.

70 —— New York Mineral Localities. 110p. Oct. 1903. 20c.

98 —— Contributions from the Mineralogic Laboratory. 38p. 7pl. Dec. 1905. *Out of print.*

Zoology. 1 Marshall, W. B. Preliminary List of New York Unionidae. 20p. Mar. 1892. *Free.*

9 —— Beaks of Unionidae Inhabiting the Vicinity of Albany, N. Y. 30p. 1pl. Aug. 1890. Free.

29 Miller, G. S., jr. Preliminary List of New York Mammals. 124p. Oct. 1899. 15c.

33 Farr, M. S. Check List of New York Birds. 224p. Apr. 1900. 25c.

38 Miller, G. S., jr. Key to the Land Mammals of Northeastern North America. 106p. Oct. 1900. 15c.

40 Simpson, G. B. Anatomy and Physiology of Polygyra albolabris and Limax maximus and Embryology of Limax maximus. 82p. 28pl. Oct. 1901. 25c.

43 Kellogg, J. L. Clam and Scallop Industries of New York. 36p. 2pl. map. Apr. 1901. Free.

51 Eckel, E. C. & Paulmier, F. C. Catalogue of Reptiles and Batrachians of New York. 64p. il. 1pl. Apr. 1902. *Out of print.*

Eckel, E. C. Serpents of Northeastern United States.
Paulmier, F. C. Lizards, Tortoises and Batrachians of New York.

60 Bean, T. H. Catalogue of the Fishes of New York. 784p. Feb. 1903. $1, *cloth.*

71 Kellogg, J. L. Feeding Habits and Growth of Venus mercenaria. 30p 4pl. Sept. 1903. Free.
88 Letson, Elizabeth J. Check List of the Mollusca of New York. 116p. May 1905. 20c.
91 Paulmier, F. C. Higher Crustacea of New York City. 78p. il. June 1905. 20c.
130 Shufeldt, R. W. Osteology of Birds. 382p. il. 26pl. May 1909. 50c.
Entomology. 5 Lintner, J. A. White Grub of the May Beetle. 34p. il. Nov. 1888. Free.
6 —— Cut-worms. 38p. il. Nov. 1888. Free.
13 —— San José Scale and Some Destructive Insects of New York State. 54p. 7pl. Apr. 1895. 15c.
20 Felt, E. P. Elm Leaf Beetle in New York State. 46p. il 5pl. June 1898. Free.
See 57.
23 —— 14th Report of the State Entomologist 1898. 150p. il. 9pl. Dec. 1898. 20c.
24 —— Memorial of the Life and Entomologic Work of J. A. Lintner Ph.D. State Entomologist 1874–98; Index to Entomologist's Reports 1–13. 316p. 1pl. Oct. 1899. 35c.
Supplement to 14th report of the State Entomologist.
26 —— Collection Preservation and Distribution of New York Insects. 36p. il. Apr. 1899. *Out of print.*
27 —— Shade Tree Pests in New York State. 26p. il. 5pl. May 1899. Free
31 —— 15th Report of the State Entomologist 1899. 128p. June 1900. 15c.
36 —— 16th Report of the State Entomologist 1900. 118p. 16pl. Mar. 1901. 25c.
37 —— Catalogue of Some of the More Important Injurious and Beneficial Insects of New York State. 54p. il. Sept. 1900. Free.
46 —— Scale Insects of Importance and a List of the Species in New York State. 94p. il. 15pl. June 1901. 25c.
47 Needham, J. G. & Betten, Cornelius. Aquatic Insects in the Adirondacks. 234p. il. 36pl. Sept. 1901. 45c.
53 Felt, E. P. 17th Report of the State Entomologist 1901. 232p. il. 6pl. Aug. 1902. *Out of print.*
57 —— Elm Leaf Beetle in New York State. 46p. il. 8pl. Aug. 1902. *Out of print.*
This is a revision of Bulletin 20 containing the more essential facts observed since that was prepared.
59 —— Grapevine Root Worm. 40p. 6pl. Dec. 1902. 15c.
See 72.
64 —— 18th Report of the State Entomologist 1902. 110p. 6pl. May 1903. 20c.
68 Needham, J. G. & *others*. Aquatic Insects in New York. 322p. 52pl. Aug. 1903. 80c, *cloth*.
72 Felt, E. P. Grapevine Root Worm. 58p. 13pl. Nov. 1903. 20c.
This is a revision of Bulletin 59 containing the more essential facts observed since that was prepared.
74 —— & Joutel, L. H. Monograph of the Genus Saperda. 88p. 14pl. June 1904. 25c.
76 Felt, E. P. 19th Report of the State Entomologist 1903. 150p. 4pl. 1904. 15c.
79 —— Mosquitos or Culicidae of New York. 164p. il. 57pl. tab. Oct. 1904. 40c.
86 Needham, J. G. & *others*. May Flies and Midges of New York. 352p. il. 37pl. June 1905. 80c, *cloth*.
97 Felt, E. P. 20th Report of the State Entomologist 1904. 246p. il. 19pl. Nov. 1905. 40c.
103 —— Gipsy and Brown Tail Moths. 44p. 10pl. July 1906. 15c.

104 —— 21st Report of the State Entomologist 1905. 144p. 10pl. Aug. 1906. 25c.
109 —— Tussock Moth and Elm Leaf Beetle. 34p. 8pl. Mar. 1907. 20c.
110 —— 22d Report of the State Entomologist 1906. 152p. 3pl. June 1907. 25c.
124 —— 23d Report of the State Entomologist 1907. 542p. il. 44pl. Oct. 1908. 75c.
129 —— Control of Household Insects. 48p. il. May 1909. *Free.*
134 —— 24th Report of the State Entomologist 1908. 208p. il. 17pl Sept. 1909. 35c.
136 —— Control of Flies and Other Household Insects. 56p. il. Feb. 1910. 15c.

This is a revision of Bulletin 129 containing the more essential facts observed since that was prepared.

141 Felt, E. P. 25th Report of the State Entomologist 1909. 178p. il. 22pl. July 1910. 35c.
147 —— 26th Report of the State Entomologist 1910. 182p. il. 35pl. Mar. 1911. 35c.
155 —— 27th Report of the State Entomologist 1911. 198p. il. 27pl. Jan. 1912. 40c.
156 —— Elm Leaf Beetle and White-Marked Tussock Moth. 35p. 8pl. Jan. 1912. 20c.
165 —— 28th Report of the State Entomologist 1912. 266p. 14pl. July 1913. 40c.
175 —— 29th Report of the State Entomologist 1913. 258p. 16pl. April 1915. 45c.
180 —— 30th Report of the State Entomologist 1914. 336p. il. 19pl. Jan. 1916. 50c.
186 —— 31st Report of the State Entomologist 1915. 215p. il. 18pl. June 1, 1916. 35c.

Needham, J. G. Monograph on Stone Flies. *In preparation.*

Botany. 2 Peck, C. H. Contributions to the Botany of the State of New York. 72p. 2pl. May 1887. 20c.
8 —— Boleti of the United States. 98p. Sept. 1889. *Out of print.*
25 —— Report of the State Botanist 1898. 76p. 5pl. Oct. 1899. *Out of print.*
28 —— Plants of North Elba. 206p. map. June 1899. 20c.
54 —— Report of the State Botanist 1901. 58p. 7pl. Nov. 1902. 40c.
67 —— Report of the State Botanist 1902. 196p. 5pl. May 1903. 50c.
75 —— Report of the State Botanist 1903. 70p. 4pl. 1904. 40c.
94 —— Report of the State Botanist 1904. 60p. 10pl. July 1905. 40c.
105 —— Report of the State Botanist 1905. 108p. 12pl. Aug. 1906. 50c.
116 —— Report of the State Botanist 1906. 120p. 6 pl. July 1907. 35c.
122 —— Report of the State Botanist 1907. 178p. 5pl. Aug. 1908. 40c.
131 —— Report of the State Botanist 1908. 202p. 4pl. July 1909. 40c.
139 —— Report of the State Botanist 1909. 116p. 10pl. May 1910. 45c.
150 —— Report of the State Botanist 1910. 100p. 5pl. May 1911. 30c.
157 —— Report of the State Botanist 1911. 140p. 9pl. Mar. 1912. 35c.
167 —— Report of the State Botanist 1912. 138p. 4pl. Sept. 1913. 30c.
176 —— Report of the State Botanist 1913. 78p. 17pl. June 1915. 20c.
179 —— Report of the State Botanist 1914. 108p. 1pl. Dec. 1915. 20c.
188 —— Report of the State Botanist 1915. 118p. il. 4pl. Aug. 1, 1916. 30c.

Archeology. 16 Beauchamp, W. M. Aboriginal Chipped Stone Implements of New York. 86p. 23pl. Oct. 1897. 25c.
18 —— Polished Stone Articles Used by the New York Aborigines. 104p 35pl. Nov. 1897. 25c.
22 —— Earthenware of the New York Aborigines. 78p. 33pl. Oct. 1898. 25c.
32 —— Aboriginal Occupation of New York. 190p. 16pl. 2 maps. Mar. 1900. 30c.
41 —— Wampum and Shell Articles Used by New York Indians. 166p. 28pl. Mar. 1901. *Out of print.*
50 —— Horn and Bone Implements of the New York Indians. 112p. 43pl. Mar. 1902. *Out of print.*

55 —— Metallic Implements of the New York Indians. 94p. 38pl. June 1902. 25c.
73 —— Metallic Ornaments of the New York Indians. 122p. 37pl. Dec. 1903. 30c
78 —— History of the New York Iroquois. 340p. 17pl. map. Feb. 1905. 75c.
87 —— Perch Lake Mounds. 84p. 12pl. Apr. 1905. 20c.
89 —— Aboriginal Use of Wood in New York. 190p. 35pl. June 1905. *Not available.*
108 —— Aboriginal Place Names of New York. 336p. May 1907. 40c.
113 —— Civil, Religious and Mourning Councils and Ceremonies of Adoption. 118p. 7pl. June 1907. 25c.
117 Parker, A. C. An Erie Indian Village and Burial Site. 102p. 38pl. Dec. 1907. 30c.
125 Converse, H. M. & Parker, A. C. Iroquois Myths and Legends. 196p. il. 11pl. Dec. 1908. 50c.
144 Parker, A. C. Iroquois Uses of Maize and Other Food Plants. 120p. il. 31pl. Nov. 1910. *Out of print.*
163 —— The Code of Handsome Lake. 144p. 23pl. Nov. 1912. 25c.
184 —— The Constitution of the Five Nations. 158p. 8pl. April 1, 1916. 30c.

Miscellaneous. 62 Merrill, F. J. H. Directory of Natural History Museums in United States and Canada. 236p. Apr. 1903. 30c.
66 Ellis, Mary. Index to Publications of the New York State Natural History Survey and New York State Museum 1837–1902. 418p. June 1903. 75c, *cloth.*

Museum memoirs 1889–date. 4to.
1 Beecher, C. E. & Clarke, J. M. Development of Some Silurian Brachiopoda. 96p. 8pl. Oct. 1889. $1.
2 Hall, James & Clarke, J. M. Paleozoic Reticulate Sponges. 350p. il. 70pl. 1898. $2, *cloth.*
3 Clarke, J. M. The Oriskany Fauna of Becraft Mountain, Columbia Co., N. Y. 128p. 9pl. Oct. 1900. 80c.
4 Peck, C. H. N. Y. Edible Fungi, 1895–99. 106p. 25pl. Nov. 1900. 75c.
This includes revised descriptions and illustrations of fungi reported in the 49th, 51st and 52d reports of the State Botanist.
5 Clarke, J. M. & Ruedemann, Rudolf. Guelph Formation and Fauna of New York State. 196p. 21pl. July 1903. $1.50, *cloth.*
6 Clarke, J. M. Naples Fauna in Western New York. 268p. 26pl. map. 1904. $2, *cloth.*
7 Ruedemann, Rudolf. Graptolites of New York. Pt 1 Graptolites of the Lower Beds. 350p. 17pl. Feb. 1905. $1.50, *cloth.*
8 Felt, E. P. Insects Affecting Park and Woodland Trees. v. 1. 460p. il. 48pl. Feb. 1906. $2.50, *cloth*; v. 2. 548p. il. 22pl. Feb. 1907. $2, *cloth.* $4. for the two volumes.
9 Clarke, J. M. Early Devonic of New York and Eastern North America. Pt 1. 366p. il. 70pl. 5 maps. Mar. 1908. $2.50, *cloth;* Pt 2. 250p. il. 36pl. 4 maps. Sept. 1909. $2, *cloth.*
10 Eastman, C. R. The Devonic Fishes of the New York Formations. 236p. 15pl. 1907. $1.25, *cloth.*
11 Ruedemann, Rudolf. Graptolites of New York. Pt 2 Graptolites of the Higher Beds. 584p. il. 31pl. 2 tab. Apr. 1908. $2.50, *cloth.*
12 Eaton, E. H. Birds of New York. v. 1. 501p. il. 42pl. Apr. 1910. $3, *cloth*; v. 2, 719p. il. 64pl. July 1914. $4, *cloth.* $6. for the two volumes. 106 colored plates in portfolio $1.
13 Whitlock, H. P. Calcites of New York. 190p. i. 27pl. Oct. 1910. $1, *cloth.*
14 Clarke, J. M. & Ruedemann, Rudolf. The Eurypterida of New York. v. 1. Text. 440p. il. v. 2 Plates. 188p. 88pl. Dec. 1912. $4, *cloth.*

Natural History of New York. 30 v. il. pl. maps. 4to. Albany 1842–94.
DIVISION 1 ZOOLOGY. De Kay, James E. Zoology of New York; or, The New York Fauna; comprising detailed descriptions of all the animals hitherto observed within the State of New York with brief notices of those occasionally found near its borders, and accompanied by appropriate illustrations. 5v. il. pl. maps. sq. 4to. Albany 1842–44. *Out of print.*
Historical introduction to the series by Gov. W. H. Seward. 178p.

v. 1 pt1 Mammalia. 131 + 46p. 33pl. 1842.
300 copies with hand-colored plates.

v. 2 pt2 Birds. 12 + 380p. 141pl. 1844.
Colored plates.

v. 3 pt3 Reptiles and Amphibia. 7 + 98p. pt 4 Fishes. 15 + 415p. 1842.
pt3–4 bound together.

v. 4 Plates to accompany v. 3. Reptiles and Amphibia. 23pl. Fishes. 79pl. 1842.
300 copies with hand-colored plates.

v. 5 pt5 Mollusca. 4 + 271p. 40pl. pt 6 Crustacea. 70p. 13pl. 1843–44.
Hand-colored plates; pt5–6 bound together.

DIVISION 2 BOTANY. Torrey, John. Flora of the State of New York; comprising full descriptions of all the indigenous and naturalized plants hitherto discovered in the State, with remarks on their economical and medical properties. 2v. il. pl. sq. 4to. Albany 1843. *Out of print.*

v. 1 Flora of the State of New York. 12 + 484p. 72pl. 1843.
300 copies with hand-colored plates.

v. 2 Flora of the State of New York. 572p. 89pl. 1843.
300 copies with hand-colored plates.

DIVISION 3 MINERALOGY. Beck, Lewis C. Mineralogy of New York; comprising detailed descriptions of the minerals hitherto found in the State of New York, and notices of their uses in the arts and agriculture. il. pl. sq. 4to. Albany 1842. *Out of print.*

v. 1 pt1 Economical Mineralogy. pt2 Descriptive Mineralogy. 24 + 536p. 1842.
8 plates additional to those printed as part of the text.

DIVISION 4 GEOLOGY. Mather, W. W,; Emmons, Ebenezer; Vanuxem, Lardner & Hall, James. Geology of New York. 4v. il. pl. sq. 4to. Albany 1842–43. *Out of print.*

v. 1 pt1 Mather, W. W. First Geological District. 37 + 653p. 46pl. 1843.

v. 2 pt2 Emmons, Ebenezer. Second Geological District. 10 + 437p. 17pl. 1842.

v. 3 pt3 Vanuxem, Lardner. Third Geological District. 306p. 1842.

v. 4 pt4 Hall, James. Fourth Geological District. 22 + 683p. 19pl. map. 1843.

DIVISION 5 AGRICULTURE. Emmons, Ebenezer. Agriculture of New York; comprising an account of the classification, composition and distribution of the soils and rocks and the natural waters of the different geological formations, together with a condensed view of the meteorology and agricultural productions of the State. 5v. il. pl. sq. 4to. Albany 1846–54. *Out of print.*

v. 1 Soils of the State, Their Composition and Distribution. 11 + 371p. 21pl. 1846.

v. 2 Analysis of Soils, Plants, Cereals, etc. 8 + 343 + 46p. 42pl. 1849.
With hand-colored plates.

v. 3 Fruits, etc. 8 + 340p. 1851.

v. 4 Plates to accompany v. 3. 95pl. 1851.
Hand-colored.

v. 5 Insects Injurious to Agriculture. 8 + 272p. 50pl. 1854.
With hand-colored plates.

DIVISION 6 PALEONTOLOGY. Hall, James. Paleontology of New York. 8v. il. pl. sq. 4to. Albany 1847–94. *Bound in cloth.*

v. 1 Organic Remains of the Lower Division of the New York System. 23 + 338p. 99pl. 1847. *Out of print.*

v. 2 Organic Remains of Lower Middle Division of the New York System. 8 + 362p. 104pl. 1852. *Out of print.*

v. 3 Organic Remains of the Lower Helderberg Group and the Oriskany Sandstone. pt1, text. 12 + 532p. 1859. [$3.50]
—— pt2. 142pl. 1861. [$2.50]

v. 4 Fossil Brachiopoda of the Upper Helderberg, Hamilton, Portage and Chemung Groups. 11 + 1 + 428p. 69pl. 1867. $2.50.

v. 5 pt 1 Lamellibranchiata 1. Monomyaria of the Upper Helderberg, Hamilton and Chemung Groups. 18 + 268p. 45pl. 1884. $2.50.

—— —— Lamellibranchiata 2. Dimyaria of the Upper Helderberg, Hamilton, Portage and Chemung Groups. 62 + 293p. 51pl. 1885. $2.50.

—— pt 2 Gasteropoda, Pteropoda and Cephalopoda of the Upper Helderberg, Hamilton, Portage and Chemung Groups. 2v. 1879. v. 1, text. 15 + 492p.; v.2. 120pl. $2.50 for 2 v.

—— & Simpson, George B. v. 6 Corals and Bryozoa of the Lower and Upper Helderberg and Hamilton Groups. 24 + 298p. 67pl. 1887. $2.50.

—— & Clarke, John M. v. 7 Trilobites and Other Crustacea of the Oriskany, Upper Helderberg, Hamilton, Portage, Chemung and Catskill Groups. 64 + 236p. 46pl. 1888. Cont. supplement to v. 5, pt 2. Pteropoda, Cephalopoda and Annelida. 42p. 18pl. 1888. $2.50.

—— & Clarke, John M. v. 8 pt 1. Introduction to the Study of the Genera of the Paleozoic Brachiopoda. 16 + 367p. 44pl. 1892. $2.50.

—— & Clarke, John M. v. 8 pt 2 Paleozoic Brachiopoda. 16 + 394p. 64pl. 1894. $2.50.

Catalogue of the Cabinet of Natural History of the State of New York and of the Historical and Antiquarian Collection annexed thereto. 242p. 8vo. 1853. *Out of print.*

Handbooks 1893–date.

New York State Museum. 52p. il. 1902. Free.

Outlines history and work of the museum with list of staff 1902.

Paleontology. 12p. 1899. *Out of print.*

Brief outline of State Museum work in paleontology under heads: Definition; Relation to biology; Relation to stratigraphy; History of paleontology in New York.

Guide to Excursions in the Fossiliferous Rocks of New York. 124p. 1899. *Free.*

Itineraries of 32 trips covering nearly the entire series of Paleozoic rocks, prepared specially for the use of teachers and students desiring to acquaint themselves more intimately with the classic rocks of this State.

Entomology. 16p. 1899. *Out of print.*

Economic Geology. 44p. 1904. *Free.*

Insecticides and Fungicides. 20p. 1909. Free.

Classification of New York Series of Geologic Formations. 32p. 1903. *Out of print.* Revised edition. 96p. 1912. Free.

Geologic maps. Merrill, F. J. H. Economic and Geologic Map of the State of New York; issued as part of Museum Bulletin 15 and 48th Museum Report, v. 1. 59 x 67 cm. 1894. Scale 14 miles to 1 inch. 15c.

—— Map of the State of New York Showing the Location of Quarries of Stone Used for Building and Road Metal. 1897. *Out of print.*

—— Map of the State of New York Showing the Distribution of the Rocks Most Useful for Road Metal. 1897. *Out of print.*

—— Geologic Map of New York. 1901. Scale 5 miles to 1 inch. *In atlas form* $2. *Lower Hudson sheet* 60c.

The lower Hudson sheet, geologically colored, comprises Rockland, Orange, Dutchess, Putnam, Westchester, New York, Richmond, Kings, Queens and Nassau counties, and parts of Sullivan, Ulster and Suffolk counties; also northeastern New Jersey and part of western Connecticut.

—— Map of New York Showing the Surface Configuration and Water Sheds. 1901. Scale 12 miles to 1 inch. 15c.

—— Map of the State of New York Showing the Location of Its Economic Deposits. 1904. Scale 12 miles to 1 inch. 15c.

Geologic maps on the United States Geological Survey topographic base. Scale 1 in. = 1 m. Those marked with an asterisk have also been published separately.

*Albany county. 1898. *Out of print.*

Area around Lake Placid. 1898.

Vicinity of Frankfort Hill [parts of Herkimer and Oneida counties]. 1899.

Rockland county. 1899.
Amsterdam quadrangle. 1900.
*Parts of Albany and Rensselaer counties. 1901. *Out of print.*
*Niagara river. 1901. 25c.
Part of Clinton county. 1901.
Oyster Bay and Hempstead quadrangles on Long Island. 1901.
Portions of Clinton and Essex counties. 1902.
Part of town of Northumberland, Saratoga co. 1903.
Union Springs, Cayuga county and vicinity. 1903.
*Olean quadrangle. 1903. Free.
*Becraft Mt with 2 sheets of sections. (Scale 1 in. = ½ m.) 1903. 20c.
*Canandaigua-Naples quadrangles. 1904. 20c.
*Little Falls quadrangle. 1905. Free.
*Watkins-Elmira quadrangles. 1905. 20c.
*Tully quadrangle. 1905. Free.
*Salamanca quadrangle. 1905. *Out of print.*
*Mooers quadrangle. 1905. Free.
Paradox Lake quadrangle. 1905.
*Buffalo quadrangle. 1906. Free.
*Penn Yan-Hammondsport quadrangles. 1906. 20c.
*Rochester and Ontario Beach quadrangles. 1907. 20c.
*Long Lake quadrangle. 1907. Free.
*Nunda-Portage quadrangles. 1908. 20c.
*Remsen quadrangle. 1908. Free.
*Geneva-Ovid quadrangles. 1909. 20c.
*Port Leyden quadrangle. 1910. Free.
*Auburn-Genoa quadrangles. 1910. 20c.
*Elizabethtown and Port Henry quadrangles. 1910. 15c.
*Alexandria Bay quadrangle. 1910. Free.
*Cape Vincent quadrangle. 1910. Free.
*Clayton quadrangle. 1910. Free.
*Grindstone quadrangle. 1910. Free.
*Theresa quadrangle. 1910. Free.
*Poughkeepsie quadrangle. 1911. Free.
*Honeoye-Wayland quadrangles. 1911. 20c.
*Broadalbin quadrangle. 1911. Free.
*Schenectady quadrangle. 1911. Free.
*Saratoga-Schuylerville quadrangles. 1914. 20c.
*North Creek quadrangle. 1914. Free.
*Syracuse quadrangle. 1914. Free.
*Attica-Depew quadrangles. 1914. 20c.
*Lake Pleasant quadrangle. 1916. Free.
*Saratoga quadrangle. 1916. Free.
*Canton quadrangle. 1916. Free.